Engine Details for 80351065

View 1 - 2 of 2					25~	Page 1 of 1				
NORDIC IDEALEASE	×	400000	48	21-SEP-2025	21-SEP-2021	Active	AT3	AT3	Extended	1178707
NORDIC IDEALEASE	2	400000	48	21-SEP-2025	21-SEP-2021	Active	PD1	PD1	Extended	1023867
Customer Name	Measure Unit Miles/Km/Hrs	Coverage Measure Unit	Coverage Months	Expiration Date	Coverage Start Date	Certificate Status	ID Coverage ID	Program ID	Certificate Type Program I	Certificate No.

	Parts Catalog	
Class Description	Component	Description
AXLE CONFIGURATION	0001AND	AXLE CONFIGURATION 6x4
		FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 11.125" x 3.952
		x 0.438" (282.6mm x 100.4mm x 11.1mm); 400.0" (10160mm) Maximum
FRAMES	0001CCL	OAL
		BUMPER, FRONT Aerodynamic, Aluminum, Stainless Steel Clad, with
FRAMES	0001LRY	Painted Plastic Filler Panels
FRAMES	0001VAD	DECK PLATE Bright Aluminum, (2) Sections, Flush Mounted
FRAMES	0001WKU	WHEELBASE RANGE 240" (610cm) Through and Including 280" (710cm)
FRAMES	1570	TOW HOOK, FRONT (2) Frame Mounted
FRAMES	1616	FRAME RAILS WITH TAPERED REAR
		AXLE, FRONT NON-DRIVING (Meritor MFS-14-143A) Wide Track, I-Beam
FRONT AXLES	0002ARV	Type, 14,000-lb Capacity
		SUSPENSION, FRONT, SPRING Parabolic Taper Leaf, Shackle Type, 14,000-
FRONT SUSPENSIONS	0003ADD	lb Capacity, with Shock Absorbers
		AIR BRAKE ABS {Bendix AntiLock Brake System} 6-Channel (6 Sensor/6
BRAKES		Modulator) Electronic Stability Program, with Automatic Traction Control
		AIR DRYER (Bendix AD-IS) with Heater, Includes Pressure Protection
		Circuits, Safety Valve, Integral Purge Tank, Integrated PuraGuard
BRAKES		Coalescing Filtration
BRAKES	0004EXU	BRAKE CHAMBERS, REAR AXLE {Bendix EverSure} 30/30 Sqln Spring Brake
BRAKES		BRAKE CHAMBERS, FRONT AXLE (Bendix) 24 Sqin
BRAKES		SLACK ADJUSTERS, FRONT (Gunite) Automatic
BRAKES		SLACK ADJUSTERS, REAR (Gunite) Automatic
BRAKES		AIR COMPRESSOR (Cummins) 18.7 CFM
BRAKES		AIR TANK Polished Aluminum, with Straight Thread O-Ring Ports
		AIR TANK LOCATION (2) Mounted Under Battery Box, Outside Left Rail,
BRAKES		Under Cab; Perpendicular to Rail
BRAKES	0004WBX	DUST SHIELDS, FRONT BRAKE for Air Cam Brakes
BRAKES	0004WDM	DUST SHIELDS, REAR BRAKE for Air Cam Brakes
		FRAILER CONNECTION DEVIATION 30" Extra Length on Trailer Hose
BRAKES		Coupling Supply Lines for After Market Headache Rack
· · · · · · · · · · · · · · · · · · ·		AIR COMPRESSOR DISCHARGE LINE 1/2" ID to 5/8" ID Teflon Hose, with
BRAKES		Stainless Steel Braid; to Air Dryer
BRAKES		DRAIN VALVE (2) {Berg} with Pull Chains, for Air Tanks

BRAKES	0004WZE	TRAILER HOSES AND CABLES (Phillips) Straight, 3 IN 1, Rubber Hose 15' Working Length, Aluminum Glad Hands with Rubber Seals and Hand Holds, Lighting Cable with Zinc Die Cast Plug
		BRAKES, FRONT (Meritor 16.5X5 Q-PLUS CAST) Air S-Cam Type, Cast
BRAKES	0004XDP	Spider, Fabricated Shoe, Double Anchor Pin, Size 16.5" X 5", 14,700-lb Capacity
		BRAKES, REAR (Meritor 16.5X8.625 Q-PLUS CAST) Air S-Cam Type, Cast
BRAKES	0004XDS	Spider, Fabricated Shoe, Double Anchor Pin, Size 16.5" X 8.625", 23,000-lb Capacity per Axle
BRAKES	0004XEE	PARK BRAKE CHAMBERS, ADDITIONAL (2) Spring Brake Type
BRAKES	4092	BRAKE SYSTEM, AIR Dual System for Tractor Applications
OTTERNIA O		
STEERING	0005CBE	STEERING WHEEL 4-Spoke; 18" Dia., Black Leather Wrapped
STEERING	0005PSM	STEERING GEAR (Sheppard HD94) Power
STEERING	0005WAJ	POWER STEERING OIL COOLER Remote Mounted
STEERING	5710	STEERING COLUMN Tilting and Telescoping
		DRIVELINE SYSTEM (Dana Spicer) SPL250 Main Driveline with SPL170
DRIVELINES	0006DGU	Interaxle Shaft, for 6x4
EXHAUST SYSTEMS	0007BES	AFTERTREATMENT COVER Polished Aluminum
EXHAUST SYSTEMS		EXHAUST SYSTEM Horizontal Aftertreatment System, Frame Mounted Right Side Under Sleeper, for Dual Vertical Tail Pipes, Cab B-Pillar Mounted
EXHAUST SYSTEMS	0007MBG	TAIL PIPE (2) 45 Degree Cut, Bright, 7" Diameter
EXHAUST SYSTEMS	0007SAP	ENGINE COMPRESSION BRAKE {Cummins} Interbrake For Cummins Signature/ISX/X15 Engines; Furnished with Engine
EXHAUST SYSTEMS		EXHAUST HEIGHT 13'
EXHAUST SYSTEMS	0007WDL	MUFFLER/TAIL PIPE GUARD (2) Bright Stainless Steel
EXHAUST SYSTEMS	0007WZX	SWITCH, FOR EXHAUST 3 Position, Momentary, Lighted Momentary, ON/CANCEL, Center Stable, INHIBIT REGEN, Mounted in IP Inhibits Diesel Particulate Filter Regeneration When Switch is Moved to ON While Engine is Running, Resets When Ignition is Turned OFF
ELECTRICAL SYSTEMS		ALTERNATOR {Leece-Neville AVI160P2003} Brush Type, 12 Volt, 240 Amp Capacity, Pad Mount, with Remote Sense
ELECTRICAL SYSTEMS		BATTERY SYSTEM {JCI} Maintenance-Free, (4) 12-Volt 2800CCA Total, Top Threaded Stud
ELECTRICAL SYSTEMS	0008RBZ [SPEAKER, AUXILIARY, CB RADIO with Jack for CB; Mounted Left Side Above Driver's Door
ELECTRICAL SYSTEMS	0008RJG 2	RADIO, AUXILIARY CONTROLS Located in Sleeper Control Panel; Includes Display and Controls for Radio Power, Volume, Mode, Seek/Tune, Clock and Alarm
ELECTRICAL SYSTEMS	I .	SPEAKERS (2) 6.5" Dual Cone Mounted in Doors, and (2) 6.5" Dual Cone Mounted in Sleeper Cab

		CR DADIO Assessment debies Desire to 11
	ļ	CB RADIO Accommodation Package, Header Mounted, Feeds from
ELECTRICAL EVETEME	00000010	Accessory Side of Ignition Switch, Includes Power Source, Two Antennas
ELECTRICAL SYSTEMS	0008RNC	and Antenna Bases with Wiring on Both Side Mirrors
ELECTRICAL SYSTEMS	0008RPU	PADIO AM/EMAND/Cirius/M/Clask/Diveteeth// ICD Innut/Auxilian Innut
		RADIO AM/FM/WB/SiriusXM/Clock/Bluetooth/USB Input/Auxiliary Input
ELECTRICAL SYSTEMS	0008THB	BACK-UP ALARM Electric, 102 dBA
		AUX. TRAILER SOCKET (Phillips) 7-Way, with Battery Fed Circuit to Center
		Pin, with 25 Amp Fuse and Relay Controlled by Switch (with Indicator Light)
		Controlled by Accessory Side of Key Switch, Switch Mounted on Instrument
ELECTRICAL SYSTEMS	0008ТНН	Panel
ELECTRICALCIONE	000011111	ranet
		STOP, TURN, TAIL & B/U LIGHTS {Truck Lite} Super 44, with LED Lights for
		Stop, Turn, Tail and Backup Lights, with Power Module, "International"
ELECTRICAL SYSTEMS	0008TKJ	Termination and Less Junction Box, Includes License Plate Light
	0000110	LIGHTS, AIR CLEANER Integrated Forward and Rear Facing Lights with Clear
ELECTRICAL SYSTEMS	0008TNW	Lens
		BEACON LIGHT WIRING Customer furnished Bracket & Beacon, with Pigtail
		at Back of Cab, with 5' of Extra Wire; Includes Wiring & Dash Mounted
ELECTRICAL SYSTEMS	0008TSZ	Switch
ELECTRICAL SYSTEMS	0008TUT	COLLISION MITIGATION SYSTEM Omit
		BATTERY BOX COVER Polished Aluminum, Universal Cover that Covers
ELECTRICAL SYSTEMS	0008VUS	Both Battery Box & DEF Tank
ELECTRICAL SYSTEMS	0008WEZ	TURN SIGNAL SWITCH Self-Canceling
		WORK LIGHT WIRING for (2) Customer Installed Work Lights, Mounted on
		Top Rear Corners of Cab, with Switch on Dash, Switch Will Also Activate
ELECTRICAL SYSTEMS	0008WGV	Standard Work Light
		REFRIGERATOR 12/24 V DC, 1.6 cubic ft.(45L) Capacity, Thermo Protected
		Compressor, Adjustable Thermostat, Internal Light, Includes Shelf, Small
ELECTRICAL SYSTEMS	0008WLA	Freezer - Capable of Making Ice
		TEST EXTERIOR LIGHTS Pre-Trip Inspection will Cycle all Exterior Lamps
ELECTRICAL SYSTEMS	0008WPZ	Except Back-up Lights
		HEADLIGHTS ON W/WIPERS Headlights Will Automatically Turn On if
ELECTRICAL SYSTEMS	0008WRB	Windshield Wipers are Turned On
ELECTRICAL SYSTEMS	0008WRS	TURN SIGNAL/SIDE MARKER LIGHTS Clear Lens, Valance Panel Mounted
ELECTRICAL SYSTEMS	0008WVR	FOG LIGHTS (2) Clear, Halogen, Round
		HEADLIGHT WARNING BUZZER Sounds When Head Light Switch is on and
ELECTRICAL SYSTEMS	0008WXB	Ignition Switch is in "Off" Position
		STARTING MOTOR (Mitsubishi Electric Automotive America 105P) 12-Volt,
ELECTRICAL SYSTEMS	0008WXG	with Soft-Start
		CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III with Trip
ELECTRICAL SYSTEMS	0008XAH	Indicators, Replaces All Fuses

ELECTRICAL SYSTEMS	0008XBN	TOGGLE SWITCH, AUXILIARY (2) with Two 30-Amp Circuit Breakers
ELECTRICAL SYSTEMS	0008XDM	POWER INVERTER 1800 Watt; Includes Battery Cables, Battery Charger and Remote Display with On/Off Switch in Sleeper Control Panel
ELECTRICAL SYSTEMS	0008XDN	SHORE POWER SOCKET Includes 120 Volt 20 Amp AC Connection on Modesty Panel, with AC Wiring and 2 AC Receptacles, for use with Inverter
ELECTRICAL SYSTEMS	0008XDP	HEADLIGHTS Halogen, with Park Lights and Daytime Running Lights
ELECTRICAL SYSTEMS	0008XHK	BATTERY BOX Aluminum, 30" Wide, 2-4 Battery Capacity, Mounted Left Side Under Cab
ELECTRICAL SYSTEMS	0008XHP	HORN, AIR (2) Dual Trumpets, Black, with Lanyard Pull Chain
ELECTRICAL SYSTEMS	0008XHR	POWER SOURCE, ADDITIONAL Auxiliary Power Outlet (APO) with USB Port, Located in the Instrument Panel
ELECTRICAL SYSTEMS	0008XHX	SWITCH, MARKER INTERRUPT for Marker Lights and Headlights, Located in Steering Wheel
ELECTRICAL SYSTEMS	0008XJC	BATTERY WIRING MODIFICATION Battery Discharge Protection System; Control thru Body Controller
ELECTRICAL SYSTEMS	8000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment
ELECTRICAL SYSTEMS	8518	CIGAR LIGHTER Includes Ash Cup
FRONT END	0009AAB	LOGOS EXTERIOR Model Badges
FRONT END	0009AAE	LOGOS EXTERIOR, ENGINE Badges
FRONT END	0009HAN	INSULATION, UNDER HOOD for Sound Abatement
FRONT END	0009HBN	INSULATION, SPLASH PANELS for Sound Abatement
FRONT END	0009WBE	FRONT END Tilting, Mounted to Chassis Front and Rear, Independent of Cab
FRONT END	0009WBJ	FILLER PANEL LOWER Front Fender Extensions, Polished Stainless Steel
SPEEDOMETER, TOOLS, MISC	0010AEU	INTELLIGENT FLEET CARE Telematics Device with Over the Air Programming; Includes Five Year Data Plan, Advanced Preventive Maintenance, Fleet Health Monitor Reporting and International 360
SPEEDOMETER, TOOLS, MISC	0010JAA	FIFTH WHEEL, STATIONARY (Holland FW35-S802XL) 8.21" Above Top of Frame, Left Hand Release
SPEEDOMETER, TOOLS, MISC	0010NCA	COUNTRY IDENTITY for Canada
SPEEDOMETER, TOOLS, MISC	0010VAA	KEYS - ALL ALIKE, ADDITIONAL 3 Keys
SPEEDOMETER, TOOLS, MISC	0010WAD	AIR CONDITIONER IDENTITY for CANADA
SPEEDOMETER, TOOLS, MISC	0010WAW	LANGUAGE IDENTITY for French
SPEEDOMETER, TOOLS, MISC	0010WCY	SAFETY TRIANGLES
SPEEDOMETER, TOOLS, MISC	0010WKN	KEYS - ALL ALIKE, ID I-1624 Compatible with Z-250
SPEEDOMETER, TOOLS, MISC	l	MUD FLAP HOLDER Spring Loaded, Bright Finish, with Red and White Reflective Tape, Less Flaps

	<u> </u>	
SPEEDOMETER, TOOLS, MISC	0010WSX	MUD FLAPS, REAR Black Poly, with International Logo, Less Holders
		PAINT SCHEMATIC, PT-1 Single Color, Design 133 for 72" or 73" Hi-Rise
SPEEDOMETER, TOOLS, MISC	10133	Sleeper Cab/Chassis
		PAINT IDENTITY, PT-2 Single Color, Instruction No. 936. Frame/Running
SPEEDOMETER, TOOLS, MISC	10636	Gear, Less Fuel Tanks
SPEEDOMETER, TOOLS, MISC	10761	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone
SPEEDOMETER, TOOLS, MISC	10769	PAINT CLASS Premium Color
СLUТСН	0011MGP	CLUTCH {Eaton Fuller ECA 1850} Self-Adjusting, 15.5" Dia Two-Plate, Cast Angle Spring, Ceramic, 7-Spring Damper with Pre-Damper, 2"-10 Tooth Spline, 1850 lb-ft Torque Capacity
ENGINE	0012EPB	ENGINE, DIESEL {Cummins X15 565} Performance Series, EPA 2021, 565HP @ 1900 RPM, 1850 lb-ft Torque @ 1000 RPM, 1900 RPM Governed Speed, 581 Peak HP (Max)
ENGINE		FAN DRIVE {Horton Drivemaster} Two-Speed Type, Direct Drive, with Residual Torque Device for Disengaged Fan Speed RADIATOR Aluminum, Welded, Front to Back System, 1361 Sqln, with 740.5
ENGINE		Sqln Charge Air Cooler
ENGINE	0012VBP	AIR CLEANER Dual, D-Shaped, Hybrid Polished Stainless Steel and PCABS, Plastic Lids, One Mounted on Each Side of Cowl Ahead of the Doors EMISSION, CALENDAR YEAR {Cummins X15} EPA, OBD and GHG Certified
ENGINE	I	for Calendar Year 2021
ENGINE	I	FAN OVERRIDE Manual; with Electric Switch on Instrument Panel, (Fan On with Switch On)
ENGINE		HOSE CLAMPS, RADIATOR HOSES {Gates} Shrink Band Type
ENGINE (BLOCK HEATER, ENGINE {Phillips} 120V/1500W, with "Y" Cord for 120V/300W Oil Pan Heater
ENGINE (0012WYZ	RADIATOR DRAIN & FILL FITTING SPECIAL; To Vacuum Out or Fill the Cooling System from the Bottom of Radiator, for Use with Quick-Connect Radiator Drain Tool or Shop Coolant Evacuation-Fill System
ENGINE (0012XBE	CRUISE CONTROL Predictive, Includes GPS Enhanced Cruise Control; ncludes Module, Antenna and Wiring
ENGINE		ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection
TRANSMISSION 0	E	RANSMISSION, MANUAL {Eaton Fuller UltraShift+ FO-18E318B-MXP} 18- Speed Fully Automated Manual, Aluminum Clutch Housing, Overdrive, Electronic Shift Controls and Clutch Actuation, Air Range Shift, Internal Lube Oil Pump, Hill Start Aid

TRANSMISSION	0013WET	TRANSMISSION SHIFT CONTROL Column Mounted Stalk Shifter, Not for Use with Allison 1000 & 2000 Series Transmission
TRANSMISSION	0013WGJ	OIL COOLER, TRANSMISSION Water to Oil Type Included in Radiator End Tank (REQUIRES TRANSMISSION LUBE PUMP)
TRANSMISSION	0013WLX	TRANSMISSION OIL {EmGard 40W} Synthetic; 22 thru 33.99 Pints
TRANSMISSION	0013XAA	PTO CONTROL, DASH MOUNTED For Customer Provided PTO; Includes Switch, Electric/Air Solenoid, Piping and Wiring
TRANSMISSION	0013XAV	PTO LOCATION Dual, Customer Intends to Install PTO at Right Side and/or Bottom of Transmission
REAR AXLES, SUSPENSIONS	0014HRM	AXLE, REAR, TANDEM {Meritor RT-46-160} Single Reduction, 46,000-lb Capacity, Driver Controlled Locking Differential in Forward-Rear and Rear-Rear Axle, 200 Wheel Ends
REAR AXLES, SUSPENSIONS	0014UNX	SUSPENSION, REAR, AIR, TANDEM {Hendrickson PRIMAAX EX} 46,000-lb Capacity, 56" Axle Spacing, 9.0" Ride Height, with Shock Absorbers
REAR AXLES, SUSPENSIONS	0014WBN	DIFF. SWITCH CONTROLS Two Independent Switches for Control Traction Differentials on Tandem Rear Axles, Mounted on Dash
REAR AXLES, SUSPENSIONS	0014WMK	AXLE, REAR, LUBE {EmGard FE-75W-90} Synthetic Oil; 65 thru 89.99 Pints
REAR AXLES, SUSPENSIONS	14899	SUSPENSION AIR CONTROL VALVE Pressure Release Control in Cab
FUEL TANKS	0015EAJ	FUEL TANK (2) Top Draw, Polished Aluminum, 26" Dia, 140 US Gal (530L); Total Capacity 280 US Gal (1060L), with Dual Supply and Return Lines, Less Equalizer Line, Mounted Left and Right Side, Back of Cab/Under Sleeper
FUEL TANKS	0015LKZ	FUEL/WATER SEPARATOR (Davco Fuel Pro 382) Includes Water-in-Fuel Sensor
FUEL TANKS	0015MAD	FUEL HEATER PLUMBING (Cummins) Omit Plumbing for TRV on Cummins Engines
FUEL TANKS	0015WEB	DEF TANK 25.2 US Gal (95L) Capacity, Frame Mounted Outside Left Rail, Under Cab
CABS, COWLS, BODIES	0016ATC	AUTOMATIC CLIMATE CONTROL Automatically Maintains Cabin Comfort Based on Selected Temperature
CABS, COWLS, BODIES	1 1	CAB Conventional, Hi-Rise Sleeper Cab; 73" Seat to Inside Back of Cab, with 42" Wide Lower Bunk
CABS, COWLS, BODIES		AIR CONDITIONER with Integral Heater and Defroster
CABS, COWLS, BODIES	0016CEL	FLOOR COVERING IN SLEEPER Carpet Insert

CABS, COWLS, BODIES	0016GDH	GAUGE CLUSTER Premium Level; English with Metric Speedometer and Tachometer, for Air Brake Chassis, Includes Engine Coolant Temperature, Primary and Secondary Air Pressure, Fuel and DEF Gauges, Oil Pressure Gauge, Includes 5 Inch LCD Color Display
CARC COME DODIES		GAUGE, TEMPERATURE, AMBIENT Sensor Wiring with Display Unit Mounted
CABS, COWLS, BODIES	0016HCS	in Cluster
CABS, COWLS, BODIES	0016HGG	GAUGE, OIL TEMP, ENGINE
CABS, COWLS, BODIES	0016HGJ	GAUGE, OIL TEMP, MANUAL TRAN for Manual Transmission
CABS, COWLS, BODIES	0016HGN	GAUGE, AIR APPLICATION
CABS, COWLS, BODIES	0016HKB	GAUGE, MANIFOLD PRESSURE Data Link Driven; Mounted in Instrument Panel, Includes Controller Module
CABS, COWLS, BODIES	0016HKC	GAUGE, AIR CLEANER RESTRICTION (Filter-Minder) Under Hood Cleaner Mounted with Internal Switch, with Text Message in Cluster
CABS, COWLS, BODIES	0016HKE	GAUGE, LOAD INDICATING REAR Text Message in Cluster Display, for use with Rear Air Suspension
CABS, COWLS, BODIES	0016HKT	IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster
CABS, COWLS, BODIES	0016HLX	GAUGE, VOLTMETER Auxiliary Gauge, Located in Center Panel. Standard Cluster Also Includes Digital Voltage Readout
CABS, COWLS, BODIES	0016LWU	SEAT, DRIVER (ISRI) Series 500, Air Suspension, High Back, Synthetic Leather, Adjustable Bolsters, Double Chamber Lumbar, Heat, Ventilation, Inboard Armrest, Adjustable Shocks, Suspension Cover, Fore/Aft Isolator, Cushion Extension, Seat Tilt, Memory Quickdown
CABS, COWLS, BODIES	0016SBU	BUNK, LOWER Flip Up Type; 42" Wide
CABS, COWLS, BODIES	0016SNV	MIRRORS (2) Aero Pedestal, Power Adjust, Heated, Turn Signals, Bright Heads, Black Arms, 6.5" x 14" Flat Glass, Includes 6.5" x 6" Convex Mirrors, for 102" Load Width
CABS, COWLS, BODIES	0016SRX	SEAT, PASSENGER (ISRI) Series 500, Air Suspension, High Back, Synthetic Leather, Adjustable Bolsters, Double Chamber Lumbar, Heat, Ventilation, Inboard Armrest, Adjustable Shocks, Suspension Cover, Fore/Aft Isolator, Cushion Extension, Seat Tilt, Memory Quickdown
CABS, COWLS, BODIES	0016VCK	CABINET, REFRIGERATOR for Refrigerator Storage; Includes Power Source, Pull-Out Work Table, Storage Drawer, Side Magazine Rack, Located Behind Passenger Seat, for Conventional Sleeper Cab
CABS, COWLS, BODIES CABS, COWLS, BODIES	0016VJM 0016VKR	CABINET TOWER WARDROBE LWR LT Includes Clothes Hanging Storage, with Door, Mounted Behind Driver Seat, 73" Sleeper Cab CAB INTERIOR TRIM Diamond, for 73" Hi-Rise Sleeper Cab

CABS, COWLS, BODIES	0016VRX	SLEEPER COMPARTMENT CURTAIN Insulated Curtain, Improved Sleeper Curtains That will Provide Improved Thermal Value and Noise Level Reduction in Sleeper Compartment
		INSULATION PACKAGE Provides Improved Noise Level and Thermal Value
CABS, COWLS, BODIES	0016VRY	for Sleeper Compartment
1		HEATER, AUXILIARY (ESPAR Airtronic D2) 7,500 BTU, Diesel Fueled for
CABS, COWLS, BODIES	0016VTV	Maintaining Sleeper Temperature for No Idle Heating, Wired for Operation
CABS, COWLS, BODIES	0016VTV	in Dealer Selectable Parameter, Defaulted to Key Off Mode
OABS, COVES, BODIES	0010021	CURTAIN, WINDSHIELD for Privacy
CABS, COWLS, BODIES	0016WCR	SUNSHADE, EXTERIOR Bright Stainless Steel, 13" Drop Sun Visor, with Clear Lights
CABS, COWLS, BODIES	0016WDE	ANTENNA, TELEVISION with Lead-In
, , , , , , , , , , , , , , , , , , , ,	00101102	WINDOW, POWER (2) and Power Door Locks, Left and Right Doors,
CABS, COWLS, BODIES	0016WJU	Includes Express Down Feature
		KEYLESS ENTRY SYSTEM REMOTE with Panic and Auxiliary Buttons,
CABS, COWLS, BODIES	0016WKZ	Includes One Key Fob (Transmitter)
		HOURMETER, PTO for Customer Provided PTO; with Indicator Light and
CABS, COWLS, BODIES	0016WLM	Hourmeter in Gauge Cluster Includes Return Wire for PTO Feedback Switch
CABS, COWLS, BODIES	0016WSE	LOW WASHER FLUID INDICATOR
CARC COMUS RODIES		
CABS, COWLS, BODIES	0016XCG	MATTRESS Inner Spring, One Sided; For 42" Lower Bunk of Sleeper Cab
CABS, COWLS, BODIES	0016XJP	INSTRUMENT PANEL Wing Panel
CABS, COWLS, BODIES	0016XRE	MODESTY PANEL Chrome, with Clear Lens LED Lights, for Sleeper
		CABINET, OVERHEAD, SLEEPER (4) 1 Small and 1 Large Right Side, 1 Small
CABS, COWLS, BODIES	0016XXN	and 1 Large Left Side, with Doors
CABS, COWLS, BODIES	0016ZGR	ACCESS, CAB AND FRAME Bright Aluminum, Driver & Passenger Sides, Two Steps per Door; Left Side Frame Access Step, Includes One Flush Mounted Deck Plate and Black Grab Handle, for use with Day Cab or Sleeper Cab FLOOR COVERING Transmission Cover, Floor Mats and Seal DO NOT
CABS, COWLS, BODIES		ORDER-FOR FACTORY USE ONLY
,=====	20000	
CABS, COWLS, BODIES	16564	HEATER SHUT-OFF VALVES (1) Ball Valve Type, Supply Line
		WHEELS, FRONT (Accuride 42644) DISC; 22.5x8.25 Rims, Extra Polish
MULTELO TIDEO EDOLE		Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with
WHEELS, TIRES - FRONT	0027DVS	Aluminum Hubs
		WHEELS, REAR (Accuride 42644) DUAL DISC; 22.5x8.25 Rims, Extra Polish
WHEELS, TIRES - REAR		Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with
WHEELS MISC OPTIONS		Aluminum Hubs
WITELS FIISC OFFICINS	0029SAJ	HUB CAPS (2) {Stemco} Front with Oversize Opening.

	1	
		WHEEL GLIAPING EPONT (Acquiride) for Motrie Llub Billion of Males
WHEELS MISC OPTIONS	0029WAP	WHEEL GUARDS, FRONT (Accuride) for Metric Hub Piloted Wheels with Flanged Mounting Nuts Mounted Between Hub and Wheel
		tanged Fredham (Nate Fredham Detween Francisco
WHEELS MISC OPTIONS	0029WLK	WHEEL BEARING, FRONT, LUBE {EmGard FE-75W-90} Synthetic Oil
		PAINT FRONT BUMPER FILLER PNL Single Color; Same as Number One Cab
BODY & CHASSIS PAINT	35869	Schematic Color
		WARRANTY Standard for LT/RH Series, Effective with Vehicles Built January
WARRANTY		2, 2016 or Later, CTS-2010A
FRAMES		FRAME PIERCING By Outside Vendor
FRAMES	501013	LADDER, LEFT (2) Back of Cab
		FRAME REINFORCEMENT, SPECIAL L-Channel, Mounted Near Lower Flange
FRAMES	501016	of Rail in Front Suspension Area
MISC	504058	AIR TANK VOLUME IDENTITY Nominal 6054 Culn System Capacity
		CUPPLY LINE ALP APPLICATION OF THE STATE OF
BRAKES	504094	SUPPLY LINE, AIR, ADDITIONAL 5/8" Line from Primary Air Tank to Rear of
BRAKES		Section Relay Valve for Brake Timing Requirements
BRAKES		PROG, ABS-6/8 YAW RATE SENSOR Orientation #2
BRAKES		PROG, ABS-6/8 SAS CONFIG Steer Angle Sensor INV
DNAKES	504175	PROG, ABS-6/8 AXLE for 6x4 Tractor
BRAKES	504396	AIR DRYER LOCATION Mounted Inside Left Rail, Back of Cab
BRAKES		BRAKE LININGS, FRONT (Meritor MA1503)
BRAKES	504517	BRAKE LININGS, REAR (Meritor MA2303) for S-Cam Brake
BRAKES	504546	SLACK ADJUSTERS LENGTH, FRONT 5.5"
BRAKES	504547	SLACK ADJUSTERS LENGTH, REAR 5.5"
DRIVELINES		YOKE, TRANSMISSION OUTPUT
DRIVELINES	506007	YOKE, FORWARD REAR AXLE INPUT
DRIVELINES	506008	YOKE, FWD-RR AXLE, REAR OUTPUT
DRIVELINES	506010	YOKE, REAR-REAR AXLE, INPUT or Single Rear Axle Input
DRIVELINES	506100	DRIVELINE LABOR IDENTITY for Driveline Labor
DRIVELINES	506101	CENTER BEARING, FIRST XMBR Mounted to Rear of Bracket
DRIVELINES	506110	CENTER BEARING MTG. PARTS
		SOLENOID, AIR ACCESSORY 8-Pak, Electric Operated, Does Not Include an
ELECTRICAL SYSTEMS	508025	ECU or J1939 Communications, Includes Two 4-Pak Units
MISC	508097	ELECTRICAL SYSTEM MUX for Electrical Common Architecture System
MISC		SWITCH, ROCKER MUX in Lighting Control Module C1
MISC		SWITCH, ROCKER MUX in Lighting Control Module C2
SPEEDOMETER, TOOLS, MISC		BULK MATERIAL
SPEEDOMETER, TOOLS, MISC		VEPS IDENTITY for Switch Pack Modules
ST ELDOTTETEN, TOOLS, MISC	510014	VERSIDENTITY TO SWITCH PACK MODULES

00000		
SPEEDOMETER, TOOLS, MISC		5 VEPS IDENTITY for Lighting Control Module
SPEEDOMETER, TOOLS, MISC		6 VEPS IDENTITY for Door Pod Modules
SPEEDOMETER, TOOLS, MISC	51001	7 VEPS IDENTITY for HVAC Controller
0.0000000000000000000000000000000000000		UNIT OF MEASURE IDENTITY for English Units, Except with Metric Distances
SPEEDOMETER, TOOLS, MISC	51001	9 and Speeds
SPEEDOMETER, TOOLS, MISC	F1010	A SPECIAL POLITIMA COMPANY
SI CEDONICIEN, 100ES, MISC	510104	SPECIAL ROUTING CONTROL for Pre Delivery Inspection Completed at TSC
		ENGINEERING PROGRAM IDENTITY Transmission Application or Feature
SPEEDOMETER, TOOLS, MISC	510113	Combination Approved by Engineering DO NOT INFUSE-FOR FACTORY USE ONLY
	010112	ENGINEERING PROGRAM IDENTITY for Insourced Driver Control Module
SPEEDOMETER, TOOLS, MISC	510197	(IDCM)
SPEEDOMETER, TOOLS, MISC	510848	VEPS IDENTITY Eaton Transmission, Cummins X15 Performance Series
SPEEDOMETER, TOOLS, MISC		VEPS IDENTITY for Powertrain Datalink, 500K
SPEEDOMETER, TOOLS, MISC		VEPS IDENTITY for Universal Column Shifter
SPEEDOMETER, TOOLS, MISC		VEPS IDENTITY for UltraShift Plus
		VEPS IDENTITY Use J1939 output speed signal ILO a Transmission Mounted
SPEEDOMETER, TOOLS, MISC	510916	Speed Sensor
SPEEDOMETER, TOOLS, MISC	510993	VEPS IDENTITY Electronic Diagnostics
REAR AXLES, SUSPENSIONS		SEATS AND PLATES, FORWARD REAR
REAR AXLES, SUSPENSIONS		SEATS AND PLATES, REAR REAR
FUEL TANKS		FUEL TANK CAP (2) Chrome, Non-Locking Type
FUEL TANKS		FUEL TANK STRAPS Bright Finish Stainless Steel
CABS, COWLS, BODIES	0516AAC	CAB REAR SUSPENSION Air Bag Type, for Sleeper Cab
CABS, COWLS, BODIES	516058	CAB, DRILLING for Lighted Airshield Wiring
CABS, COWLS, BODIES		CAB, DRILLING Sleeper Floor Power Source
CABS, COWLS, BODIES		CAB, DRILLING Wiring, Upper Work Light
CABS, COWLS, BODIES		CAB, DRILLING for B-Pillar Exhaust
		MIRROR HEATED EFFECTS All Heads, Both Sides, Thermostatically
CABS, COWLS, BODIES	516101	Controlled, with Switch Mounted in Wing Panel
CABS, COWLS, BODIES	516102	MIRROR, POWERED EFFECTS Both Sides, Flat Glass Only
CABS, COWLS, BODIES	516106	MIRROR, STYLE Aerodynamic
WHEELS MISC OPTIONS	529001	WHEEL BEARING, FRONT, LUBE
WHEELS MISC OPTIONS	529002	WHEEL BEARING, REAR, LUBE
1ISC	530100	TIRES
ODY & CHASSIS PAINT	535009	PAINT CHASSIS COLOR GROUP No. 09
		PAINT COLOR GROUP PT-11 No. 6; Identifies Material and Labor Cost for
		the 1st Paint Color of a 1-Tone, 2-Tone, 3-Tone or 4-Tone Paint Schematic
ODY & CHASSIS PAINT	535916	Design
IISC	597002 E	BCM PROG, COMMON CONFIG DATA
IISC	597003 E	BCM PROG, IP CONFIGURATION for LT, RH & LoneStar
IISC	597005 E	BCM PROG, PARK/MARKER LIGHTS 20 AMP

MISC	507006	PCM PPOC LIFATED MIDDORG DOOD DOO
MISC		BCM PROG, HEATED MIRRORS DOOR POD
MISC		BCM PROG, WORK LIGHT Rocker Switch
MISC		BCM PROG, EXTERIOR LIGHT CHECK
MISC		BCM PROG, AIR SUSP DUMP CONT
		BCM PROG, FOG LIGHTS, Lighted Control Module (LCM)
MISC	597012	BCM PROG, ENG COMPRESSION BK , Universal Shifter
MISC	597018	BCM PROG, INTERIOR DOME LIGHTS in Cab, with Switch Control
MISC	597019	BCM PROG, INTERIOR DOME LIGHTS in Sleeper
MISC	597020	BCM PROG, PARKED REGEN SWITCH Aftertreatment
MISC	597021	BCM PROG, INHIBIT REGEN SWITCH Momentary
MISC	597023	BCM PROG, ENGINE PARAMETERS Cummins X15
MISC		BCM PROG, POWER DIVIDER LOCK
MISC	597026	BCM PROG, TURN SIGNALS/BRAKE with Combined Stop and Turns
MISC		BCM PROG, PARK BRAKE INDICATOR
		2011 HOU, FRANCE INDIONION
MISC	597028	BCM PROG, AIR PRESSURE GAUGES Primary and Secondary
MISC		BCM PROG, FUEL TANK GAUGE Single Right Side
MISC		BCM PROG, ENGINE COOLANT TEMP
MISC		BCM PROG, ENGINE OIL PRESS GA
MISC		BCM PROG, TACHOMETER 2500 RPM
MISC		BCM PROG, BRAKE SWITCH
MISC		BCM PROG, ELECTRIC CITY HORN
		BCM PROG, ENG FAN OVERRIDE 1 Includes Manual Switch for Automatic
MISC		Manual Fan Control
MISC	597039	BCM PROG, ROLL STABILITY PROG
MISC	597040	BCM PROG, ENG FAN OVERRIDE 2 for Low Air Pressure, No Switch
		BCM PROG, ENGINE IDLE Increment/Decrement to allow idle adjust on
MISC		Cummins or IBB Engines
		BCM PROG, ENGINE IDLE SHUTDOWN Indicator Light in Cluster Warning
MISC	1 1	that Engine Ready to Shutdown
		BCM PROG, PRNDL Gear Display Eaton Ultrashift & Autoshift, without Park
MISC	597046	Pawl
MISC	597048	BCM PROG, SEATBELT INDICATOR
MISC	597049	BCM PROG, SPEEDOMETER
MISC	597051	BCM PROG, TRAILER ABS IND
MISC		BCM PROG, WINDSHIELD WIPER
MISC		BCM PROG, TRAILER LIGHTING
MISC		BCM PROG, WSHLD WPR LOW FL IND Low Fluid Indicator
		BCM PROG, ABS INDICATOR for Hydraulic or Air Brake Systems, Not
MISC		ncluding Trailer
MISC	597059	BCM PROG, HVAC In Sleeper (Behr) with Switch Controls

MISC	F07004	DOM DDOG DOMED WIND COMED 1 COM
MISC		BCM PROG, POWER WINDOW/DR LOCK with 2 Doors
		BCM PROG, ELECTRICAL GRID CONT
MISC		BCM PROG, KEY SWITCH
MISC	597066	BCM PROG, CRANK INHIBIT
MISC	597071	BCM PROG, MARKER INTERRUPT SW Located in Steering Wheel
		BCM PROG,DPF/EXH HIGH TEMP IND Indicators for Exhaust System
MISC	597072	Monitoring (Aftertreatment)
MISC	597073	BCM PROG, WORK LIGHT DIAG Rocker Switch, Omit Diagnostics
MISC	597074	BCM PROG, HEADLIGHTS with DRL in Low Beam
MISC	597078	BCM PROG, HEADLIGHT INTERRUPT Located in Steering Wheel
MISC		BCM PROG, HEADLIGHTS W/WIPERS on with Wipers
MISC		BCM PROG, STEER WHEEL SWITCHES, Left Hand Pod
MISC		BCM PROG, DEF Gauge & Warning Indicator
		BCM PROG, TRANS HILL START AID for AMT (Automated Manual
MISC		Transmissions)
MISC	597086	BCM PROG, OUTSIDE TEMP MONITOR
MISC	597087	BCM PROG,SKIRT/MODESTY PNL LTS Customer Supplied
MISC	597089	BCM PROG, HEADLIGHT REMINDER #2
MISC	597090	BCM PROG,INTERIOR FLOOR LIGHTS in Sleeper
MISC	597091	BCM PROG, ENG AIR INTK MONITOR
MISC	597097	BCM PROG, NEUTRAL CONFIRMATION
MISC	597098	BCM PROG, STEER WHEEL SWITCHES, Right Hand Pod
MISC		BCM PROG, KEYLESS ENTRY REMOTE
MISC	597108	BCM PROG, ENGINE FAN REQUEST
MISC	597113	BCM PROG, AIR APPL GAUGE for Auxiliary Gauge
MISC		BCM PROG, MANIFOLD PRESS GAUGE for Auxiliary Gauge
MISC		BCM PROG, ENG OIL TEMP GAUGE Through ECM; for Auxiliary Gauge
MISC	597123	BCM PROG, TRANS OIL TEMP GAUGE , Through BC; for Auxiliary Gauge
MISC	597132	BCM PROG, TRANSMISSION PTO Single
MISC	597141	BCM PROG, TRAILER AUX CIRCUIT Accessory Powered
MISC	597144	BCM PROG, CLUSTER DISPLAY CONT
MISC	597145	BCM PROG, RADIO STRG WHL CONT
MISC	597147	BCM PROG, POWER MIRRORS
MISC	597177	BCM PROG, CRUISE CONT STEER WH Cluster Version #2
MISC		BCM PROG, VOLTMETER for Auxiliary Gauge, Cluster Version #2
MISC	597180	3CM PROG, VOLTMETER for Virtual Gauge, Cluster Version #2

MISC	597183	BCM PROG, ESC Stability Warning Light Indicator, Cluster Version #2
		BCM PROG, TRACTION CONTROL IND; Mud/Snow; Traction Warning Light,
MISC	597191	for Hydraulic Brakes or Air Brakes, Not Including Trailer, Cluster Version #2
		DOM DDOG FUEL TANK CADACITY C. D. LD.
MISC	597232	BCM PROG, FUEL TANK CAPACITY for Dual Round Tanks, 26" Dia, 140 US Gal (530L); Total Capacity 280 US Gal (1060L)
MISC		BCM PROG, FUEL ECON & DIST TO E
	- 337233	BCM PROG, ELECTRICAL LOAD CONT with Programmable Threshold
MISC	597240	Voltage, for H-Bridge and Latching Relays
		BCM PROG, RR AXLE LOAD MONITOR #8 for Hendrickson PRIMAAX
MISC	597362	Suspension
		BCM PROG, HVAC In Cab (Mahle) with Switch Controls (with High/Low
MISC	597387	Superheat Temperature, Threshold Limit set to 62 Degrees Celsius)
MICO		BCM PROG, AUTO HVAC CONTROL Module Calibration Data, for 73" Hi-
MISC	597408	Rise Sleeper Cab
		BCM PROG, AUTO HEADLAMP Enable with 6 Pin Sunload Sensor for Auto
		Headlight When Available, or ITOS Sensor & 6 Pin Sunload Sensor for Auto
MISC	1 1	Climate Control When Available
		BCM PROG, LOCKING DIFFERENTIAL Includes Two Switches, One for Each
MISC		Differential with Feedback from Axle
	1	BCM PROG, TELEMATICS GRID Management with Telematics Device with
MISC		Over the Air Programming
MISC	597457	BCM PROG, BODY CONTROLLER for Truck, 505 Hardware
MISC	597524	BCM PROG, NO IDLE HEATER with Key Off, Condensation Blower Removed
SPEEDOMETER, TOOLS, MISC		FIFTH WHEEL LOCATION 02.0" Ahead of Rear Axle Centerline