

## PRIME MOVER SERVICE

JOB#

Date: 1-6-19

Start Time:

Finish Time:

Fleet No: WW25

Klm: M673

Hrs: 11.037

A SERVICE (ITEMS 1 - 11)		Supervisor to circle service required	A	B	C
1	CHECK FAULT REPAIR BOOK & REPAIR AS NECESSARY			MH	
2	CHECK FLEET NUMBER(S) ARE SERVICEABLE			MH	
3	BEFORE GREASING, JACK BOTH FRONT WHEELS OFF GROUND & CHECK WHEEL BEARINGS, KING PINS & ALL STEERING JOINTS			MH	
4	CHECK ENGINE OIL, DIFF OIL AND GEARBOX OIL			MH	
5	CHECK HEADER TANK OR RADIATOR COOLANT LEVEL & CONDITION OF ALL HOSES			MH	
6	CHECK OPERATION OF ALL LIGHTS (INTERIOR & EXTERIOR) & REFLECTORS			MH	
7	RAISE BONNET/CABIN & VISUALLY CHECK ENGINE BAY & COMPONENTS & REPORT			MH	
8	CHECK TENSION & CONDITION OF ALL VEE-BELTS, CHECK COMPONENTS MOUNTINGS AND BEARINGS			MH	
9	GREASE VEHICLE & T/TABLE. (RPLC. DAMAGED OR MISSING NIPPLES & REPORT IF NOT ACCEPTING GREASE)			MH	
10	CHECK BATTERY SECURITY & ELECTROLYTE LEVELS. CHECK TERMINALS, CLEAN & LUBRICATE			MH	
11	CHECK FRONT HUBS OIL LEVELS			MH	
<b>B SERVICE (Items 1 - 53)</b>				<b>B</b>	<b>C</b>
12	CHECK BONNET SECURITY, CHECK CONDITION OF BONNET CLAMPS & HINGE COLLARS			MH	
13	REMOVE ALL NON CONFORMING STICKERS & LABELS eg BUMPER, TRUCKSTOP, RADIO STATION ETC			MH	
14	CHECK WINDSCREEN WIPER & WASHER OPERATION, REPLACE WIPER BLADES IF REQUIRED			MH	
15	REMOVE FAN BELTS & CHECK BEARINGS, ALTERNATOR & WATER PUMP & A/C COMP			MH	
16	CHECK CONDITION OF WINDSCREEN, GLASS, MIRRORS, REGO / RWC LABEL, DG LABEL ETC			MH	
17	CHECK OPERATION OF ALL GAUGES & ELECTRICAL ACCESSORIES			MH	
18	CHECK OPERATION OF LOW AIR WARNING SYSTEM			MH	
19	CHECK OPERATION OF LOW ENGINE OIL PRESSURE WARNING SYSTEM			MH	
20	CHECK CONDITION OF BRAKE AIR SUPPLY HOSES, FITTINGS & CHECK FOR LEAKS			MH	
21	CHECK PARK BRAKE OPERATION			MH	
22	CHECK ALL TYRE PRESSURES AND REFIT VALVE CAPS (INCLUDING SPARE). REPORT ABNORMAL WEAR.			MH	
23	CHECK WHEEL NUT TENSIONS CHECK VALVE STEM ALIGNMENT			MH	
24	CHECK CONDITION & SECURITY OF ALL MUDFLAPS, MUDGUARDS, BRACKETS & SPRAY SUPPRESSION			MH	
25	CHECK CLUTCH FREE TRAVEL / CLEARANCE AND ADJUST AS REQUIRED			MH	
26	CHECK CABIN TILT SYSTEM FOR OPERATION, RESERVOIR LEVEL, LEAKS & MANUAL LOCKS			MH	
27	CHECK ALL LUBRICANT LEVELS EG POWER STEERING			MH	
28	CHECK BRAKE SYSTEMS FOR AIR LEAKS			MH	
29	CHECK CONDITION OF FIRE EXTINGUISHER, SECURITY, CURRENT SERVICE TAG & FIT PLASTIC BAG COVER			MH	
30	CHECK AIR CLEANER RESTRICTION INDICATOR OR DATE A/CLEANER WAS FITTED, RPLC & DATE IF BEYOND LIMIT			MH	
31	CHECK AIR INTAKE & AFTERCOOLER SYSTEM DUCTING FOR SECURITY, CHAFING & CRACKS			MH	
32	CHECK HYDRAULIC OIL RESERVOIR LEVEL (IF PTO FITTED TO VEHICLE)			MH	
33	CHECK & REPORT RUST OR MINOR ACCIDENT DAMAGE			MH	
34	CHECK BRAKE LININGS & DRUMS FOR WEAR, CHECK HUB SEALS FOR LEAKAGE			MH	
35	ADJUST BRAKES (RAISE VEHICLE)			MH	
36	DRAIN ALL AIR TANKS. REPORT IF EXCESSIVE OIL IS PRESENT IN SYSTEM			MH	
37	COVER & SEALS, WINDOW MECHANISMS, CABIN STEPS, EPG HOLDERS & CARDS & DAILY CHECK CARDS.			MH	
38	CHECK AIR COMPRESSOR INTAKE FOR SECURITY, CHAFING & CRACKS, CLEAN FILTER SPONGE AS REQUIRED			MH	
39	CHECK CONDITION & SECURITY OF RADIATOR, AFTERCOOLER & ALL MOUNTS			MH	
40	CHECK TURNABLE ADJUSTMENT, MOUNTING PINS / BUSHES CONDITION & BASE PLATE SECURITY			MH	
41	CHECK STEERING BOX, JOINT & LINK DAMAGE, SECURITY & WEAR			MH	
42	BEAMS & RADIUS ROD BUSHES & U-BOLTS FOR WEAR, MOVEMENT & SECURITY			MH	
43	CHECK REAR SUSPENSION TRUNNIONS FOR OIL LEAKS (CHECK LEVELS & REPORTING IF ANY LEAKS APPARENT)			MH	
44	CHECK & ADJUST AIR BAG HEIGHT			MH	
45	CHECK CHASSIS, CROSS MEMBERS & RELATED COMPONENTS FOR CRACKS, LOOSE BOLTS ETC			MH	
46	CHECK CONDITION OF DRIVE-LINE, CENTRE BEARINGS, UNI-JOINTS, FLANGE BOLTS ETC			MH	
47	CHECK PINIONS, THRU-SHAFT & OUTPUT SHAFTS FOR MOVEMENT OR SEAL LEAKAGE & ADJUST IF REQUIRED			MH	
48	CHECK FUEL TANK SECURIT, CHECK MOUNTING RACKETS FOR CRACKS			MH	
49	PERFORM COOLANT INHIBITOR TEST, ADJUST CONCENTRATION OR REPLACE COOLANT FILTER			MH	
50	CHANGE FUEL FILTERS (DATE NEW FILTERS WITH MARKER PEN)			MH	
51	CHANGE ENGINE OIL & FILTERS (DATE NEW FILTERS WITH MARKER PEN)			MH	
52	REMOVE & CLEAN CENTRIFUGAL OIL FILTER BOWL (IF FITTED)			MH	
53	INDICATE ON BELOW DRAWING WHEEL BEARINGS THAT ARE REPLACED, CHECKED AND OR ADJUSTED			MH	










WORLD WELDING & TRANSPORT SERVICES

## Maintenance Report

VEHICLE: NW25 DATE: 14-5-19

HRS/KLMS: 169,245 Km  
18,824 hrs



### DESCRIPTION OF MAINTENANCE:

\* REPLACE POSITIVE BATTERY  
CABLES FROM ISOLATOR TO  
STARTER MOTOR

\* REPLACE & RE-ROUTE  
NEGATIVE BATTERY CABLES FROM  
BATTERY TO STARTER

\* REPAIR WASHEX BOTTLE MOTOR

\* REMOVE DRIVERS TOOL BOX FOR  
REPAIRS

\* GREASE TRUCK

\* TEST DRIVE

\* REPLACE THROTTLE POSITION SENSOR

\* REPLACE A FAN BELT

NAME: MATI H

SIGNATURE: [Signature]

ENTERED



WORLD WELDING & TRANSPORT SERVICES


## Maintenance Report

VEHICLE: WN25

DATE: 20-5-19

HRS/KLMS: 18,856 hrs

170,394 Klm



### DESCRIPTION OF MAINTENANCE:

\* REPLACE ENGINE OIL PUMP

\* NEW SNMP GASKET AND

PICK UP TUBE O-RING

FITTED

\* REPLACED ENGINE OIL FILTER

ENTERED

NAME: DAVID H

SIGNATURE: [Signature]



## Condition Monitoring Centre

 Express Post Satchels can be recycled. Please return any unused satchels.

<b>B</b>	<b>CORRECTIVE ACTION MAY BE REQUIRED</b>	<b>DATE</b>	<b>20/08/2019</b>	<b>LCN</b>	<b>13900223</b>
<p>Viscosity acceptable for oil grade indicated. Soot is high. Iron &amp; Chrome are Slightly High. All other test results appear acceptable. <b>Suggested Action:</b> Inspect the used oil filters for abnormal debris. Check for causes of elevated sooting i.e. low boost pressure, high fuel burn, clogged air filters, engine data etc. More samples are needed to establish a trend. Resample at half the recommended interval following investigation.</p> <p>Sample Notes: NEW ENGINE</p>					
<b>CURRENT SAMPLE</b>	<b>TOOK 13 DAYS TO REACH LAB</b>	<b>INTERPRETED BY</b>	Mike Peebles - Cert SOS SI 1	<b>ANALYSED BY</b>	lynfern
				<b>MAINTENANCE</b>	

<b>B</b>	<b>CORRECTIVE ACTION MAY BE REQUIRED</b>	<b>DATE</b>	<b>24/07/2019</b>	<b>LCN</b>	<b>13786322</b>
<p>Viscosity is consistent with oil type indicated. Infrared analysis appears acceptable. Iron &amp; Chrome are Slightly High. Silicon is high. Sodium is slightly high. All other test results appear acceptable. <b>Suggested Action:</b> Levels may be acceptable due to the break-in period. Recommend to cut open used oil filters at each service interval to inspect for debris. More samples are needed to establish a trend. Continue sampling at the recommended interval. Sample Notes: NEW ENGINE</p>					
<b>PREVIOUS SAMPLE</b>	<b>TOOK 7 DAYS TO REACH LAB</b>	<b>INTERPRETED BY</b>	Chris Rimmington - Cert SOS SI 1	<b>ANALYSED BY</b>	jclark
				<b>MAINTENANCE</b>	

[illegible][illegible]



Ursula Anderson

From:

Sent:

To:

Subject:

Attachments:

Hastings\_Deering\_SOS\_Lab@hastingsdeering.com.au

Wednesday, 4 September 2019 1:45 AM

Ursula Anderson

B - Lab No:13900223, Unit:WW25, Serial No:448777~ : ENGINE PRIMARY - DIESEL

13900223\_448777~\_B\_0.pdf

Message: Oil Sample - Information Lab No:13900223  
Attn: JODIE HUDSON  
More Information

SAMPLE DETAILS 04-Sep-2019

CURRENT SAMPLE				
Customer	WORLD WELDING & TRANSPORT	Jobsite	Default Site	
Serial No	448777~	Unit No	WW25	
Model	T659	Make	KENWORTH	
Oil Type	CASTROL RX SUPER	Oil Grade	15W40	
Compartment	ENGINE PRIMARY - DIESEL		Compart Serial	
Job No		Meter	19501	
Lab No	13900223	Sample Date	20-Aug-2019	
Eval	B	Sample Site	MT ISA	

DETAILS									
Lab No	Eval	Date Sampled	Date Received	Label	Actioned	Meter Read	Comp. Hours	Fluid Hours	Fluid Added
13900223	B	20-Aug-2019	02-Sep-2019		N	19501	19501	239	0.00
13786322	B	24-Jul-2019	31-Jul-2019		N	19262	19262	125	0.00

ELEMENT TESTS																
Lab No	Eval	Cu	Fe	Cr	Pb	Al	Si	Sn	Ni	Na	K	Mo	Ca	Mg	P	Zn
13900223	B	6	32.3	<1	<1	10	<1	<1	4	1	1	2210	11	855	992	109
13786322	B	14	33.5	<1	1	29	2	<1	15	3	5	2089	43	835	971	107

COMMENTS

Lab No	Eval	Comment
13900223	B	Viscosity acceptable for oil grade indicated. Soot is high. Iron & Chrome are Slightly High. All other test results appear acceptable. <b>Suggested Action:</b> Inspect the used oil filters for abnormal debris. Check for causes of elevated sooting i.e. low boost pressure, high fuel burn, clogged air filters, engine data etc. More samples are needed to establish a trend. Resample at half the recommended interval following investigation. Sample Note : NEW ENGINE
13786322	B	Viscosity is consistent with oil type indicated. Infrared analysis appears acceptable. Iron & Chrome are Slightly High. Silicon is high. Sodium is slightly high. All other test results appear acceptable. <b>Suggested Action:</b> Levels may be acceptable due to the break-in period. Recommend to cut open used oil filters at each service interval to inspect for debris. More samples are needed to establish a trend. Continue sampling at the recommended interval. Sample Note : NEW ENGINE

Could you please check that your phone number is correctly entered in your user preferences in case we need to alert you of alarming results.  
Should you have any further questions, you can contact Hastings Deering Laboratory Services directly on 07 3365 9391.\*  
Sent by InfoTrak.

## Ursula Anderson

**From:** Hastings\_Deering\_SOS\_Lab@hastingsdeering.com.au  
**Sent:** Tuesday, 3 September 2019 11:22 PM  
**To:** Ursula Anderson  
**Subject:** InfoTrak Oil - Summary Information

[Print All Screen](#)

ATT: JODIE HUDSON

### B : Corrective action may be required

Lab Number	Equipment	Compartment	Model	Jobsite	Notes	
13900223	448777~ : WW25 WORLD WELDING & TRANSPORT	ENGINE PRIMARY - DIESEL	T659	Default Site	Viscosity acceptable for oil grade indicated. Soot is high. Iron & Chrome are Slightly High. All other test results appear acceptable. <b>Suggested Action:</b> Inspect the used oil filters for abnormal debris. Check for causes of elevated sooting i.e. low boost pressure, high fuel burn, clogged air filters, engine data etc. More samples are needed to establish a trend. Resample at half the recommended interval following investigation. Sample Note : NEW ENGINE	<a href="#">click here</a>

Could you please check that your phone number is correctly entered in your user preferences in case we need to alert you of alarming results.  
Should you have any further questions, you can contact Hastings Deering Laboratory Services directly on 07 3365 9391.\*  
Sent by **InfoTrak**.



## PRIME MOVER SERVICE

JOB#

Date: 9919


Start Time:

Finish Time:

Fleet No: W085

Klm: 206,289

Hrs: 17,798 Hrs

A SERVICE (ITEMS 1 - 11)		Supervisor to circle service required	A	B	C
1	CHECK FAULT REPAIR BOOK & REPAIR AS NECESSARY			MH	
2	CHECK FLEET NUMBER(S) ARE SERVICEABLE			MH	
3	BEFORE GREASING, JACK BOTH FRONT WHEELS OFF GROUND & CHECK WHEEL BEARINGS, KING PINS & ALL STEERING JOINTS			MH	
4	CHECK ENGINE OIL, DIFF OIL AND GEARBOX OIL			MH	
5	CHECK HEADER TANK OR RADIATOR COOLANT LEVEL & CONDITION OF ALL HOSES			MH	
6	CHECK OPERATION OF ALL LIGHTS (INTERIOR & EXTERIOR) & REFLECTORS			MH	
7	RAISE BONNET/CABIN & VISUALLY CHECK ENGINE BAY & COMPONENTS & REPORT			MH	
8	CHECK TENSION & CONDITION OF ALL VEE-BELTS, CHECK COMPONENTS MOUNTINGS AND BEARINGS			MH	
9	GREASE VEHICLE & T/TABLE. (RPLC. DAMAGED OR MISSING NIPPLES & REPORT IF NOT ACCEPTING GREASE)			MH	
10	CHECK BATTERY SECURITY & ELECTROLYTE LEVELS. CHECK TERMINALS, CLEAN & LUBRICATE			MH	
11	CHECK FRONT HUBS OIL LEVELS			MH	
<b>B SERVICE (Items 1 - 53)</b>				<b>B</b>	<b>C</b>
12	CHECK BONNET SECURITY, CHECK CONDITION OF BONNET CLAMPS & HINGE COLLARS			MH	
13	REMOVE ALL NON CONFORMING STICKERS & LABELS eg BUMPER, TRUCKSTOP, RADIO STATION ETC			MH	
14	CHECK WINDSCREEN WIPER & WASHER OPERATION, REPLACE WIPER BLADES IF REQUIRED			MH	
15	REMOVE FAN BELTS & CHECK BEARINGS, ALTERNATOR & WATER PUMP & A/C COMP			MH	
16	CHECK CONDITION OF WINDSCREEN, GLASS, MIRRORS, REGO / RWC LABEL, DG LABEL ETC			MH	
17	CHECK OPERATION OF ALL GAUGES & ELECTRICAL ACCESSORIES			MH	
18	CHECK OPERATION OF LOW AIR WARNING SYSTEM			MH	
19	CHECK OPERATION OF LOW ENGINE OIL PRESSURE WARNING SYSTEM			MH	
20	CHECK CONDITION OF BRAKE AIR SUPPLY HOSES, FITTINGS & CHECK FOR LEAKS			MH	
21	CHECK PARK BRAKE OPERATION			MH	
22	CHECK ALL TYRE PRESSURES AND REFIT VALVE CAPS (INCLUDING SPARE). REPORT ABNORMAL WEAR.			MH	
23	CHECK WHEEL NUT TENSIONS CHECK VALVE STEM ALIGNMENT			MH	
24	CHECK CONDITION & SECURITY OF ALL MUDFLAPS, MUDGUARDS, BRACKETS & SPRAY SUPPRESSION			MH	
25	CHECK CLUTCH FREE TRAVEL / CLEARANCE AND ADJUST AS REQUIRED			MH	
26	CHECK CABIN TILT SYSTEM FOR OPERATION, RESERVOIR LEVEL, LEAKS & MANUAL LOCKS			MH	
27	CHECK ALL LUBRICANT LEVELS EG POWER STEERING			MH	
28	CHECK BRAKE SYSTEMS FOR AIR LEAKS			MH	
29	CHECK CONDITION OF FIRE EXTINGUISHER, SECURITY, CURRENT SERVICE TAG & FIT PLASTIC BAG COVER			MH	
30	CHECK AIR CLEANER RESTRICTION INDICATOR OR DATE A/CLEANER WAS FITTED, RPLC & DATE IF BEYOND LIMIT			MH	
31	CHECK AIR INTAKE & AFTERCOOLER SYSTEM DUCTING FOR SECURITY, CHAFING & CRACKS			MH	
32	CHECK HYDRAULIC OIL RESERVOIR LEVEL (IF PTO FITTED TO VEHICLE)			MH	
33	CHECK & REPORT RUST OR MINOR ACCIDENT DAMAGE			MH	
34	CHECK BRAKE LININGS & DRUMS FOR WEAR, CHECK HUB SEALS FOR LEAKAGE			MH	
35	ADJUST BRAKES (RAISE VEHICLE)			MH	
36	DRAIN ALL AIR TANKS. REPORT IF EXCESSIVE OIL IS PRESENT IN SYSTEM			MH	
37	COVER & SEALS, WINDOW MECHANISMS, CABIN STEPS, EPG HOLDERS & CARDS & DAILY CHECK CARDS.			MH	
38	CHECK AIR COMPRESSOR INTAKE FOR SECURITY, CHAFING & CRACKS, CLEAN FILTER SPONGE AS REQUIRED			MH	
39	CHECK CONDITION & SECURITY OF RADIATOR, AFTERCOOLER & ALL MOUNTS			MH	
40	CHECK TURNABLE ADJUSTMENT, MOUNTING PINS / BUSHES CONDITION & BASE PLATE SECURITY			MH	
41	CHECK STEERING BOX, JOINT & LINK DAMAGE, SECURITY & WEAR			MH	
42	BEAMS & RADIUS ROD BUSHES & U-BOLTS FOR WEAR, MOVEMENT & SECURITY			MH	
43	CHECK REAR SUSPENSION TRUNNIONS FOR OIL LEAKS (CHECK LEVELS & REPORTING IF ANY LEAKS APPARENT)			MH	
44	CHECK & ADJUST AIR BAG HEIGHT			MH	
45	CHECK CHASSIS, CROSS MEMBERS & RELATED COMPONENTS FOR CRACKS, LOOSE BOLTS ETC			MH	
46	CHECK CONDITION OF DRIVE-LINE, CENTRE BEARINGS, UNI-JOINTS, FLANGE BOLTS ETC			MH	
47	CHECK PINIONS, THRU-SHAFT & OUTPUT SHAFTS FOR MOVEMENT OR SEAL LEAKAGE & ADJUST IF REQUIRED			MH	
48	CHECK FUEL TANK SECURIT, CHECK MOUNTING RACKETS FOR CRACKS			MH	
49	PERFORM COOLANT INHIBITOR TEST, ADJUST CONCENTRATION OR REPLACE COOLANT FILTER			MH	
50	CHANGE FUEL FILTERS (DATE NEW FILTERS WITH MARKER PEN)			MH	
51	CHANGE ENGINE OIL & FILTERS (DATE NEW FILTERS WITH MARKER PEN)			MH	
52	REMOVE & CLEAN CENTRIGUGAL OIL FILTER BOWL (IF FITTED)			MH	
53	INDICATE ON BELOW DRAWING WHEEL BEARINGS THAT ARE REPLACED, CHECKED AND OR ADJUSTED			MH	
					



28/02/2013






WORLD WELDING & TRANSPORT SERVICES

## Maintenance Report

VEHICLE: WW25

DATE: 15-9-19

HRS/KLMS: 19,872



### DESCRIPTION OF MAINTENANCE:

- \* REPLACE HORTON FAN ASSY  
WITH REBUILT ONE
- \* REPLACE FRONT DRIVE AXLE  
SHOCKS AND CATCH STRAPS
- \* REPLACE TORQUE ROD BUSHES  
ON FRONT DIFF.
- \* WASH DOWN TRUCK
- \* GREASE

NAME: MATT H

SIGNATURE: [Signature]



# Certificate of Inspection Reminder Notice

Transport Operations (Road Use Management) Act 1995

Customer Reference Number 102140112

16 September 2019



Queensland  
Government

ABN: 39 407 690 291

Telephone: 13 23 90\* (Local call cost in QLD.)

Note: All vehicles being presented for inspection must be **unladen and clean**. (Clean means free from grease, dirt, mud etc. on both upper and under body components).

Failure to comply with these conditions may result in a refusal to inspect.



/ E-21 / S-3076 / I-3092

WORLD WELDING AND TRANSPORT SERVICE PTY  
LTD  
PO BOX 1808  
MOUNT ISA DC QLD 4825

Plate number

874VFZ

Registration category

PRRT

Registration expiry date

01/12/2019

COI expiry date

01/12/2019

Make

Kenworth

Body shape


Prime Mover

Our records indicate that a Certificate of Inspection (COI) for your vehicle is due on 01/12/2019. The owner of a registered COI vehicle must possess a current COI for the vehicle.

Failure to have a current COI can result in an on-the spot fine of 5 penalty units. You are encouraged to book an inspection early to allow time to repair any defects before your current COI expires.

- A vehicle that has a current COI may be inspected up to two months before the existing certificate expires. If so, the new certificate will not begin until the original certificate expires. If a COI vehicle is inspected after the original certificate expires the new certificate's expiry date will be calculated as if it commenced when the original certificate expired.
- To take advantage of the two month window of opportunity, please ensure you make a booking for an inspection as soon as possible. This will allow time for any identified defects to be repaired before the current COI expires.
- The following example shows how the two month window of opportunity does not affect the expiry date of the new COI.

**Please note:** If the vehicle does not have a current COI, the effective date will be the issue date.



## Booking an inspection

- Online bookings can be made through the 'Book a vehicle inspection' Online Service at [www.tmr.qld.gov.au](http://www.tmr.qld.gov.au).  
\*Payment is required at the time of booking.
- Phone bookings can be made by telephoning 13 23 90. Payments for phone bookings can be paid by credit card\* at [www.tmr.qld.gov.au](http://www.tmr.qld.gov.au) or by other payment methods at a Department of Transport and Main Roads Customer Service Centre or Agency.

\*Acceptable cards are MasterCard™ and Visa™. A credit card surcharge will apply.





WORLD WELDING & TRANSPORT SERVICES

## Maintenance Report

VEHICLE:

NW25


DATE:

19-9-19

HRS/KLMS:

19,893 hrs

209,362 km



DESCRIPTION OF MAINTENANCE:

\* REPLACE A/C EVAPORATOR, TX-VALVE  
& DRYER.

\* REMOVE OLD NAV MAN & CABLES

\* RELOCATE USB SOCKET FROM GLOVE BOX  
TO OVER HEAD CONSOLE

\* REPLACE RADIATOR FLUID

NAME:

MATT H

SIGNATURE:

*[Signature]*

662 Ingham Road, Bohle QLD 4814  
Phone: (07) 4758 4000 Fax: (07) 4758 4070  
tvllie.parts@brownandhurley.com.au  
www.brownandhurley.com.au

## PARTS TAX INVOICE

<b>Invoice To:</b> 3041 WORLD WELDING & TRANSPORT SERVICES PO BOX 1808 MOUNT ISA QLD 4825	<b>Invoice No.:</b> 1717616 <b>Date:</b> 20/09/2019 <b>Cust. Order No.:</b> 1848 <b>Sales Order No.:</b> 369515 <b>Phone:</b> 07 4743 8985 <b>Fax:</b> 07 4743 4790 <b>Mobile:</b> <b>Page:</b> 1 of 1
<b>Deliver To:</b> WORLD WELDING & TRANSPORT SERVICES 8 - 10 KOLONGO CRESCENT FOLLOWMONT ACC WORL15 MOUNT ISA QLD 4825	

Part Number	Part Description	Bin Loc	Ord Qty	Supp Qty	Back Ord Qty	Unit Price	Total
SA004TRP	SHOCK AB NEWAY <i>WWP</i>	12/4H	6.00	4.00	2.00	\$98.45	\$393.80
3501005	STRAP-AXLE RESTRAINT <i>WWP</i>	12/4G4	6.00	6.00	0.00	\$46.19	\$277.14
K294-418	HANDLE-ASSY <i>WWP</i>	21/6C7	1.00	1.00	0.00	\$57.66	\$57.66
TRPCAF0001	TRP KW CAB AIR FILTER <i>WWP</i>	16/5H	4.00	4.00	0.00	\$21.12	\$84.48
25185926	COVER-POLLEN FILTER <i>WWP</i>	16/6B1	2.00	2.00	0.00	\$60.56	\$121.12

**Delivery Note:**  
FOLLOWMONT ACC:WORL15

**Salesperson:** DIMITY LAMB

**Sub Total:** \$934.20  
**Freight:** \$0.00  
**GST:** \$93.42  
**Total (Inc GST):** \$1,027.62

Parts Trading Hours: Mon-Fri 7am to 6pm, Sat 8am to 12pm

**Bank Account Details for Direct Payments:**

Bank: CBA Branch: Kyogle

BSB: 062563 Account No.: 10059314 Account Name: The Brown and Hurley Group Pty Ltd

For Terms & Conditions, please see our website [www.brownandhurley.com.au](http://www.brownandhurley.com.au) or ask at any of our branches.

[www.brownandhurley.com.au](http://www.brownandhurley.com.au)

KYOGLE | DARRA | TOWNSVILLE | COFFS HARBOUR | ROCKHAMPTON | YATALA | TOOWOOMBA | TAMWORTH | CABOOLTURE





WORLD WELDING & TRANSPORT SERVICES


## Maintenance Report

VEHICLE: NW25

DATE: 21-9-19

HRS/KLMS: 19,902 Hrs

209,431 Km



### DESCRIPTION OF MAINTENANCE:

REPAIR A/C FAULT WITH  
COMPRESSOR CLUTCH

REPLACE BATTERY MASTER  
SWITCH

NAME: MATT H

SIGNATURE: [Signature]




WORLD WELDING & TRANSPORT SERVICES

## Maintenance Report

VEHICLE: UNIT WW25

DATE: 03-10-19

HRS/KLMS: 212.759+8



### DESCRIPTION OF MAINTENANCE:

Starting Issue's - Electrician

Battery Terminals - cleaned & Tightened.

Starter wiring scuffed.

H/A Steel wheel seal

note - Engine mount require Tightening

NAME: GSM Truck & Trailer


SIGNATURE: [Signature]



## PRIME MOVER SERVICE

JOB#

Date: 4-10-09 Start Time: \_\_\_\_\_ Finish Time: \_\_\_\_\_  
 Fleet No: WWS Klm: 213,585 Hrs: 20,010

A SERVICE (ITEMS 1 - 11)		Supervisor to circle service required	A	B	C
1	CHECK FAULT REPAIR BOOK & REPAIR AS NECESSARY			MH	
2	CHECK FLEET NUMBER(S) ARE SERVICEABLE			MH	
3	BEFORE GREASING, JACK BOTH FRONT WHEELS OFF GROUND & CHECK WHEEL BEARINGS, KING PINS & ALL STEERING JOINTS			MH	
4	CHECK ENGINE OIL, DIFF OIL AND GEARBOX OIL			MH	
5	CHECK HEADER TANK OR RADIATOR COOLANT LEVEL & CONDITION OF ALL HOSES			MH	
6	CHECK OPERATION OF ALL LIGHTS (INTERIOR & EXTERIOR) & REFLECTORS			MH	
7	RAISE BONNET/CABIN & VISUALLY CHECK ENGINE BAY & COMPONENTS & REPORT			MH	
8	CHECK TENSION & CONDITION OF ALL VEE-BELTS, CHECK COMPONENTS MOUNTINGS AND BEARINGS			MH	
9	GREASE VEHICLE & T/TABLE. (RPLC. DAMAGED OR MISSING NIPPLES & REPORT IF NOT ACCEPTING GREASE)			MH	
10	CHECK BATTERY SECURITY & ELECTROLYTE LEVELS. CHECK TERMINALS, CLEAN & LUBRICATE			MH	
11	CHECK FRONT HUBS OIL LEVELS			MH	
B SERVICE (Items 1 - 53)				B	C
12	CHECK BONNET SECURITY, CHECK CONDITION OF BONNET CLAMPS & HINGE COLLARS			MH	
13	REMOVE ALL NON CONFORMING STICKERS & LABELS eg BUMPER, TRUCKSTOP, RADIO STATION ETC			MH	
14	CHECK WINDSCREEN WIPER & WASHER OPERATION, REPLACE WIPER BLADES IF REQUIRED			MH	
15	REMOVE FAN BELTS & CHECK BEARINGS, ALTERNATOR & WATER PUMP & A/C COMP			MH	
16	CHECK CONDITION OF WINDSCREEN, GLASS, MIRRORS, REGO / RWC LABEL, DG LABEL ETC			MH	
17	CHECK OPERATION OF ALL GAUGES & ELECTRICAL ACCESSORIES			MH	
18	CHECK OPERATION OF LOW AIR WARNING SYSTEM			MH	
19	CHECK OPERATION OF LOW ENGINE OIL PRESSURE WARNING SYSTEM			MH	
20	CHECK CONDITION OF BRAKE AIR SUPPLY HOSES, FITTINGS & CHECK FOR LEAKS			MH	
21	CHECK PARK BRAKE OPERATION			MH	
22	CHECK ALL TYRE PRESSURES AND REFIT VALVE CAPS (INCLUDING SPARE). REPORT ABNORMAL WEAR.			MH	
23	CHECK WHEEL NUT TENSIONS CHECK VALVE STEM ALIGNMENT			MH	
24	CHECK CONDITION & SECURITY OF ALL MUDFLAPS, MUDGUARDS, BRACKETS & SPRAY SUPPRESSION			MH	
25	CHECK CLUTCH FREE TRAVEL / CLEARANCE AND ADJUST AS REQUIRED			MH	
26	CHECK CABIN TILT SYSTEM FOR OPERATION, RESERVOIR LEVEL, LEAKS & MANUAL LOCKS			MH	
27	CHECK ALL LUBRICANT LEVELS EG POWER STEERING			MH	
28	CHECK BRAKE SYSTEMS FOR AIR LEAKS			MH	
29	CHECK CONDITION OF FIRE EXTINGUISHER, SECURITY, CURRENT SERVICE TAG & FIT PLASTIC BAG COVER			MH	
30	CHECK AIR CLEANER RESTRICTION INDICATOR OR DATE A/CLEANER WAS FITTED, RPLC & DATE IF BEYOND LIMIT			MH	
31	CHECK AIR INTAKE & AFTERCOOLER SYSTEM DUCTING FOR SECURITY, CHAFING & CRACKS			MH	
32	CHECK HYDRAULIC OIL RESERVOIR LEVEL (IF PTO FITTED TO VEHICLE)			MH	
33	CHECK & REPORT RUST OR MINOR ACCIDENT DAMAGE			MH	
34	CHECK BRAKE LININGS & DRUMS FOR WEAR, CHECK HUB SEALS FOR LEAKAGE			MH	
35	ADJUST BRAKES (RAISE VEHICLE)			MH	
36	DRAIN ALL AIR TANKS. REPORT IF EXCESSIVE OIL IS PRESENT IN SYSTEM			MH	
37	COVER & SEALS, WINDOW MECHANISMS, CABIN STEPS, EPG HOLDERS & CARDS & DAILY CHECK CARDS.			MH	
38	CHECK AIR COMPRESSOR INTAKE FOR SECURITY, CHAFING & CRACKS, CLEAN FILTER SPONGE AS REQUIRED			MH	
39	CHECK CONDITION & SECURITY OF RADIATOR, AFTERCOOLER & ALL MOUNTS			MH	
40	CHECK TURNABLE ADJUSTMENT, MOUNTING PINS / BUSHES CONDITION & BASE PLATE SECURITY			MH	
41	CHECK STEERING BOX, JOINT & LINK DAMAGE, SECURITY & WEAR			MH	
42	BEAMS & RADIUS ROD BUSHES & U-BOLTS FOR WEAR, MOVEMENT & SECURITY			MH	
43	CHECK REAR SUSPENSION TRUNNIONS FOR OIL LEAKS (CHECK LEVELS & REPORTING IF ANY LEAKS APPARENT)			MH	
44	CHECK & ADJUST AIR BAG HEIGHT			MH	
45	CHECK CHASSIS, CROSS MEMBERS & RELATED COMPONENTS FOR CRACKS, LOOSE BOLTS ETC			MH	
46	CHECK CONDITION OF DRIVE-LINE, CENTRE BEARINGS, UNI-JOINTS, FLANGE BOLTS ETC			MH	
47	CHECK PINIONS, THRU-SHAFT & OUTPUT SHAFTS FOR MOVEMENT OR SEAL LEAKAGE & ADJUST IF REQUIRED			MH	
48	CHECK FUEL TANK SECURIT, CHECK MOUNTING RACKETS FOR CRACKS			MH	
49	PERFORM COOLANT INHIBITOR TEST, ADJUST CONCENTRATION OR REPLACE COOLANT FILTER			MH	
50	CHANGE FUEL FILTERS (DATE NEW FILTERS WITH MARKER PEN)			MH	
51	CHANGE ENGINE OIL & FILTERS (DATE NEW FILTERS WITH MARKER PEN)			MH	
52	REMOVE & CLEAN CENTRIFUGAL OIL FILTER BOWL (IF FITTED)			MH	
53	INDICATE ON BELOW DRAWING WHEEL BEARINGS THAT ARE REPLACED, CHECKED AND OR ADJUSTED			MH	
					










WORLD WELDING & TRANSPORT SERVICES

## Maintenance Report

VEHICLE: Penn Mover  
WW 25

DATE: 09-10-19

HRS/KLMS: 215.830-2



### DESCRIPTION OF MAINTENANCE:

R/H side Penn - Air Bag Replacement

NAME: CTM Truck & Trailer

SIGNATURE: [Signature]



WORLD WELDING & TRANSPORT SERVICES

## Maintenance Report

VEHICLE:

0028


DATE:

15/10/19

HRS/KLMS:

79596.7

DESCRIPTION OF MAINTENANCE:



replaced air con belt's

NAME:

Ceeley Lefts

SIGNATURE:


C. W. Lefts



## PRIME MOVER SERVICE

JOB#

Date: 23/10/19 Start Time: \_\_\_\_\_ Finish Time: \_\_\_\_\_  
 Fleet No: 1225 Km: 684623.9 Hrs: \_\_\_\_\_

A SERVICE (ITEMS 1 - 11)		Supervisor to circle service required	A	B	C
1	CHECK FAULT REPAIR BOOK & REPAIR AS NECESSARY			✓	
2	CHECK FLEET NUMBER(S) ARE SERVICEABLE			✓	
3	BEFORE GREASING, JACK BOTH FRONT WHEELS OFF GROUND & CHECK WHEEL BEARINGS, KING PINS & ALL STEERING JOINTS			✓	
4	CHECK ENGINE OIL, DIFF OIL AND GEARBOX OIL			✓	
5	CHECK HEADER TANK OR RADIATOR COOLANT LEVEL & CONDITION OF ALL HOSES			✓	
6	CHECK OPERATION OF ALL LIGHTS (INTERIOR & EXTERIOR) & REFLECTORS			✓	
7	RAISE BONNET/CABIN & VISUALLY CHECK ENGINE BAY & COMPONENTS & REPORT			✓	
8	CHECK TENSION & CONDITION OF ALL VEE-BELTS, CHECK COMPONENTS MOUNTINGS AND BEARINGS			✓	
9	GREASE VEHICLE & T/TABLE. (RPLC. DAMAGED OR MISSING NIPPLES & REPORT IF NOT ACCEPTING GREASE)			✓	
10	CHECK BATTERY SECURITY & ELECTROLYTE LEVELS. CHECK TERMINALS, CLEAN & LUBRICATE			✓	
11	CHECK FRONT HUBS OIL LEVELS			✓	
<b>B SERVICE (Items 1 - 53)</b>				<b>B</b>	<b>C</b>
12	CHECK BONNET SECURITY, CHECK CONDITION OF BONNET CLAMPS & HINGE COLLARS			✓	
13	REMOVE ALL NON CONFORMING STICKERS & LABELS eg BUMPER, TRUCKSTOP, RADIO STATION ETC			✓	
14	CHECK WINDSCREEN WIPER & WASHER OPERATION, REPLACE WIPER BLADES IF REQUIRED			✓	
15	REMOVE FAN BELTS & CHECK BEARINGS, ALTERNATOR & WATER PUMP & A/C COMP			✓	
16	CHECK CONDITION OF WINDSCREEN, GLASS, MIRRORS, REGO / RWC LABEL, DG LABEL ETC			✓	
17	CHECK OPERATION OF ALL GAUGES & ELECTRICAL ACCESSORIES			✓	
18	CHECK OPERATION OF LOW AIR WARNING SYSTEM			✓	
19	CHECK OPERATION OF LOW ENGINE OIL PRESSURE WARNING SYSTEM			✓	
20	CHECK CONDITION OF BRADE AIR SUPPLY HOSES, FITTINGS & CHECK FOR LEAKS			✓	
21	CHECK PARK BRAKE OPERATION			✓	
22	CHECK ALL TYRE PRESSURES AND REFIT VALVE CAPS (INCLUDING SPARE). REPORT ABNORMAL WEAR.			✓	
23	CHECK WHEEL NUT TENSIONS CHECK VALVE STEM ALIGNMENT			✓	
24	CHECK CONDITION & SECURITY OF ALL MUDFLAPS, MUDGUARDS, BRACKETS & SPRAY SUPPRESSION			✓	
25	CHECK CLUTCH FREE TRAVEL / CLEARANCE AND ADJUST AS REQUIRED			✓	
26	CHECK CABIN TILT SYSTEM FOR OPERATION, RESERVOIR LEVEL, LEAKS & MANUAL LOCKS			✓	
27	CHECK ALL LUBRICANT LEVELS EG POWER STEERING			✓	
28	CHECK BRAKE SYSTEMS FOR AIR LEAKS			✓	
29	CHECK CONDITION OF FIRE EXTINGUISHER, SECURITY, CURRENT SERVICE TAG & FIT PLASTIC BAG COVER			✓	
30	CHECK AIR CLEANER RESTRICTION INDICATOR OR DATE A/CLEANER WAS FITTED, RPLC & DATE IF BEYOND LIMIT			✓	
31	CHECK AIR INTAKE & AFTERCOOLER SYSTEM DUCTING FOR SECURITY, CHAFING & CRACKS			✓	
32	CHECK HYDRAULIC OIL RESERVOIR LEVEL (IF PTO FITTED TO VEHICLE)			✓	
33	CHECK & REPORT RUST OR MINOR ACCIDENT DAMAGE			✓	
34	CHECK BRAKE LININGS & DRUMS FOR WEAR, CHECK HUB SEALS FOR LEAKAGE			✓	
35	ADJUST BRAKES (RAISE VEHICLE)			✓	
36	DRAIN ALL AIR TANKS. REPORT IF EXCESSIVE OIL IS PRESENT IN SYSTEM			✓	
37	COVER & SEALS, WINDOW MECHANISMS, CABIN STEPS, EPG HOLDERS & CARDS & DAILY CHECK CARDS.			✓	
38	CHECK AIR COMPRESSOR INTAKE FOR SECURITY, CHAFING & CRACKS, CLEAN FILTER SPONGE AS REQUIRED			✓	
39	CHECK CONDITION & SECURITY OF RADIATOR, AFTERCOOLER & ALL MOUNTS			✓	
40	CHECK TURNTABLE ADJUSTMENT, MOUNTING PINS / BUSHES CONDITION & BASE PLATE SECURITY			✓	
41	CHECK STEERING BOX, JOINT & LINK DAMAGE, SECURITY & WEAR			✓	
42	BEAMS & RADIUS ROD BUSHES & U-BOLTS FOR WEAR, MOVEMENT & SECURITY			✓	
43	CHECK REAR SUSPENSION TRUNNIONS FOR OIL LEAKS (CHECK LEVELS & REPORTING IF ANY LEAKS APPARENT)			✓	
44	CHECK & ADJUST AIR BAG HEIGHT			✓	
45	CHECK CHASSIS, CROSS MEMBERS & RELATED COMPONENTS FOR CRACKS, LOOSE BOLTS ETC			✓	
46	CHECK CONDITION OF DRIVE-LINE, CENTRE BEARINGS, UNI-JOINTS, FLANGE BOLTS ETC			✓	
47	CHECK PINIONS, THRU-SHAFT & OUTPUT SHAFTS FOR MOVEMENT OR SEAL LEAKAGE & ADJUST IF REQUIRED			✓	
48	CHECK FUEL TANK SECURIT, CHECK MOUNTING RACKETS FOR CRACKS			✓	
49	PERFORM COOLANT INHIBITOR TEST, ADJUST CONCENTRATION OR REPLACE COOLANT FILTER			✓	
50	CHANGE FUEL FILTERS (DATE NEW FILTERS WITH MARKER PEN)			✓	
51	CHANGE ENGINE OIL & FILTERS (DATE NEW FILTERS WITH MARKER PEN)			✓	
52	REMOVE & CLEAN CENTRIGUGAL OIL FILTER BOWL (IF FITTED)			✓	
53	INDICATE ON BELOW DRAWING WHEEL BEARINGS THAT ARE REPLACED, CHECKED AND OR ADJUSTED			✓	
					



C SERVICE (Items 1 - 69)		C
54	CHECK FULL EXHAUST SYSTEM & MANIFOLDS FOR LEAKS & SECURITY	
55	CHECK CABIN, TRANSMISSION & ENGINE MOUNTINGS. CHECK BLOT TENSIONS	
56	CHECK CONDITION OF ALL BRAKE, POWER STEERING, AIR & OIL HOSES & PIPES	
57	CHECK COOLANT SERVICE STICKERS & REPLACE AS REQUIRED	
58	PRESSURE TEST COOLING SYSTEM & RADIATOR CAP IF APPLICABLE. REPORT ANY LEAKS OR REPAIR IF POSSIBLE	
59	CHECK GEAR CABLES, LINKAGES & TOWERS FOR WEAR & SECURITY. REPLACE AS REQUIRED	
60	CHECK DUAL AIR SYSTEM OPERATION 9BY SEPARATELY DRAINING EACH SYSTEM)	
61	RAISE FRONT OF VEHICLE ON FORWARD CHASSIS CROSS MEMBER. CHECK SUSPENSION & KING PINS FOR MOVEMENT, GREASE SUSPENSION & KING PINS FOR MOVEMENT, GREASE SUSPENSION WHILST VEHICLE IS RAISED	
62	RAISE REAR OF VEHICLE ON EACH CHASSIS RAIL & CHECK SUSPENSION FOR WEAR. CHECK TRUNNIONS FOR MOVEMENT. GREASE SUSPENSION WHILST VEHICLE IS RAISED (IF APPLICABLE)	
63	CHECK OPERATION OF ALL SHOCK ABSORBERS	
64	REMOVE & CLEAN TRANSMISSION & DIFFERENTIAL BREATHERS	
65	CHANGE OIL (FILTERS IF APPLICABLE) IN TRANSMISSION & BOTH DIFFERENTIALS. CHECK PLUGS FOR METAL & REPORT	
66	CHECK STEERING TOE-IN. REPORT READINGS	
67	CHECK OPERATION OF HYDRAULIC JACK, PRESENCE OF WHEEL BRACE / BAR & SAFETY TRIANGLE SET	
68	CHECK & SERVICE A/C SYSTEM	
69	CLEAN GREASE MARKS OFF STEERING WHEEL, CABIN FLOOR, SEATS, DOORS, BULLBAR ETC	
70	CHANGE GEARBOX AND DIFFERENTIAL OIL WHERE APPLICABLE (MINERAL OIL)	
71	TAKE OIL SAMPLES WHERE APPLICABLE	
72	TUNE ENGINE	
73	CHECK TURBO AND WATER PUMP	

[illegible][illegible]

TRADEPERSON'S NAME/S : C. W. DUBOIS Date: 23/01/15





WORLD WELDING AND TRANSPORT SERVICE

## Maintenance Report

VEHICLE: WW 25

DATE: 3-11-19

KMS: 218,737 km

DESCRIPTION OF MAINTENANCE: 20,209 HRS

\* FIT UP NEW ROAD TRAIN SIGNS

\* GREASE

\* WASH DOWN ENGINE

\* CLEAN RADIATOR

\* COMPLETE A DPF BURN

NAME: MAN H

SIGNATURE: [Signature]



## PRIME MOVER SERVICE

JOB#

Date: 8-11-19


Start Time:

Finish Time:

Fleet No: 11105

Klm: 219,266

Hrs: 20,257

A SERVICE (ITEMS 1 - 11)		Supervisor to circle service required	A	B	C
1	CHECK FAULT REPAIR BOOK & REPAIR AS NECESSARY			MH	
2	CHECK FLEET NUMBER(S) ARE SERVICEABLE			MH	
3	BEFORE GREASING, JACK BOTH FRONT WHEELS OFF GROUND & CHECK WHEEL BEARINGS, KING PINS & ALL STEERING JOINTS			MH	
4	CHECK ENGINE OIL, DIFF OIL AND GEARBOX OIL			MH	
5	CHECK HEADER TANK OR RADIATOR COOLANT LEVEL & CONDITION OF ALL HOSES			MH	
6	CHECK OPERATION OF ALL LIGHTS (INTERIOR & EXTERIOR) & REFLECTORS			MH	
7	RAISE BONNET/CABIN & VISUALLY CHECK ENGINE BAY & COMPONENTS & REPORT			MH	
8	CHECK TENSION & CONDITION OF ALL VEE-BELTS, CHECK COMPONENTS MOUNTINGS AND BEARINGS			MH	
9	GREASE VEHICLE & T/TABLE. (RPLC. DAMAGED OR MISSING NIPPLES & REPORT IF NOT ACCEPTING GREASE)			MH	
10	CHECK BATTERY SECURITY & ELECTROLYTE LEVELS. CHECK TERMINALS, CLEAN & LUBRICATE			MH	
11	CHECK FRONT HUBS OIL LEVELS			MH	
B SERVICE (Items 1 - 53)				B	C
12	CHECK BONNET SECURITY, CHECK CONDITION OF BONNET CLAMPS & HINGE COLLARS			MH	
13	REMOVE ALL NON CONFORMING STICKERS & LABELS eg BUMPER, TRUCKSTOP, RADIO STATION ETC			MH	
14	CHECK WINDSCREEN WIPER & WASHER OPERATION, REPLACE WIPER BLADES IF REQUIRED			MH	
15	REMOVE FAN BELTS & CHECK BEARINGS, ALTERNATOR & WATER PUMP & A/C COMP			MH	
16	CHECK CONDITION OF WINDSCREEN, GLASS, MIRRORS, REGO / RWC LABEL, DG LABEL ETC			MH	
17	CHECK OPERATION OF ALL GAUGES & ELECTRICAL ACCESSORIES			MH	
18	CHECK OPERATION OF LOW AIR WARNING SYSTEM			MH	
19	CHECK OPERATION OF LOW ENGINE OIL PRESSURE WARNING SYSTEM			MH	
20	CHECK CONDITION OF BRADE AIR SUPPLY HOSES, FITTINGS & CHECK FOR LEAKS			MH	
21	CHECK PARK BRAKE OPERATION			MH	
22	CHECK ALL TYRE PRESSURES AND REFIT VALVE CAPS (INCLUDING SPARE). REPORT ABNORMAL WEAR.			MH	
23	CHECK WHEEL NUT TENSIONS CHECK VALVE STEM ALIGNMENT			MH	
24	CHECK CONDITION & SECURITY OF ALL MUDFLAPS, MUDGUARDS, BRACKETS & SPRAY SUPPRESSION			MH	
25	CHECK CLUTCH FREE TRAVEL / CLEARANCE AND ADJUST AS REQUIRED				
26	CHECK CABIN TILT SYSTEM FOR OPERATION, RESERVOIR LEVEL, LEAKS & MANUAL LOCKS				
27	CHECK ALL LUBRICANT LEVELS EG POWER STEERING			MH	
28	CHECK BRAKE SYSTEMS FOR AIR LEAKS			MH	
29	CHECK CONDITION OF FIRE EXTINGUISHER, SECURITY, CURRENT SERVICE TAG & FIT PLASTIC BAG COVER			MH	
30	CHECK AIR CLEANER RESTRICTION INDICATOR OR DATE A/CLEANER WAS FITTED, RPLC & DATE IF BEYOND LIMIT			MH	
31	CHECK AIR INTAKE & AFTERCOOLER SYSTEM DUCTING FOR SECURITY, CHAFING & CRACKS			MH	
32	CHECK HYDRAULIC OIL RESERVOIR LEVEL (IF PTO FITTED TO VEHICLE)			MH	
33	CHECK & REPORT RUST OR MINOR ACCIDENT DAMAGE			MH	
34	CHECK BRAKE LININGS & DRUMS FOR WEAR, CHECK HUB SEALS FOR LEAKAGE			MH	
35	ADJUST BRAKES (RAISE VEHICLE)			MH	
36	DRAIN ALL AIR TANKS. REPORT IF EXCESSIVE OIL IS PRESENT IN SYSTEM			MH	
37	COVER & SEALS, WINDOW MECHANISMS, CABIN STEPS, EPG HOLDERS & CARDS & DAILY CHECK CARDS.			MH	
38	CHECK AIR COMPRESSOR INTAKE FOR SECURITY, CHAFING & CRACKS, CLEAN FILTER SPONGE AS REQUIRED			MH	
39	CHECK CONDITION & SECURITY OF RADIATOR, AFTERCOOLER & ALL MOUNTS			MH	
40	CHECK TURNTABLE ADJUSTMENT, MOUNTING PINS / BUSHES CONDITION & BASE PLATE SECURITY			MH	
41	CHECK STEERING BOX, JOINT & LINK DAMAGE, SECURITY & WEAR			MH	
42	BEAMS & RADIUS ROD BUSHES & U-BOLTS FOR WEAR, MOVEMENT & SECURITY			MH	
43	CHECK REAR SUSPENSION TRUNNIONS FOR OIL LEAKS (CHECK LEVELS & REPORTING IF ANY LEAKS APPARENT)			MH	
44	CHECK & ADJUST AIR BAG HEIGHT			MH	
45	CHECK CHASSIS, CROSS MEMBERS & RELATED COMPONENTS FOR CRACKS, LOOSE BOLTS ETC			MH	
46	CHECK CONDITION OF DRIVE-LINE, CENTRE BEARINGS, UNI-JOINTS, FLANGE BOLTS ETC			MH	
47	CHECK PINIONS, THRU-SHAFT & OUTPUT SHAFTS FOR MOVEMENT OR SEAL LEAKAGE & ADJUST IF REQUIRED			MH	
48	CHECK FUEL TANK SECURIT, CHECK MOUNTING RACKETS FOR CRACKS			MH	
49	PERFORM COOLANT INHIBITOR TEST, ADJUST CONCENTRATION OR REPLACE COOLANT FILTER				
50	CHANGE FUEL FILTERS (DATE NEW FILTERS WITH MARKER PEN)			MH	
51	CHANGE ENGINE OIL & FILTERS (DATE NEW FILTERS WITH MARKER PEN)			MH	
52	REMOVE & CLEAN CENTRIFUGAL OIL FILTER BOWL (IF FITTED)				
53	INDICATE ON BELOW DRAWING WHEEL BEARINGS THAT ARE REPLACED, CHECKED AND OR ADJUSTED			MH	
					



28/02/2013






WORLD WELDING & TRANSPORT SERVICES

## Maintenance Report

VEHICLE: WW 25

DATE: 18-11-19

HRS/KLMS: 20,279 HRS  
219, 445 Klm



### DESCRIPTION OF MAINTENANCE:

- \* Fit 2 NEW STEER TIRES
- \* REPLACE LEAKING BRAKE BOOSTER  
ON FRONT DIFF LHS.
- \* GREASE TRUCK
- \* ADJUST BRAKES
- 
- 
- 
- 
- 
- 
- 
- 
- 

NAME: Matt H.

SIGNATURE: [Signature]

# Defect Notice

Transport Operations (Road Use Management) Act



Queensland  
Government

Id: SD 31031924

## Registered Operator or Owner

WORLD WELDING AND TRANSPORT SERVICE PTY LTD  
8-10 KOLONGO CRESCENT  
MOUNT ISA QLD 4825

## Vehicle Details

Plate No	: 874VFZ 3	State	: QLD	Reg Expiry	: 01/12/2019
Make	: KENWORTH	Body Shape	: PRIME MOVER	Reg Category	: PRIME MVR ROAD TRAIN
Engine no	: 79616488	VIN Number	: 6F500000DA448777		
Odometer	: 219459	Inspection Type	: PROGRAMMED		

## Defect Details

MINOR (NO LABEL)

The requirements specified below must be complied with.

Carry out the replacements, repairs or alterations set out below by 05/12/2019

and you are required to:-

Produce the Owner's Declaration on the reverse side of this notice

at/to QUEENSLAND TRANSPORT, 21-35 LEYLAND ST, GARBUTT QLD 4814  
at 16:00 on 05/12/2019.

## Replacement, Repairs or Alterations required to the following:

SERVICE BRAKE TEST	46 % HAND BRAKE TEST	19 %
--------------------	----------------------	------

## Details of other items rejected:

1. Make all brakes operate equal and effective.(weak effort axle 1, axle 2/3 drivers side overstroking)

Return signed Notice to: TMR PO BOX 7466 GARBUTT, QLD 4814 OR

Email to: compnthn@tmr.qld.gov.au

Fax: 47587511

If defect extension required phone:1300 784 535


**Declaration of service:** I declare that this notice was given to the person nominated below:-

Licence no. 65749540 Licence issued (State) QLD  
MR MATTHEW JOSEPH HOWEARTH  
2 DAVIES STREET  
RICHMOND HILL QLD 4820

Date of Birth 07/08/1981

at 9:30 on 21/11/2019 personally.

Inspecting officer's signature  Auth. no. Q516

Signature of person to whom notice was given 

Page: 1 of 1



## Defect Clearance details

The defects specified in this notice must be corrected within the time stipulated.

**Self Clearance** - When the defects have been corrected, the registered owner, or representative if the vehicle is owned by an organisation, is to complete the "Owner Declaration" and return this notice to the Department of Transport and Main Roads or Queensland Police as directed on the front of this notice.

### Owner Declaration - Self Clearance

#### Owner's use only

I declare the defects specified in this Defect Notice have been corrected.

Name of registered owner (print)

Signature of owner/representative

WORLD WELDING & TRANSPORT SERVICES

[Signature]

Position of rep. of organisation

Name of representative (print)

Date

DIESEL FITTER

MATTHEW HENDERSON

21/11/19

**Minor** - When the defects have been corrected, the vehicle is to be inspected as directed on the front of this notice. See "Defect Clearance Declaration" below.

**Major** - When the defects have been corrected, the vehicle is to be inspected as directed on the front of this notice. See "Defect Clearance Declaration" below.

**Major (Dangerous - label affixed)** - The vehicle is to be towed away unless necessary repairs are effected immediately. When the defects have been corrected, the vehicle is to be inspected by the Department of Transport and Main Roads or Queensland Police as directed on the front of this notice. A Department of Transport and Main Roads authorised officer or Queensland Police officer is to clear the Defect Notice and remove the Defective Vehicle Label.

**Note: A fee may be charged for an inspection to clear this Defect Notice.**

Failure to inform the Department of Transport and Main Roads or Queensland Police that defects have been corrected, may result in a penalty and the vehicle being called in for inspection. Failure to comply with the requirements of this notice may result in the vehicle's registration being cancelled.

### Defect Clearance Declaration (other than Self Clearance)

Where a Certificate of Inspection or Safety Certificate is required on the front of this notice.

**Approved** ☐ I have completed a full inspection of the vehicle identified in this Defect Notice and issued Safety Certificate / COI number

Safety Certificate/COI number

AIS number

Examiner's number

[ ]

[ ]

[ ]

Vehicle owner to attach a copy of the certificate and return with Defect Notice.

### Defect Clearance Declaration by Qualified person

**Qualified person** ☐ I have inspected the vehicle identified in this Defect Notice and certify the specified defects have been corrected.

Name of Person Inspecting Vehicle (print)

Business name

[ ]

[ ]

Business address

[ ]

Postcode

Signature

Authorisation/Qualification

Date

[ ]

[ ]

/ /

### Defect Clearance by the Department of Transport and Main Roads or Qld Police

Name (print)

Station/Office

[ ]

[ ]

Signature

Authority number

Date

[ ]

[ ]

/ /

#### Privacy statement

The Department of Transport and Main Roads collects information on this form under the *Transport Operations (Road Use Management) Act 1995* to manage the incidences of defective vehicles on the states roads. This information may be released by the department or its agents to vehicle insurers, statutory entities, lawyers, insolvency entities, persons involved in vehicle accidents/incidents or vehicle manufacturers and to or through interstate registering authorities. This information is also accessible by authorised departmental officers. The department will not disclose your personal details to any other third parties without your consent or unless required or authorised by law.



## PRIME MOVER SERVICE

JOB#

Date: 31-12-19

Start Time:

Finish Time:

Fleet No: WNW 05

Klm:

Hrs:

20,751

## A SERVICE (ITEMS 1 - 11)

Supervisor to circle service required

A

B

C

1	CHECK FAULT REPAIR BOOK & REPAIR AS NECESSARY		MH	
2	CHECK FLEET NUMBER(S) ARE SERVICEABLE		MH	
3	BEFORE GREASING, JACK BOTH FRONT WHEELS OFF GROUND & CHECK WHEEL BEARINGS, KING PINS & ALL STEERING JOINTS		CIL	
4	CHECK ENGINE OIL, DIFF OIL AND GEARBOX OIL		CIL	
5	CHECK HEADER TANK OR RADIATOR COOLANT LEVEL & CONDITION OF ALL HOSES		CIL	
6	CHECK OPERATION OF ALL LIGHTS (INTERIOR & EXTERIOR) & REFLECTORS		MH	
7	RAISE BONNET/CABIN & VISUALLY CHECK ENGINE BAY & COMPONENTS & REPORT		MH	
8	CHECK TENSION & CONDITION OF ALL VEE-BELTS, CHECK COMPONENTS MOUNTINGS AND BEARINGS		MH	
9	GREASE VEHICLE & T/TABLE. (RPLC. DAMAGED OR MISSING NIPPLES & REPORT IF NOT ACCEPTING GREASE)		CIL	
10	CHECK BATTERY SECURITY & ELECTROLYTE LEVELS. CHECK TERMINALS, CLEAN & LUBRICATE		CIL	
11	CHECK FRONT HUBS OIL LEVELS		CIL	

## B SERVICE (Items 1 - 53)

B

C

12	CHECK BONNET SECURITY, CHECK CONDITION OF BONNET CLAMPS & HINGE COLLARS		MH	
13	REMOVE ALL NON CONFORMING STICKERS & LABELS eg BUMPER, TRUCKSTOP, RADIO STATION ETC		MH	
14	CHECK WINDSCREEN WIPER & WASHER OPERATION, REPLACE WIPER BLADES IF REQUIRED		CIL	
15	REMOVE FAN BELTS & CHECK BEARINGS, ALTERNATOR & WATER PUMP & A/C COMP		MH	
16	CHECK CONDITION OF WINDSCREEN, GLASS, MIRRORS, REGO / RWC LABEL, DG LABEL ETC		MH	
17	CHECK OPERATION OF ALL GAUGES & ELECTRICAL ACCESSORIES		MH	
18	CHECK OPERATION OF LOW AIR WARNING SYSTEM		MH	
19	CHECK OPERATION OF LOW ENGINE OIL PRESSURE WARNING SYSTEM		MH	
20	CHECK CONDITION OF BRAKE AIR SUPPLY HOSES, FITTINGS & CHECK FOR LEAKS		MH	
21	CHECK PARK BRAKE OPERATION		MH	
22	CHECK ALL TYRE PRESSURES AND REFIT VALVE CAPS (INCLUDING SPARE). REPORT ABNORMAL WEAR.		CIL	
23	CHECK WHEEL NUT TENSIONS CHECK VALVE STEM ALIGNMENT		MH	
24	CHECK CONDITION & SECURITY OF ALL MUDFLAPS, MUDGUARDS, BRACKETS & SPRAY SUPPRESSION		MH	
25	CHECK CLUTCH FREE TRAVEL / CLEARANCE AND ADJUST AS REQUIRED		MH	
26	CHECK CABIN TILT SYSTEM FOR OPERATION, RESERVOIR LEVEL, LEAKS & MANUAL LOCKS			
27	CHECK ALL LUBRICANT LEVELS EG POWER STEERING		CIL	
28	CHECK BRAKE SYSTEMS FOR AIR LEAKS		CIL	
29	CHECK CONDITION OF FIRE EXTINGUISHER, SECURITY, CURRENT SERVICE TAG & FIT PLASTIC BAG COVER		MH	
30	CHECK AIR CLEANER RESTRICTION INDICATOR OR DATE A/CLEANER WAS FITTED, RPLC & DATE IF BEYOND LIMIT		MH	
31	CHECK AIR INTAKE & AFTERCOOLER SYSTEM DUCTING FOR SECURITY, CHAFING & CRACKS		MH	
32	CHECK HYDRAULIC OIL RESERVOIR LEVEL (IF PTO FITTED TO VEHICLE)		MH	
33	CHECK & REPORT RUST OR MINOR ACCIDENT DAMAGE		MH	
34	CHECK BRAKE LININGS & DRUMS FOR WEAR, CHECK HUB SEALS FOR LEAKAGE		MH	
35	ADJUST BRAKES (RAISE VEHICLE)		MH	
36	DRAIN ALL AIR TANKS. REPORT IF EXCESSIVE OIL IS PRESENT IN SYSTEM		MH	
37	COVER & SEALS, WINDOW MECHANISMS, CABIN STEPS, EPG HOLDERS & CARDS & DAILY CHECK CARDS.		MH	
38	CHECK AIR COMPRESSOR INTAKE FOR SECURITY, CHAFING & CRACKS, CLEAN FILTER SPONGE AS REQUIRED		MH	
39	CHECK CONDITION & SECURITY OF RADIATOR, AFTERCOOLER & ALL MOUNTS		CIL	
40	CHECK TURNABLE ADJUSTMENT, MOUNTING PINS / BUSHES CONDITION & BASE PLATE SECURITY		MH	
41	CHECK STEERING BOX, JOINT & LINK DAMAGE, SECURITY & WEAR		MH	
42	BEAMS & RADIUS ROD BUSHES & U-BOLTS FOR WEAR, MOVEMENT & SECURITY		MH	
43	CHECK REAR SUSPENSION TRUNNIONS FOR OIL LEAKS (CHECK LEVELS & REPORTING IF ANY LEAKS APPARENT)		MH	
44	CHECK & ADJUST AIR BAG HEIGHT		MH	
45	CHECK CHASSIS, CROSS MEMBERS & RELATED COMPONENTS FOR CRACKS, LOOSE BOLTS ETC		MH	
46	CHECK CONDITION OF DRIVE-LINE, CENTRE BEARINGS, UNI-JOINTS, FLANGE BOLTS ETC		CIL	
47	CHECK PINIONS, THRU-SHAFT & OUTPUT SHAFTS FOR MOVEMENT OR SEAL LEAKAGE & ADJUST IF REQUIRED		MH	
48	CHECK FUEL TANK SECURIT, CHECK MOUNTING RACKETS FOR CRACKS		MH	
49	PERFORM COOLANT INHIBITOR TEST, ADJUST CONCENTRATION OR REPLACE COOLANT FILTER			
50	CHANGE FUEL FILTERS (DATE NEW FILTERS WITH MARKER PEN)		CIL	
51	CHANGE ENGINE OIL & FILTERS (DATE NEW FILTERS WITH MARKER PEN)		CIL	
52	REMOVE & CLEAN CENTRIGUGAL OIL FILTER BOWL (IF FITTED)			
53	INDICATE ON BELOW DRAWING WHEEL BEARINGS THAT ARE REPLACED, CHECKED AND OR ADJUSTED		MH	

