



Brown & Hurley Toowoomba A043
28-30 CARRINGTON ROAD
PO BOX 6383 TOOWOOMB WEST

TORRINGTON, QLD Australia 4350
Phone: 0746907300
Fax: 0746907370
Email: angus.short@brownandhurley.com.au

Pittsworth, QLD Australia 4356
Phone:
Fax:
Contact Email:
Prepared for:

Customer Truck Purchase Order

Unit		Chassis	
Model:	T909	Fr Axle Load (kg):	6500
Type:	Prime Mover	Max Front Load (kg):	7000
Description:	T909 - 477391	Distance at Max Load (%):	20
Intended Serv.:	Application	Rr Axle Load (kg):	16500
		Max Rear Load (kg):	16500
Commodity:	Farm Produce	Distance at Max Rear Load (%):	100
		G.C.M. (kg):	85000
	Body	Max G.C.M. Load (kg):	131000
		Requested G.C.M. Load (kg):	131000
Type:		Distance at Max G.C.M. Load (%):	20
Length (mm):	0	Wheelbase (mm):	5790
Height (mm):	0	Overhang (mm):	1450
Body Weight (kg):	0	Fr Axle to BOC (mm):	3,550
Body Width (mm):	0	Cab to Axle (mm):	2,240
	Trailer	Cab to EOF (mm):	3,690
		Overall Comb. Length (mm):	18765
No. of Trailer Axles:		Road Conditions:	
Type:	Rear Tipper	Class A (I'state hwy/Roads):	100
Length (mm):	13720	Class B (Well maintained):	0
Height (mm):	4300	Class C (Poorly maintained):	0
Kingpin Inset (mm):	1430	Class D (Off-Road):	0
Corner Radius (mm):	50	Maximum Grade:	6
Trailer Width (mm):	2500	Length Max Grade (km):	3
Length (mm):	Restrictions	Normal Grade (%):	4
Width (mm):	36500	Length Normal Grade (km):	3
Height (mm):	2500	Annual Distance (km):	200000
	4300		
		Special Req.	
		Australia Wide	

Approved by: _____

Date: _____

Unpublished options may require review/approval.
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed: 13/04/2023 11:02:40 AM
Effective Date: Sep 1, 2021
Prepared by: Angus Short

Complete

Model Number: T909
Quote/DTPO/CO: Q74404055
Version Number: 40.01



Brown & Hurley Toowoomba A043

59533-E88D-0360

28-30 CARRINGTON ROAD
PO BOX 6383 TOOWOOMBA WEST

TORRINGTON, QLD Australia 4350

Phone: 0746907300

Fax: 0746907370

Email: angus.short@brownandhurley.com.au

Pittsworth, QLD Australia 4356

Phone: 0428931582

Fax:

Contact Email:

Prepared for:

	Description	Weight
Model		8,430

T909

Includes radiator, silicon radiator/heater hoses, front axle shock absorbers, PVC covered chassis wiring, grab handles for cab access & at rear of cab/sleeper, fuel tank steps, front tow hitch/hook, rear axle park brakes, colour coded polyester nylon cab & chassis airlines.

Configuration

Single steer + tandem drive (6 x 4)	0
Farm Produce	0
Vegetables, crops	
Farm Product	0
Rear Tipper	0
Prime Mover with Roadtrain A-Double trailers	0
Semi trailer plus drawbar connection to full trailer (two trailers plus one dolly). Up to 36.5m over all length.	
Drum trailer brakes with ABS/EBSS on trailer	0
ADR compliant	0
B-Double compliant	0
Road Train compliant	0
Australia Wide	0
Australia	0
Speed Limiter - 100km/hr	0

Kits

No fuel haul kit	0
Severe Service Kit	6
Lower radiator pipe shield (where applicable)	0

Engine & Equipment

Unpublished options may require review/approval.
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed:	13/04/2023 11:02:40 AM	Complete	Model Number:	T909
Effective Date:	Sep 1, 2021		Quote/DTPO/CO:	Q74404055
Prepared by:	Angus Short		Version Number:	40.01



	Description	Weight
	Cummins X15 Euro V 600hp / 2050lbft	0
	615hp@ 1800 rpm, 2050lbft torque@1200 rpm. 15.0 litre displacement. ADR80/03. Six cylinder in-line turbocharged air-to-air aftercooled, Aluminium flywheel housing. Fleetguard combination full flow & by-pass oil filters & integral oil cooler. Includes 2000rpm max, Cummins road speed limiter, KW spin on water filter.	
	X15 engine warranty - 5 yr or 1,200,000km or 18,000 hours or 600,000L fuel burn coverage - all emissions levels	0

59533-E88D-0360

EGP mtd in chassis, Dual side of cab exhaust	48
- In chassis EGP mounted RHS.	
Dual SS exhaust shield (no letters)	
- Polished shield.	20
Dual delivery tailpipes	13
- for travel to dealership (dealer to supply and fit final tailpipe for delivery to customer)	
Fuel Pro fuel filter/water separator	0
Cummins ISX/Signature Engine Family only.	
Cummins 8.8l/s (18.7cfm) compressor	0
12V starter with key switch	0
PACCAR 15" SS air cleaners - for raised intakes	-1
(Stainless Steel cowl mtd air cleaners)	
LUPO - CHROME PLATED STAINLESS STEEL AIR INTAKE RAMS 6" X 2 (CSC EXHAUST)	12
Raised 6" SS air intakes without logo - dual	10
polished stainless 6 inch diameter intake pipes	0
170A non isolated alternator (X15)	0
12 volt cab/chassis electrics	
(unless otherwise specified in Misc Air Equipment, trailer connections will also be 12V)	
Power distribution box	5
(suits multi-trailer combinations)	
Urea metering device	0
- required with SCR or SMA exhaust systems	
Cummins engine brake, steering wheel mtd switches	0
Horton single speed fan clutch	0
Button type rear engine mounts	0
with Severe Service kit.	

Transmission & Clutch

Unpublished options may require review/approval.
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed:	13/04/2023 11:02:40 AM	Complete	Model Number:	T909
Effective Date:	Sep 1, 2021		Quote/DTPO/CO:	Q74404055
Prepared by:	Angus Short		Version Number:	40.01



Description	Weight
Eaton Fuller RTLO22918B transmission	0
2250lbft torque, 18 speed overdrive.	
2250lbft Easy Pedal Advantage 3 - VCT+ clutch	0
(manual adjust)	
RPL25 main driveline & 1 C/Bearing	67
(MERITOR Series)	14
RPL20 interaxle driveline - tandem	
(MERITOR Series)	2
Extended grease line to clutch bearing	4
Extended grease line to clutch shaft	0
Isolated gearshift lever	
(T9 includes stainless steel gearshift surround)	

Transmission oil cooler	0
Aftermarket trans PTO NOT with a factory switch	0
-usewitha constantdrivetransPTOorwhenaswitchwillbe fitted aftermarket also.	0
Remote transmission breather	2

Axles & Equipment

MERITOR MFS73 (7.3t capacity) (singlesteer)Includes standardwarranty: 24 Months/Unlimited kms (excluding wheel end equipment).	27
Meritor 16.5x6 LA(Q+) front drum brakes (single) onMeritor MFS73 and FL941frontaxles	0
Front springs, 7.2t taper leaf (> 9" susp)	0
2 HD steel piloted front hubs & drums - 285PCD (MFS73/D2000F)	5
TRW Ross TAS 85 power steering	0
Front axle bump stops (single steer)	9
Automatic Slack Adjusters (single steer)	1
REAR AXLE RATIO-4.30	0
MERITOR MT23-168GP - dual diff locks 22.7tGAW (tandem - vocational applications). Includes Timken NP pinion bearing to front diff carrier and tight fitting crown wheel bolts to both diff carriers. Cross wheel diff locks applied to both drive axles. Includes standard warranty: GCM <=131T, 48 Months/800,000 kms (excluding wheel end equipment).	46
HD (P-type) Meritor rear drum brakes (tandem) per Severe Service	4

Unpublished options may require review/approval.
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed:	13/04/2023 11:02:40 AM	Complete	Model Number:	T909
Effective Date:	Sep 1, 2021		Quote/DTPO/CO:	Q74404055
Prepared by:	Angus Short		Version Number:	40.01



Description	Weight
Neway AD246/10 10", (tandem) extra heavyduty airbagsuspension	303
Rear Axle spacing 1422mm - Neway tandem drive NOTE - axles are locatedby suspensioncomponentswhichmay move longitudinally with variances ofverticalloadorinstallationangles.	0
4 Aluminium piloted rear hubs & drums - 285PCD (R-series)	0
Interaxle diff lock	0
Automatic slack adjusters - tandem rear axle	2
Remote mounted diff breather(s)	5

Tyres & Wheels

REAR TYRE QTY 08	0
Bridgestone 385/65 R22.5 R249 - 2 steer	24
Bridgestone 11R22.5 M766 - 310 RPK	0
Alcoa 12.25x22.5 285PCD - 2 steer hubpilot(includes polishedhubcovers)	20
REAR RIM QTY 08	0
REARWHLQTY 8	

59533-E88D-0360

Alcoa ULTRA ONE 8.25x22.5 285PCD	0
hub pilot	0
(only required with Alcoa steer wheels/rims)	
4 Dura-Bright polished wheels - front & rear	0
(only required with Alcoa drive wheels/rims)	

Frame & Equipment

273mm x 89mm x 9.5mm rails up to 7701mm	149
(0.0621kg/mm/pair of rails)	
Rear suspension insert	0
Taper cut-off / Dolly towing crossmember	18
Sealant between chassis rail & suspension insert	2
Temporary FUPS device	-54
Aftermarket FUPS bumper to be fitted	0
Low profile slide tray b/box LHUC above rect tank	-24
-T909 with rectangular tank only.	
Tool box RHS under cab above tank	0
(note: for a C509 sound attenuation shields are NOT included with this option)	
4 x 12V heavy duty Kenworth batteries	0

Unpublished options may require review/approval.
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed:	13/04/2023 11:02:40 AM	Complete	Model Number:	T909
Effective Date:	Sep 1, 2021		Quote/DTPO/CO:	Q74404055
Prepared by:	Angus Short		Version Number:	40.01



Description	Weight
Cab power supply disconnect switch	2
- Not Fuel Haul Compliant	
Reversing alarm	1
Front wheel arch extension rubbers	2
Spraysafe Tandem plastic mudguards - Black	4
Rear mudguard loop kit	4
Thermoflex mudflaps - front (single steer)	0
Thermoflex mudflaps - rear	0
100w (50mm evens) fifth wheel angles	17
GCM limited to 200T.	
Jost JSK 37 CZW-185/MP0118 (D-value 190kN)	239
Cast Steel 50mm 'greaseless' fifth wheel with LubeTronic, 201mm overall height, larger rubber mounting cushion on 16mm base plate	
5th Wheel setting Positive 150mm	0
KW rear sleeper suspension (4 airbags & 4 shocks)	16
- mounted inboard and outboard of chassis (4 shocks & 4 airbags) for 50" integrated sleepers on T609, T659 & T909.	

Cab & Equipment

T909 cab, integrated sleeper	0
Huckbolted steel & aluminium cab frame. Steel, aluminium and fibreglass cab construction using aerospace technology. Aluminium bulkhead type doors with continuous piano-type hinges. LED warning light cluster located in dash, low air warning buzzer, engine water temperature gauge, engine oil pressure gauge, voltmeter, fuel level gauge, speedometer, tachometer,	

59533-E88D-0360

air system pressure gauges, manual reset circuit breakers on essential circuits with fuses on non-essential circuits, interior sunvisors, cab interior light, door courtesy lights, pocket holder in drivers door, seat mounted inertia-reel seat belts to driver & rider seats, directional/hazard lights front & rear, front outline LED marker lights on mirrors, vinyl floor mats, dual electric horns.

Traditional hood, T909, external air cleaners	0
Charcoal cab trim, HD diamond pleat vinyl (6611) with black hard trim as standard	0
ISRI6860/870 PRO air susp driver seat, Charcoal with premium seat cushion, Integrated Horizontal Isolator and L & R arm rests (LH arm rest only on COE).	1
Fixed rider's seat-Charcoal with no arm rests.	0
Drivers black lap/sash seat belt	0

Unpublished options may require review/approval.
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed:	13/04/2023 11:02:40 AM	Complete	Model Number:	T909
Effective Date:	Sep 1, 2021		Quote/DTPO/CO:	Q74404055
Prepared by:	Angus Short		Version Number:	40.01



Description	Weight
Riders black lap/sash seat belt	0
Provision for 2 CB style radios (unless CB and/or UHF radio/s are factory fitted)	0
FM/AM radio aerial - RH mirror brkt mtd	0
Audio Visual Navigation Screen - 4 speakers & 2 tweeters - includes AM/FM/DAB+ radio and navigation options in a 6.5in touch screen display. Conventional trucks offline from April 17, 2023 must have an 8" screen fitted via NPO. Refer to FYI 2757 for details.	0
Kenworth integral heater/airconditioner	0
Twopiece curved windscreen - tinted, laminated safety glass with dual electric variable speed windscreen wipers	0
Peeper window - LH door	0
Daylite II door with electric lift window to LHS	0
Daylite II door with electric lift window to RHS	0
Dual airhorns, both 572mm, mounted on roof on T4/T6/T9 Aero 50" cab	0
Flat mirrors-heated with Moto mirror LHS & RHS	2
Spotter mirrors below main(2)	1
Power plug in driver's seat riser	0
Power plug in rider's seat base	0
Manual reset circuit breakers on truck and trailer lighting circuits only, fuses used on other circuits	0
Dual port USB power supply	0
Two spare switches in main switch panel (where space permits)	0
Cigarette lighter and ashtray (Includes a 5V USB socket) (Note: The cigarette lighter will be replaced with a 12V power socket for C509, C510, T659 and T909 models offline from 25th March, 2022 per FYI 2723)	0

LED headlights, LED Hi Beam, functional DRL -integrateddaytimerunning lightsare functional inthisoption	2
Wiring & switch - later fitment of driving lights withamaximumcurrentdraw of20A (continuous current draw of 15A only)	0
Wiring & switch - later fitment of beacon light - wiring for a single roof mounted light supplied.	0

Unpublished options may require review/approval.
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed:	13/04/2023 11:02:40 AM	Complete	Model Number:	T909
Effective Date:	Sep 1, 2021		Quote/DTPO/CO:	Q74404055
Prepared by:	Angus Short		Version Number:	40.01



Description	Weight
LED Mirror mounted rear facing floodlights - with glare shield	2
LED floodlight bar on the back of the cab/sleeper	2
Door courtesy lights	0
LED stop/tail lights (incl. reverse lights)	0
No external cabin lights on cab roof.	-3
Exterior sunvisor - painted	0
LUPO - OIL TEMPERATURE GAUGE - ENGINE	1
Oil temperature gauge - transmission	1
Oil temperature gauges (2) - tandem axles	1
SCR fluid gauge	0
80mm pyrometer	2
VDO analogue clock	1
Tachometer with integrated engine hourmeter	0
LUPO - TURBO BOOST GAUGE	0
Programmable Engine Idle Timer - Refer FYI 2721	0
Air suspension pressure gauges (2)	1
Fuel filter restriction gauge	1
Air cleaner restriction gauge for complete intake system	1
Engine coolant temperature gauge	0
Engine oil pressure gauge	0
Low transmission oil pressure warning light (with neutral interlock)	0
Gold bezel gauges	0
Cummins cruise control, steering wheel mounted	0
Adjust. steer column w wood/leather steer wheel - 460mm soft touch smart steering wheel	0
20T hydraulic jack & wheel brace	0
Integral two cup drink holder in dash	0
Back of cab grab handles (non-painted)	20
Roof mounted air conditioning condensor	

Unpublished options may require review/approval.
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed:	13/04/2023 11:02:40 AM	Complete	Model Number:	T909
Effective Date:	Sep 1, 2021		Quote/DTPO/CO:	Q74404055
Prepared by:	Angus Short		Version Number:	40.01



Description	Weight
Seven hood grille bars - in lieu of three grille bars (Euro 5 compliant engines only)	2
Perforated S/Steel grille, externally mounted	0
Central Locking	0
Black Interior grab handles fitted to A-pillar	0
Dual hood hooks	0
Aero roof 50" integrated sleeper, flat rear panel. Access door with step (where applicable) & grab handle to LHS. Two section tool compartment with external doors. 790mm x 1880mm inner-spring mattress. Sleeper restraint belts. Digital clock. Vista roof windows. Shelves with hanging space & sleeper curtain.	275
Right hand sleeper access door (830mm x 640mm) -N/A with 28", 600mm, 760mm or 860mm sleepers.	7
Flywire screens RH & LH sleeper doors	0
Stainless steel sleeper vents x 4 for 50" / 1270mm / 1400mm Aero sleepers	2
Upper bunk for 50" / 1270mm Aero sleepers with 610mm x 1980mm foam mattress	35
Stainless steel vanity skirts to sleeper including steps where applicable.	5
Side extenders & continuation tabs - Aero sleeper	25
Documentation, Telematics & Training	
Kenworth driver's information pack with driver's handbook	0
Kenworth custom maintenance manual - USB drive	0
Air Equipment	
Combined trailer kit, mounted at rear of cab / sleeper and at rear of frame.	5
PBR air line couplings	0
Semi trailer fixed coiled air lines	0
Full truck air couplings, plugged - combined kit	0
Semi trailer fixed light line - AS 2513 plug straight light line	0
Full truck electrical connection - AS 2513 socket mounted at rear of frame	0
Hose antenna right hand side - fixed	0

Unpublished options may require review/approval.
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed:	13/04/2023 11:02:40 AM	Complete	Model Number:	T909
----------	------------------------	----------	---------------	------

Effective Date:
Prepared by:

Sep 1, 2021
Angus Short

Quote/DTPO/CO:
Version Number:

Q74404055
40.01



Description	Weight
Manual air tank drain valves	0
Chicago Rawhide Turbo 2000 air dryer	12
Trailer release valve	1
TRM (24 volt) - Trailer Response Module	1
ESP (Prime Mover) -Electronic StabilityProgram	0
Electronic Braking Safety System (ABS+ATC+DTC) -EBSS is an Electronically controlled pneumaticbraking system (standard features: Antilock Braking System + Automatic Traction Control + Drag Torque Control)	0
Semi trailer ABS -socket only -12 Volt nominal, becomes 24 volt when (75500022) "24 Volt Inverter for Trailer Safety systems" is selected. This socket option can be used with Semi Trailer kit or Combined kit.	0
Full truck ABS -socket only -12 Volt nominal, becomes 24 volt when (75500022) "24 Volt Inverter for Trailer Safety systems" is selected. This socket only option can be used with Full Truck kit or Combined kit.	0

Fuel Tanks & Equip

Aluminium 0

Note: each fueltank specified is filled with 200L fuel when it leaves the KW factory. Tanks with a capacity less than 200L will be completely filled. Polished aluminium fuel tanks apply to all orders from the January 2015 price book onwards. Non-polished aluminium fuel tanks will be provided for all trucks ordered in price levels earlier than the January 2015 price book.

Polished finish - Aluminium tanks only	0
650L rectangular fuel tank LHF (rpl)	55
650L rectangular fuel tank RHF (add)	147
185L rectangular oil tank LHR c/w breather & 1.25" BSP in/outlets. Aftermarket fittings and hoses for the oil tank may need up to 150mm of additional rail space.	222
270L rectangular fuel tank LHRR (add)	79
470L rectangular fuel tank RHRR (add)	114
160L square AdBlue tank RHR (stainless steel) for X15 (60L AdBlue supplied at factory)	23
Dual fuel pickups & returns with fuel cooler	14

Unpublished options may require review/approval.
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed:
Effective Date:
Prepared by:

13/04/2023 11:02:40 AM
Sep 1, 2021
Angus Short

Complete

Model Number:
Quote/DTPO/CO:
Version Number:

T909
Q74404055
40.01



	Description	Weight
Frame/Location Options	Hydraulic PTO retrofit to u`side of trans. locate air tanks, airlines, fuel lines and electrical harnesses clear from underside of clutch housing to output yoke. (Not with Allison transmission), (subject to Kenworth Engineering approval)	0
Paint	Paint cab stock Ice White (419KEA.KMV2)	0
	Paint integrated sleeper 1 colour	0
	Chassis painted CSR BLACK (419AFL.KT79)	0
	Matt black solid to top of hood (will use paint code 419KEA.6JRV) (metallic or Base Coat Clear Coat Not Available)	0
	PAINT COLOR NUMBER	0
	N97020 COLOUR A 419KEA.KMV2 Ice White	
	N97400 SLD HOOD 419KEA.6JRV Flat Black	
	N97700 SUNVISOR 419KEA.KMV2 Ice White	
	N97350 CHASSIS 419AFL.KT79 CSR Black	
Miscellaneous		0
Total Weight		10514kg

Prices and Specifications Subject to Change Without Notice.

Unpublished options may require review/approval.
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed:	13/04/2023 11:02:40 AM	Complete	Model Number:	T909
Effective Date:	Sep 1, 2021		Quote/DTPO/CO:	Q74404055
Prepared by:	Angus Short		Version Number:	40.01



Brown & Hurley Toowoomba A043
28-30 CARRINGTON ROAD
PO BOX 6383 TOOWOOMBA WEST

TORRINGTON, QLD Australia 4350
Phone: 0746907300

Pittsworth, QLD Australia 4356
Phone: 0428931582

Fax: 0746907370 Fax:
Email: angus.short@brownandhurley.com.auContact Email:
Prepared for:

Unpublished options may require review/approval.
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed:	13/04/2023 11:02:40 AM	Complete	Model Number:	T909
Effective Date:	Sep 1, 2021		Quote/DTPO/CO:	Q74404055
Prepared by:	Angus Short		Version Number:	40.01



GENERAL CONDITIONS

1. THE Vendor shall not be responsible for failure or delay in making the Goods available for collection due to fires, floods, strikes, transportation difficulties, shortage of or inability to obtain necessary materials or labour, or any other causes beyond the Vendor's reasonable control. The existence of any such cause of delay shall extend the time for performance to such extent as may be necessary to enable the Vendor by the exercise of reasonable diligence to make Goods available for collection, provided however that if such delay shall exceed thirty (30) days from the preferred collection date, the Vendor may cancel this order and the Vendor shall then have no other or further liabilities to the Purchaser other than to return to the Purchaser any deposit paid by the Purchaser to the Vendor. The Purchaser otherwise acknowledges and agrees that risk in the Goods passes to the Purchaser upon the Purchaser's collection of the Goods from the Vendor.
2. THE total net purchase price shown on this Order (subject to clauses 5 & 6 below and to subsequent changes by agreement) shall be due and payable to the Vendor by the Purchaser at the time the Goods are collected from the Vendor or at such time as the Purchaser is notified that they are available for collection (whichever is the earlier date) subject to any contrary written arrangement signed or otherwise accepted by the Vendor and the Purchaser.

3. FOR a material breach of any agreement by the Purchaser, the Vendor may at its option terminate this Contract and may sue the Purchaser for damages and may retain any deposit paid by the Purchaser, or the Vendor may otherwise enforce the terms of the agreement. The Purchaser agrees that:
 - a. the amount of any deposit retained by the Vendor under this clause 3 represents fair and genuine pre-estimation of the loss (or any part thereof) suffered by the Vendor as a result of the Purchaser's breach; and
 - b. the venue of any suit or action in respect of this agreement is Victoria (or as otherwise selected by the Vendor) and the Purchaser agrees to submit to the exclusive jurisdiction of the courts of that venue.
4. The Purchaser acknowledges and agrees that:
 - a. Until the Purchaser pays all indebtedness to the Vendor and has performed all other obligations under this agreement:
 - i. title in the Goods remains with the Vendor; and
 - ii. if the Purchaser has taken possession of the Goods it shall hold those Goods as Bailee for the Vendor; and
 - iii. the Purchaser must not agree, attempt, offer or purport to sell, assign, sub-lease, lend, pledge, mortgage, let on hire, encumber or part with possession of the Goods without the Vendor's consent.
 - b. In addition to the rights and obligations outlined above, these terms and conditions create a Security Interest under (and as defined by) the Personal Property Securities Act 2009 (Cth) ("Act") in the Goods sold by the Vendor to the Purchaser and in the proceeds of sale of the goods sold for the purposes of the Act (both being "Secured Property" as defined by the Act).
 - c. The Vendor may (in its sole and absolute discretion) effect a registration on the Personal Property Securities Register under the Act in relation to the security interest arising under or in connection with these terms and conditions and the Purchaser agrees to provide all assistance required by the Vendor to facilitate this.
 - d. In relation to the part of the Secured Property that is inventory, the Purchaser will not allow any Security Interest to arise in respect of that Secured Property unless the Vendor has perfected the Security Interest in the Secured Property prior to the Purchaser's possession of the Secured Property.
 - e. If Chapter 4 of the Act applies to the enforcement of the Security Interest arising under or in connection with these terms and conditions:
 - i. to the extent permitted by section 115(1) of the Act, the following provisions of the Act will not apply to the enforcement of that Security Interest: sections 95 (to the extent that it requires the Vendor to give a notice to the Purchaser) 96, 121(4), 125, 130, 132(3)(d), 32(4), 142 and 143; and

Unpublished options may require review/approval.
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed:	13/04/2023 11:02:40 AM	Complete	Model Number:	T909
Effective Date:	Sep 1, 2021		Quote/DTPO/CO:	Q74404055
Prepared by:	Angus Short		Version Number:	40.01



Brown & Hurley Toowoomba A043
28-30 CARRINGTON ROAD
PO BOX 6383 TOOWOOMBA WEST

Darcy Transport
16 SULLIVAN CRESCENT

TORRINGTON, QLD Australia 4350

Phone: 0746907300

Fax: 0746907370

Email: angus.short@brownandhurley.com.au

Pittsworth, QLD Australia 4356

Phone: 0428931582

Fax:

Contact Email: hypojosh@hotmail.com

Prepared for: Josh Darcy

- ii. to the extent permitted by section 115(7) of the Act, the following provisions of the PPSA will not apply to the enforcement of that Security Interest: sections 127, 129(2), 129(3), 132, 134(2), 135, 136(3), 136(4), 136(5) and 137.
- f. If the Purchaser makes payments to the Vendor at any time whether in connection with these terms and conditions or otherwise, the Vendor may in its absolute discretion apply that payment in any manner it sees fit.
- g. The Purchaser will immediately notify the Vendor of any changes to its name or address.
- h. The Purchaser will do anything that the Vendor requests the Purchaser to do (such as obtaining consents, signing and producing documents, producing receipts and getting documents completed and signed):
 - i. to provide more effective security over the Secured Property;
 - ii. to register in respect of a Security Interest constituted by these Terms at any time;
 - iii. to enable the Vendor to exercise its rights in connection with the Secured Property; and
 - iv. to show the Vendor that the Purchaser has complied with these terms and conditions.

- i. The Purchaser will pay on demand any losses arising from, and any costs and expenses incurred in connection with, any action taken by the Vendor under or in relation to the Act, including any registration, or any response to an amendment, demand or a request under section 275 of the Act.
 - j. Any notices or documents which are required or permitted to be given to the Vendor for the purposes of the Act must be given in accordance with the Act.
 - k. The Purchaser waives the right to receive any notice under the Act (including notice of a verification statement) unless the notice is required by the Act and cannot be excluded.
5. ALL prices are subject to increase or decrease in the amount of any existing new or changed taxes imposed by Federal or State and/or Municipal authorities upon the manufacture, transportation and/or sales of the commodities named. The Purchaser agrees to pay the amount of any such tax in addition to the price payable.
 6. ALL quotations of prices are based on estimates of present cost of labour and material. To the extent that the Vendor is unable to secure firm prices from its suppliers the Vendor reserves the right to make price increases or decreases should cost change so as to necessitate price adjustment between date of this order and the time of manufacture. The Purchaser agrees that it is responsible for payment in full at the time of collection in respect of any cost increases including any cost increases required by the changes to specification whether or not originating from the Purchaser or the Vendor provided that the Purchaser has accepted the change.
 7. IF any material is furnished by the Purchaser for use in the manufacture of the Goods, the Purchaser indemnifies and agrees to keep indemnified the Vendor from all costs, claims or damages whatsoever arising from any defect or failure of the material or Goods to operate properly as a result of the use of that material.
 8. THE Vendor undertakes that it will warrant to the first user of the Goods under Kenworth or DAF's standard Warranty, however, to the maximum extent permitted by law, the Vendor and PACCAR Australia make no warranties whatsoever to the Purchaser in respect of the Goods, whether express or implied and in particular, the Vendor and PACCAR Australia makes no express warranty of acceptable quality or fitness for a particular purpose.
 9. IN regards to any claim for breach of consumer guarantees under the Australian Consumer Law, the Vendor and PACCAR Australia limit their liability to replacement or repair of the Goods or payment of the cost of replacement or repair.
 10. THE Vendor collects the information on this form in order to forward it to PACCAR Australia. PACCAR Australia will then use the information for the purpose of manufacturing/providing a truck for the Purchaser's use. The Vendor may also forward the information on this form to a finance company for the purpose of offering the Purchaser assistance in arranging finance for their truck purchase. If the Purchaser does not want any personal information forwarded to a finance company, please tick the box -[]. The Vendor, PACCAR Australia, and all finance companies with which the Vendor conducts business, comply with the provisions of the Privacy Act 1988.
 11. The PACCAR Connect telematics service, when installed and active, records and sends data from the vehicle such as the vehicle's location, performance and driver behaviours to PACCAR Australia and, if applicable, the Purchaser through the PACCAR Connect website and mobile applications. This data is shared with PACCAR, its related bodies corporate and other third parties, including the PACCAR dealer network and service providers. The Purchaser must put certain measures in place before taking out a subscription to PACCAR Connect, including measures as directed by PACCAR Australia from time to time or as otherwise required by law with respect to the operation of the vehicle. Where the vehicle is driven by anyone other than the Purchaser, the Purchaser must notify the third party driver prior to them driving the vehicle and must take steps to ensure PACCAR Connect is not used to track any NSW employee driver if or when they are not driving for work purposes. The Purchaser and any drivers of the Purchaser's vehicle must agree to the PACCAR Connect Privacy Policy found on paccar.com.au and the PACCAR Connect Terms and Conditions found on paccarconnect.com.au. The Purchaser must also ensure that the PACCAR Connect sticker is and remains prominently visible and affixed to the cabin of the vehicle.

Unpublished options may require review/approval.
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed:	13/04/2023 11:02:40 AM	Complete	Model Number:	T909
Effective Date:	Sep 1, 2021		Quote/DTPO/CO:	Q74404055
Prepared by:	Angus Short		Version Number:	40.01



Brown & Hurley Toowoomba A043
28-30 CARRINGTON ROAD
PO BOX 6383 TOOWOOMBA WEST

TORRINGTON, QLD Australia 4350

Phone: 0746907300

Fax: 0746907370

Email: angus.short@brownandhurley.com.au

Pittsworth, QLD Australia 4356

Phone: 0428931582

Fax:

Contact Email

Prepared for:

Typical accuracy of a weight estimate is +/- 2% and does not include the weight of fuel.
There is no guarantee as to the accuracy of the weight estimate of this specification.

This order is given and accepted subject to the Sales Engineering Data contained herein and the General Conditions contained herein, and is not binding on the Vendor until accepted by the Manufacturer.

Signed by, or on behalf of, the Purchaser

59533-E88D-0360

Signed: _____ Date: _____
Signature of Purchaser or their Authorised Representative

Name: _____
Print and specify designation/position (e.g. Director, Agent, Manager)

Submitted by Dealer's Sales Representative:

_____ Date: _____
Signature:

Accepted by or on Behalf of the Vendor:

_____ Date: _____
Signature:

Unpublished options may require review/approval.
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed:	13/04/2023 11:02:40 AM	Complete	Model Number:	T909
Effective Date:	Sep 1, 2021		Quote/DTPO/CO:	Q74404055
Prepared by:	Angus Short		Version Number:	40.01