

| HRS/KLMS; 945, 359 | |
|-----------------------------------|----|
| DESCRIPTION OF MAINTENANCE: 5 6 | |
| ON REAR AXLE. | 7/ |
| ON REAR AXLE. | |
| | 57 |
| | |
| | |
| | |
| | |
| | |
| ENTER | |
| | |
| | |
| | |
| NAME: Man H | |
| SIGNATURE: | 9 |



| VEHICLE: 17-23 DATE: 19-5-19 |
|--|
| HRS/KLMS; 924, 404 DESCRIPTION OF MAINTENANCE: 1 H 2 3 H 4 6 |
| - 11 11 - 712 - 42 |
| REAR AXLE (HANCOOK TH22) |
| |
| |
| |
| |
| ENTERED |
| |
| |
| |
| |
| |
| NAME: MATT H |
| SIGNATURE: |



| VEHICLE: | 1223 | | DATE: | 3-7-1 | 19 |
|----------------|--------------|--------|-----------------|------------|-----|
| | | - | | | |
| HRS/KLMS: | 10496 | 0 | | | · · |
| = 1 | | | 1 H | | 2 |
| | | | s H | | 4 |
| DESCRIPTION OF | MAINTENANCE: | (* | 5 H | | 6 |
| K. | REPLACE | FAULTY | CAL | PER | |
| ON R | EAR AX | LE L'H | 15. FI | T NE | ω |
| BRAIZE | PADS. | | | 8 | |
| T. | | | | | |
| 9 = | 7 1 | (30) | | ক্রা | |
| | 30. | | | 00 50 5 | |
| | 14. | | | | |
| | | - 25 | | | |
| - | ţ:: | | | .77 | |
| | 1 1 1 | 134 | #11 <u>19</u> 1 | 5 | ~ |
| | | | 20 | | - |
| - A | | - | | + | |
| | | | | | |
| | | | -1 | | |
| A14949 | 10. | 4 | | | |
| NAIVIE: | MATT. | // | | | |
| SIGNATURE: | 20113 | 5 | | a | 1)2 |

Certificate of Inspection Reminder Notice

PO BOX 1808

MOUNT ISA DC QLD 4825

Transport Operations (Road Use Management) Act 1995

Customer Reference Number 102140112

16 September 2019



ABN: 39 407 690 291

Telephone: 13 23 90* (Local call cost in QLD.)

 Note: All vehicles being presented for inspection must be **unladen and clean**. (Clean means free from grease, dirt, mud etc. on both upper and under body components).

Failure to comply with these conditions may result in a refusal to inspect.


| Plate number | Registration category | Registration expiry date | COI expiry date |
|--------------|-----------------------|--------------------------|-----------------|
| 313QZH | HTRL | 01/06/2020 | 01/12/2019 |
| Make | Body sha | ре | |
| Tristar | Semi T | Semi Trailer | |

Our records indicate that a Certificate of Inspection (COI) for your vehicle is due on 01/12/2019. The owner of a registered COI vehicle must possess a current COI for the vehicle.

Failure to have a current COI can result in an on-the spot fine of 5 penalty units. You are encouraged to book an inspection early to allow time to repair any defects before your current COI expires.

- A vehicle that has a current COI may be inspected up to two months before the existing certificate expires. If so, the new certificate will not begin until the original certificate expires. If a COI vehicle is inspected after the original certificate expires the new certificate's expiry date will be calculated as if it commenced when the original certificate expired.
- To take advantage of the two month window of opportunity, please ensure you make a booking for an inspection as soon as possible. This will allow time for any identified defects to be repaired before the current COI expires.
- The following example shows how the two month window of opportunity does not affect the expiry date of the new COI.

Please note: If the vehicle does not have a current COI, the effective date will be the issue date.



Booking an inspection

- Online bookings can be made through the 'Book a vehicle inspection' Online Service at www.tmr.qld.gov.au, *Payment is required at the time of booking.
- Phone bookings can be made by telephoning 13 23 90. Payments for phone bookings can be paid by credit card*
 at www.tmr.qld.gov.au or by other payment methods at a Department of Transport and Main Roads Customer Service
 Centre or Agency.

^{*}Acceptable cards are MasterCardTM and VisaTM. A credit card surcharge will apply.



| VEHICLE: | TLAS | | | DATĘ: 6 | -10-19 |
|---------------|---|----------|-------|---------|-------------|
| 449 | e 2 | | 7 | 1.7 | |
| HRS/KLMS: | <u> </u> | | | | \wedge |
| ** | | | | T1 H | 1 2 |
| | 181 | | * | ġ H | |
| DESCRIPTION O | F MAINTENAN | CE: | N. | . 5 H | 1 6 |
| 0 | .V. 2027-5011 | 0 | = + 4 | | |
| * . KE | SEAL. | REA | R | DOOR . | RAM |
| ×. W | 45H 7 | Down | . 00 | L CEAKS | |
| 12 | 20 | N 3 | 16. | 13 | 19 |
| L.S | | *11 | | | š. <i>V</i> |
| | 1 | | 32 | | |
| - 1 | | | + * | | |
| 304 | | - | 170 | * | |
| | | | | | |
| | | | | - 1 | - |
| 12 | f. E864 | 10 0# | 55 | TXI | 1 34 |
| 4 | 797 | | | 9. 3. | |
| _ 0 | 74 | 1000 | | 1 | 3 |
| | 7. | | | | 1 |
| 25 | 8 | | F. 5 | | |
| | | | | | |
| | Charles and the Control | ,/ | | | 2.8 |
| NAME: | MATT | 11 | | | |
| | | | | *I = 41 | * |
| SIGNATURE. | | 7 | | | |



TRAILER & DOLLY SERVICE SHEET

| DATE 21/10/19 START TIME 2.60 FINISH TIME 1.00 FLEET NO 76 HRS # | JOB NO REGO | | 7 |
|---|----------------|-----------|-----------|
| FLEET NO TO ANIS JOST (10 III) | KEGO - | | |
| Service Items - Mechanic/Fitters to complete Initial = OK, X Repair, NA = Not Applicable | A Service | B Service | C'Service |
| Local Trailers 40000km/365 days | 7 DAYS | 14 DAYS | 40000KM |
| Linehaul Trailers 15000km 10 days 150000km/365days | | 15000KM | 150000KM |
| 1 Check fault repair bok and repair as ncessary | - 1/ | 100 | dia s |
| 2 Check fleet numbers are serviceable . | 1 | | |
| 3 Record Hubmeter reading | · / | 1 9 4 | |
| 4 Lubricate Container Pins | NIA | 000 | 1 |
| 5 Check operation & condition of all lights/reflectors | 1 | 6 | |
| 6 Apply Air Check fvor leaks from boosters, valves & air lines | 1 | | E Elh |
| 7 Adjust brakes , visually inspect components | · / | 100 | |
| 8 Check air cells for air leaks and deterioration | 1.1 | - | - 1 |
| 9 Drain all air tanks, report if any oil is present in system | 1 | | |
| O Grease trailer incl. brake cams, slack adjusters, landing legs, ringfeeder & other grease points | - V | | |
| 1 Check hoist mounting bolts, hoses, coupling | Va | No. | |
| .2 Check number plate & rego label security. Check that rego label is current | | = 22 | |
| 3 Check condition of front air connections, light plug base & electrical lead | 1/ | | 1/4 |
| .4 Check security of spare wheels & spare wheel carrier/gate rack | NK/AF. | | |
| .5 Check condition & security of all mudflaps, mudguards, brackets & spray suppression | 1 | | 12.03 |
| .6 Check landing legs for damage & security | 1 | | |
| 17 Check sub frame & cross members for cracks, damage & security | 1/ | - | - |
| L8 Check condition, position & security of all air hoses | | 0.0 | |
| | | 100 | |
| 9 Check brake linings & drums for wear. Check hub seals for leakage | | | |
| 20 Check security of height control valves and links & adjust if required | | | 1 |
| 21 Check skid plate/king pin security & condition, check draw bar/bushes and towing eye | | | |
| Check wheel nut tensions, check valve stem alignment | | | |
| Check all tyre pressures and refit valve caps (including spare) report abnormal wear | | | |
| 24 Check condition & security of rear marker signs | | 100 | 1.2 |
| 25 Check ringfeeder condition, operation & security | | | |
| Lubricate twistlocks & check operation & security of pedestals, straighten handles as required | | | |
| 27 Check condition & secuirty of rope rails, gate pockets, wiinch rails & straps | | | |
| 28 Check condition & security of floor and associated components | | | |
| 29 Raise trailer by rear frame & individually inspect rocker/radius bushes, wear pads, air cells for wear | | 77 | |
| 30 Check security & bolt tension od airbag suspension hagers & radius rod arms | | | |
| 31 Raise wheel assembly & check bearings for free play by "feel" only & adjust as required | | | |
| 32 Indicate on below drawing wheel bearings that are replaced, checked and/or adjusted | | | 1 |
| front | | | 10 |
| | | | |
| 33 Check brake linings & drums for wear whilst hubs are removed | | | |
| 34 Check hubs for cracks and tapered shoulders for wear | | | |
| 35 Remove bearings and clean/inspect for reuse | | | |
| 36 Replace muflaps & decals as required | | | |
| 37 Remove s/cam slack adjuster pins and rotate/lubricate | | | |
| 38 Pack bearings with fresh grease & reassemble | | 2 | |
| oo Taas Satisfied Mitt Heat Breday or Tadascinoid | | | |



TRAILER & DOLLY SERVICE SHEET

| Work/Repairs carried o | ut (f | | |
|------------------------|----------------|---------------------|-------------|
| Tr. Va. eller | | | 5.3 |
| | | | |
| 1 1 1 2 1 2 | | 8 5 | 17 - 81 |
| | | | 1 4 |
| | | | |
| | (A) | 3.0 | |
| | - X-7 | | |
| | | | |
| | | 1 33 | |
| | | | |
| | | | |
| | | 0 1 | |
| | | | |
| 0 | 4 | * = == | |
| | F1 5 | W 4 2 15 | THE RESERVE |
| | | | |
| | | | |
| | | | |
| | | | |
| ist any defect found | | | |
| Day Control | 10 10 10 100 1 | SEYL RE | |
| | - 100 | | - H |
| | | | |
| | | | LSP II |
| | | | |
| | 7 | | |
| | - rgillor | | |
| | | | |
| | | | |
| | | | |
| Part No/Consumables | Qty | Part No/Consumables | Qty |
| | | | |
| | | | |
| | | | |
| _00 | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | 1 1 | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | 1 1 1 | | |
| Tradesperson Name | Coly Lets | Signature | Casetts |



| VEHICLE: 7223 | DATE: 17-11-19 |
|-----------------------------|----------------|
| HRS/KLMS: N/A | |
| | 3 4 4 |
| DESCRIPTION OF MAINTENANCE: | 5 6 |
| * REPLACE FRONT | AXLE LIS |
| CALIPER & MIDDLE | AXLE LHS |
| CALIPER | |
| * REPLACE MIDE | CE ALLE LAS |
| HUB & DISC ASSY. | |
| * REPLACE WORN | TIRES ON |
| MIDPLE AXLE LHS | |
| | |
| | |
| | |
| :# / | |
| | |
| | |
| | |
| NAME: MATT H | Y. |
| | , |
| SIGNATURE: | |

Certificate of Inspection

Transport Operations (Road Use Management) Act 1995



Date of Issue: 22/11/2019 Certificate Number: ST 31188080

Motor Vehicle Details

Plate Number : 313QZH 7

Make : TRISTAR Body Shape : SEMI TRAILER

VIN Number : 6T9T25NTOD2NUM092 Engine No :

ATM (Kg) : 47000 Reg Category: HEAVY TRAILER

GTM (Kg)

Registered Operator/s Details

WORLD WELDING AND TRANSPORT SERVICE PTY LTD 8-10 KOLONGO CRESCENT MOUNT ISA QLD 4825

Certification

This is to certify that the vehicle, particulars of which are set out in this certificate, was inspected in accordance with the provisions of the above mentioned Act and departmental guidelines on the issue date stated in this certificate and has no evident defect that would affect its safe use on the road.

This certificate is in force until the expiry date specified unless it is suspended or cancelled. or the registration of the vehicle is cancelled under the provisions of the said Act.

Inspector's Authority No: Q411

District VIDTOWNSVI

Inspector's Signature

Note - Vehicle inspections undertaken by the Department of Transport and Main Roads are carried out to prescribed safety standards. The Department recommends an independent comprehensive assessment of the vehicle's condition prior to purchase.

200 Ade Maxi.