

DATE 18-2-23	START TIME		FINISH TIME	JOB NO
FLEET NO 7223	KM'S	-	HRS	REGO

Service Ite	ems - Mechanic/Fitters to complete Initial = OK, X Repair, NA = Not Applicable	A Service	B Service	C Service
Local Trailers	40000km/365 days	7 DAYS	14 DAYS	40000KM
Linehaul Trailers	15000km 10 days 150000km/365days	415	15000KM	150000KM
1 Check faults noted on d	aily prestart and repair as necessary	MH		
2 Check fleet numbers are	e serviceable	mH		4
3 Record Hub meter read	ing	MA		
4 Lubricate Container Pins		NA		
5 Check operation & cond	ition of all lights/reflectors	mH		
6 Apply Air Check for leak	s from boosters, valves & air lines	MH		
7 Adjust brakes , visually i	nspect components	mH		
8 Check air cells for air lea	ks and deterioration	mH		
9 Drain all air tanks, repor	t if any oil is present in system	mit		
10 Grease trailer incl. brake	e cams, slack adjusters, landing legs, ring feeder & other grease points	mH		
11 Check hoist mounting b	olts, hoses, coupling	MH		
12 Check number plate & r	ego label security. Check that rego label is current	mH		
13 Check condition of front	air connections, light plug base & electrical lead	MH		
14 Check security of spare	wheels & spare wheel carrier/gate rack	MH		
15 Check condition & secur	ity of all mudflaps, mudguards, brackets & spray suppression	MH		
16 Check landing legs for d	amage & security	mH		
17 Check sub frame & cross	s members for cracks, damage & security	MH		
18 Check condition, positio	n & security of all air hoses	MH		
		5		
19 Check brake linings & dr	ums for wear. Check hub seals for leakage			
20 Check security of height	control valves and links & adjust if required			
	n security & condition, check draw bar/bushes and towing eye NOTE: If draw bar			
eye bolt is found loose, 21 checked for tolerances	it is not to be retorqued and must be removed and replaced and draw bar eye boss to be			
	White all the state of the stat	-	-	
1207	ns, check valve stem alignment	-	_	
	and refit valve caps (including spare) report abnormal wear			
24 Check condition & secur		-	-	
25 Check ring feeder condi				
	theck operation & security of pedestals, straighten handles as required	-	-	
	ity of rope rails, gate pockets, winch rails & straps	+	-	
U STATE	ity of floor and associated components	-		
	ne & individually inspect rocker/radius bushes, wear pads, air cells for wear	ENT	ERE	
	nsion od airbag suspension hangers & radius rod arms	DATE	BY	
	check bearings for free play by "feel" only & adjust as required			_
	ing wheel bearings that are replaced, checked and/or adjusted			
front				
		1		
	33 Check brake linings & drums for wear whilst hubs are removed			
	34 Check hubs for cracks and tapered shoulders for wear	-		
	35 Remove bearings and clean/inspect for reuse			
	36 Replace mudflaps & decals as required			
	37 Remove s/cam slack adjuster pins and rotate/lubricate	-		
	38 Pack bearings with fresh grease & reassemble			



Vork/Repairs carri	ed out		
3 *	REPLACE	BROKEN BA	AKE BOOSTER
On	Roon	AXIE RUS	
~	REDIALS	Bloom Au	2 RAC ON
05PM	DVIE	BROKEN BR AXLE RHS Blown AVI LHS LOOSE 14	011-1
-	TIO UP	Lance 14	SSET
	110		
	777		
الأبادا	.1		
ist any defect four	nd		
	1 10:	Part No/Consumables	Qty
art No/Consumab	les Qty	Part No/Consumables	Qty
		-	
Tradesperson Nam	ne MATT	Signature	18-2-23



VEHICLE: TL 23	DATE: 17,04, 23
HRS:	1 H 2 H 4 S H 6
CLECK OVER FRONT LID RAM HAS A LEAKE	
	DATE BY
NAME: K. BURGESS SIGNATURE:	



DATE 18-6-23
FLEET NO 74 23

START TIME		FINISH TIME	JOB NO
KM'S_	NIA	HRS	REGO

Service	Items - Mechanic/Fitters to complete Initial = OK, X Repair, NA = Not Applicable	A Service	B Service	C Service
Local Trailers	40000km/365 days	7 DAYS	14 DAYS	40000KM
Linehaul Trailers	15000km 10 days 150000km/365days		15000KM	150000KM
1 Check faults noted or	n daily prestart and repair as necessary		mH	
2 Check fleet numbers	are serviceable		MH	
3 Record Hub meter re	ading		NIA	
4 Lubricate Container F	rins		NA	
5 Check operation & co	ondition of all lights/reflectors		MH	
6 Apply Air Check for le	aks from boosters, valves & air lines		MH	
7 Adjust brakes , visual	ly inspect components		mH	
8 Check air cells for air	leaks and deterioration		mH	
9 Drain all air tanks, re	port if any oil is present in system		MH	
10 Grease trailer incl. br	ake cams, slack adjusters, landing legs, ring feeder & other grease points		MH	
11 Check hoist mounting	g bolts, hoses, coupling		my	
12 Check number plate	& rego label security. Check that rego label is current		MH	
13 Check condition of fr	ont air connections, light plug base & electrical lead		MH	
14 Check security of spa	re wheels & spare wheel carrier/gate rack		met	
15 Check condition & se	curity of all mudflaps, mudguards, brackets & spray suppression		MH	
16 Check landing legs fo	r damage & security		MH	
17 Check sub frame & ci	oss members for cracks, damage & security		mH	
18 Check condition, pos	tion & security of all air hoses		MH	

20	Check security of height control valves and links & adjust if required
	Check skid plate/king pin security & condition, check draw bar/bushes and towing eye NOTE: If draw bar eye bolt is found loose, it is not to be retorqued and must be removed and replaced and draw bar eye boss to be checked for tolerances
22	Check wheel nut tensions, check valve stem alignment
23	Check all tyre pressures and refit valve caps (including spare) report abnormal wear
24	Check condition & security of rear marker signs
25	Check ring feeder condition, operation & security
26	Lubricate twist locks & check operation & security of pedestals, straighten handles as required
27	Check condition & security of rope rails, gate pockets, winch rails & straps
28	Check condition & security of floor and associated components
29	Raise trailer by rear frame & individually inspect rocker/radius bushes, wear pads, air cells for wear
30	Check security & bolt tension od airbag suspension hangers & radius rod arms
31	Raise wheel assembly & check bearings for free play by "fee!" only & adjust as required
32	Indicate on below drawing wheel bearings that are replaced, checked and/or adjusted

	front
115	- P
AND	No.
\$5	NES

33	Check brake linings & drums for wear whilst hubs are removed	
34	Check hubs for cracks and tapered shoulders for wear	
35	Remove bearings and clean/inspect for reuse	
36	Replace mudflaps & decals as required	
37	Remove s/cam slack adjuster pins and rotate/lubricate	
38	Pack bearings with fresh grease & reassemble	

		ī			
1	-	-	-	-	-
١					
1					
i					
-	-		-	_	_



4	11/1/1/1/1	011 1111	REARINGS
		ALL WHEEL	
*	REALACED	REAR LIFT ON	RAM FOR
LID	WITZ	A REBUILT ON	IE
e vi	2-2. 201	AXLE CATELL S	
READ	AXLE L	HXCE CATZIA S	LIWS ON
*	REPAIRS	CAPPIED OUT	70 LIDS
any defect found			
No/Consumables	Otv	Part No/Consumables	Otv.
No/Consumables	Qty	Part No/Consumables	Qty
: No/Consumables	Qty	Part No/Consumables	Qty
t No/Consumables	Qty	Part No/Consumables	Oty
t No/Consumables	Qty	Part No/Consumables	Qty .
t No/Consumables	Qty	Part No/Consumables	Qty
t No/Consumables	Qty	Part No/Consumables	Qty
t No/Consumables	Qty	Part No/Consumables	Qty
t No/Consumables	Qty	Part No/Consumables	Qty
t No/Consumables	Qty	Part No/Consumables	Qty
t No/Consumables	Qty	Part No/Consumables	Oty'
t No/Consumables	Qty	Part No/Consumables	Oty
: No/Consumables	Qty	Part No/Consumables	Oty '
: No/Consumables	Qty	Part No/Consumables	Qty
t No/Consumables	Qty	Part No/Consumables	Qty
t No/Consumables	Qty	Part No/Consumables	Qty
t No/Consumables	Qty	Part No/Consumables	Qty
t No/Consumables	Qty	Part No/Consumables	Qty
: No/Consumables	Qty	Part No/Consumables	Qty
No/Consumables	Qty	Part No/Consumables	Qty
t No/Consumables			
person Name	Qty Qty		Qty

Date



DATE 31-8-33 START TIMEFINISH TIMEFINISH TIME	JOB NO		
Service Items - Mechanic/Fitters to complete Initial = OK, X Repair, NA = Not Applicable	A Service	B Service	C Service

Service Items - Mechanic/Fitters to complete Initial = OK, X Repair, NA = Not Applicable	A Service	B Service	C Service
Local Trailers 40000km/365 days	7 DAYS	14 DAYS	40000KM
Linehaul Trailers 15000km 10 days 150000km/365days		15000KM	150000KM
1 Check faults noted on daily prestart and repair as necessary			
2 Check fleet numbers are serviceable	OX		
3 Record Hub meter reading	OX		
4 Lubricate Container Pins			
5 Check operation & condition of all lights/reflectors	OX		
6 Apply Air Check for leaks from boosters, valves & air lines	ax		
7 Adjust brakes , visually inspect components	OX		
8 Check air cells for air leaks and deterioration	OX		
9 Drain all air tanks, report if any oil is present in system	OX		
10 Grease trailer incl. brake cams, slack adjusters, landing legs, ring feeder & other grease points	ax		
L1 Check hoist mounting bolts, hoses, coupling	ax		
12 Check number plate & rego label security. Check that rego label is current	OX		
L3 Check condition of front air connections, light plug base & electrical lead	ax		
1.4 Check security of spare wheels & spare wheel carrier/gate rack	CZX		
L5 Check condition & security of all mudflaps, mudguards, brackets & spray suppression	OX		
1.6 Check landing legs for damage & security	OX		
.7 Check sub frame & cross members for cracks, damage & security	OX		
.8 Check condition, position & security of all air hoses	ox		

		· ·		
19	Check brake linings & drums for wear. Check hub seals for leakage			
20	Check security of height control valves and links & adjust if required			
21	Check skid plate/king pin security & condition, check draw bar/bushes and towing eye NOTE: If draw bar eye bolt is found loose, it is not to be retorqued and must be removed and replaced and draw bar eye boss to be checked for tolerances			
22	Check wheel nut tensions, check valve stem alignment			
23	Check all tyre pressures and refit valve caps (including spare) report abnormal wear			
24	Check condition & security of rear marker signs			
25	Check ring feeder condition, operation & security			
26	Lubricate twist locks & check operation & security of pedestals, straighten handles as required			
27	Check condition & security of rope rails, gate pockets, winch rails & straps			
28	Check condition & security of floor and associated components			
29	Raise trailer by rear frame & individually inspect rocker/radius bushes, wear pads, air cells for wear			
30	Check security & bolt tension od airbag suspension hangers & radius rod arms			
31	Raise wheel assembly & check bearings for free play by "feel" only & adjust as required			
32	Indicate on below drawing wheel bearings that are replaced, checked and/or adjusted			

	ront
X	X
Х	X
V	×

33	Check brake linings & drums for wear whilst hubs are removed	
34	Check hubs for cracks and tapered shoulders for wear	
35	Remove bearings and clean/inspect for reuse	
36	Replace mudflaps & decals as required	
37	Remove s/cam slack adjuster pins and rotate/lubricate	
20	Deal hander with freely words Comments	

Initial if adjusted - Tick if C PLEASE COMPLETE PAGE 2

Townsville Workshop: 74-76 Northern Link Cct, Shaw (Bohle) Q 4818

Cloncurry Workshop: Lot 2, Hensley Drive, Cloncurry Q 4824

Postal Address: PO Box 766, Deeragun Q 4818 Phone: 07 4789 4888 - Email: fds@bigpond.net.au

www.fabbrodiesel.com.au ABN: 75 617 303 527



PLEASE PAY BY

AMOUNT

INVOICE DATE

08/12/2023

\$225.50

08/11/2023

TAX INVOICE NO. 721820

Site: 313QZH **Order No.:** 24518

Cassandra Pascoe World Welding & Transport Services PO Box 1808 MOUNT ISA QLD 4825

Description

Work requested: Inspection

Hours: NA Kilometres: NA

3/11/23

Carried out inspection as per customer's request. Defects found:

• POS 1,2,4,5 Needs rotor and pads ASAP

• Rear door cylinder leaking oil.

Item	Quantity	Unit Price	Total
Consumables	1.00	\$25.00	\$25.00
Labour - Townsville Workshop	1.50 hrs	\$120.00	\$180.00

Asset Register - Trailer						
VIN	Rego Number	Make	Model	Unit Number	Year	Engine Serial Number
6T9T25NT0D2N UM092	313QZH	Tristar	9m Tri Axle	TL23	2013	

PAYMENT PREFERRED BY EFT:	Sub-Total ex GST	\$205.00
	GST	\$20.50
Account Name: Fabbro Diesel Services	Total inc GST	\$225.50
BSB: 064834 - Account: 10581652	Amount Applied	\$0.00
Please email remittance to info@fabbrodiesel.com.au.	Balance Due	\$225.50

Credit card also accepted in person or over the phone.



FABBRO DIESEL SERVICES WARRANTY On externally purchased parts

In light of more frequent parts failures from majority of local suppliers; Fabbro Diesel Services will be unable to supply replacement labour on any parts supplied by customers from local suppliers. Most mainstream equipment manufactures, and aftermarket parts suppliers will predominately not supply any compensation for Fabbro Diesel Services' fitting labour even though their component was at fault. For over a decade FDS has written this lose off as FDS Policy. Unfortunately, this is a cost that FDS is no longer able to absorb moving forward. **Example:**

Customer supplies a recon head – fitting takes 25 hours. Component fails and customer is given recon head and gasket to complete repair at FDS by the manufacture/parts supplier. FDS completes repair, sends customer second labour bill which will need to be taken up with original parts supplier.

Please note all parts purchased through FDS direct are exempt from this procedure and are covered if conditions fall under FDS warranty policy.

Fabbro Diesel Services or any of its subsidiaries, warrants the following products sold be it to be free from defects in material and workmanship:

- New parts and assembled components
- Reman parts, assembled components

Responsibilities

If a defect in material or workmanship is found during the warranty period, FDS will, during normal working hours and at a place of business of an FDS workshop or elsewhere approved by Russell Fabbro:

Provide (at FDS choice) New reman parts or FDS approved repaired parts, assembled components, needed to correct the
defect.

NOTE: New remanufactured, or FDS approved repaired parts or assembled components provided under the terms of this warranty are warranted for the remainder of the warranty period applicable to the parts or assembled components being replaced as if such parts or assembled components were the original parts or assembled components. Items replaced under this warranty become the property of FDS.

Replaced lubricating oil, filters, antifreeze, and other service items made unusable by the defect.

For all other products covered by this warranty: Provide reasonable and customary repair labour needed to correct the defect if product found to be defective and its replacement are both installed by FDS or other source approved by Russell Fabbro; excluding labour to disconnect and reconnect generator sets, engines, or transmissions to attached equipment or mounting and support systems not sold by FDS.

User Responsibilities

The user is responsible for:

- Providing proof of sale date to the first user
- Providing proof of date of installation
- Transportation costs
- Premium or overtime labour costs
- Parts shipping charges in excess of those that are usual and customary
- Costs to investigate complaints, unless the problem is caused by a defect in FDS material or workmanship
- Giving timely notice of a warrantable failure and promptly making the product available for repair
- Performance of the required maintenance (including use of proper fuel, oil, lubricants, and coolant) and replacement of items
 due to normal wear and tear.
- · Allowing FDS access to all electronically stored data

Limitations

FDS is not responsible for:

- · Failures resulting from any use or installation that FDS judges improper
- Failures resulting from attachments accessory items, and parts not sold by FDS
- Failures resulting from abuse, neglect, and/or improper storage or repair, including installation of parts and assembled components in contaminated systems
- Failures resulting from user's delay in making the product available after being notified of a potential product problem

Failures resulting from unauthorized repair or adjustments and unauthorized fuel-setting changes not performed by FDS.

APENDIX A

Warranty period – 6 months or 1000kms for PARTS Warranty period on workmanship – 6 months for LABOUR

APENDIX B

Equipment that is serviced and maintained for 80% of its working life of Agreed Contract Maintenance may be subject to 12 months or 200 hours parts and labour warranty upon request.



VEHICLE: 1 C C S + C OF	DATE: 29-11-23
HRS	
KLM	1 2
	3 4
ESCRIPTION OF MAINTENANCE:	5 11 11 6
nertify defects	
· U	The state of the s
	Ta l
1/2	
	4
	V No.
	*.
E]	
NAME: PHYP	
IVAIVIE: / / / /	
SNATURE:	



Defect Notice

Transport Operations (Road Use Management) Act



Heavy Vehicle National
Law (Queensland) Id: SD 38715963



Registered Operator or Owner

WORLD WELDING AND TRANSPORT SERVICE PTY LTD 8-10 KOLONGO CRESCENT MOUNT ISA QLD 4825 TL23

Vehicle Details

Plate No : 313QZH 7 Make : TRISTAR State : QLD Body Shape : SEMI TRAILER Reg Expiry : 01/06/2024 Reg Category : HEAVY TRAILER

Engine no :

VIN Number : 6T9T25NT0D2NUM092 Inspection Type: PROGRAMMED

Defect Details

MINOR (NO LABEL)

The requirements specified below must be complied with.

Cease using the vehicle after 16:00 on 12/12/2023 until replacements, repairs or alterations set out below have been carried out.

Carry out the replacements, repairs or alterations set out below by 12/12/2023

and you are required to:-

Produce the Owner's Declaration on the reverse side of this notice

at/to QUEENSLAND TRANSPORT, 21-35 LEYLAND ST, GARBUTT QLD 4814 at 16:00 on 12/12/2023.

Replacement, Repairs or Alterations required to the following:

LIGHTS AND ELECTRICAL COMPONENTS

Details of other items rejected:

1. Replace P/S LED Brake/Tail Light less than 50% operational

SELF CLEARANCE

Once defect is rectified Sign reverse side of notice %And forward to Transport Inspectors Office PO Box 7466 Garbutt Qld 4814 e-mail compnthn@tmr.qld.gov.au Ph 1300 784 535

Declaration of service: I declare that this notice was given to the person nominated below:-

Licence no.

Licence issued (State)

Date of Birth

at 8:44 on 29/11/2023 personally.

Inspecting officer's signature

_Auth. no. Q581

Signature of person to whom notice was given

Page: 1 of 1

Form F3470 MFD V01 Feb 2020

A person must not use or permit the use of a vehicle on a road in contravention of this notice. If a Defective Vehicle Label has been affixed to the vehicle it can only be removed by a person authorised to do so. Removal of a Defective Vehicle Label by an unauthorised person is an offence. If the driver to whom the defect notice is given is not the owner (light vehicle) or operator (heavy vehicle) of the vehicle, the driver must give the defect notice to the owner (light vehicle) or operator (heavy vehicle) of the vehicle within 14 days if the vehicle is a heavy vehicle or within 48 hours if the vehicle is a light vehicle.

Defect Notice (Heavy vehicle) - I have inspected the vehicle mentioned overleaf and found that the vehicle is a defective heavy vehicle and repairs or adjustments are necessary to enable the vehicle to comply with the requirements of the Heavy Vehicle National Law (Queensland) and the Heavy Vehicle (Vehicle Standards) National Regulation.

Minor Defect Notices

For a minor defect notice the vehicle must not be used on a road after the time/day stated in this notice unless corrective action has been taken. Heavy Vehicles subject of a minor defect notice may be used on a road if corrective action has been taken.

Major Defect Notices

For a major defect notice the vehicle must not be used on a road after the notice is issued other than to move it to one or more locations stated in this notice. Once the relevant repairs have been carried out, the vehicle may be used on a road to be taken to a place to be inspected for the purpose of enabling the vehicle defect notice to be cleared if the vehicle is not carrying goods or passengers and the use of the vehicle does not pose a safety risk.

Defect Notice Clearance Requirements

Infringement Notice issued

When the defects have been rectified, the vehicle is to be inspected as directed on the front of this notice, if required to do so.

Self-clearing Defect Notice (light vehicle) - The registered owner must ensure the defects identified on the front of this notice are rectified and complete the Defect Clearance Declaration. The signed notice must be returned as directed on the front of the notice.

Minor or Major Defect Notice (light and heavy vehicles) - When the defects have been rectified, the vehicle is to be inspected as directed on the front of this notice, and the Defect Clearance Declaration must be completed and returned as directed on the front of the notice. If a notice issued to a Heavy Vehicle is not cleared by the Regulator under section 530, the vehicle's registration may be suspended and subsequently cancelled by a registration authority under an Australian road law.

declare that the specified defects for the vehicle identified in this	notice have been rectified. (Self-clearing only)
I have inspected the vehicle identified in this Defect Notice and ce	ertify that the specified faults have been rectified.
□ I have completed a full inspection of the vehicle identified in this □	Defect Notice and certify that it complies with:
 for a light vehicle - the Code of Practice - Vehicle Inspection of for a heavy vehicle - the National Heavy Vehicle Inspection M 	Guideline fanual.
Tim Premololini	Signature
f Approved Inspection Station (AIS) inspection, AIS number	Examiner's number
f qualified person inspection - Business name	Business address
	1100 1

Privacy statement: Information collected on this form is required under the Transport Operations (Road Use Management) Act 1995 or the Heavy Vehicle National Law (Queensland) to manage defective vehicles in Queensland. The information may be disclosed to vehicle insurers, statutory entities, lawyers, Insolvency entities, persons involved in vehicle incidents, or vehicle manufacturers. The information is also accessible by officers from the Department of Transport and Main Roads, Queensland Police Service and the National Heavy Vehicle Regulator. The information will not disclose your personal information to any other third party without your consent unless required or authorised by law.

Defect Notice

Transport Operations (Road Use Management) Act





Registered Operator or Owner

WORLD WELDING AND TRANSPORT SERVICE PTY LTD 8-10 KOLONGO CRESCENT MOUNT ISA QLD 4825

Vehicle Details

Plate No : 313QZH 7 Make

: TRISTAR

State Body Shape

: QLD : SEMI TRAILER

Reg Expiry : 01/06/2024 Reg Category : HEAVY TRAILER

Engine no : Odometer :

VIN Number : 6T9T25NT0D2NUM092

Inspection Type: PROGRAMMED

Defect Details

MINOR (NO LABEL)

The requirements specified below must be complied with.

Cease using the vehicle after 16:00 on 12/12/2023 until replacements, repairs or alterations set out below have been carried out.

Carry out the replacements, repairs or alterations set out below by 12/12/2023

and you are required to:-

Produce the Owner's Declaration on the reverse side of this notice

at/to QUEENSLAND TRANSPORT, 21-35 LEYLAND ST, GARBUTT QLD 4814 at 16:00 on 12/12/2023.

Replacement, Repairs or Alterations required to the following:

LIGHTS AND ELECTRICAL COMPONENTS

Details of other items rejected:
1. Replace P/S LED Brake/Tail Light less than 50% operational

SELF CLEARANCE

Once defect is rectified Sign reverse side of notice %And forward to Transport Inspectors Office PO Box 7466 Garbutt Qld 4814 e-mail compnthn@tmr.qld.gov.au Ph 1300 784 535

Declaration of service: I declare that this notice was given to the person nominated below:-

Licence no.

Licence issued (State)

Date of Birth

at 8:44 on 29/11/2023 personally, Inspecting officer's signature Auth. no. Q581

Signature of person to whom notice was given

Page: 1 of 1

Form F3470 MFD V01 Feb 2020

A person must not use or permit the use of a vehicle on a road in contravention of this notice. If a Defective Vehicle Label has been affixed to the vehicle it can only be removed by a person authorised to do so. Removal of a Defective Vehicle Label by an unauthorised person is an offence. If the driver to whom the defect notice is given is not the owner (light vehicle) or operator (heavy vehicle) of the vehicle, the driver must give the defect notice to the owner (light vehicle) or operator (heavy vehicle) of the vehicle within 14 days if the vehicle is a heavy vehicle or within 48 hours if the vehicle is a light vehicle.

Defect Notice (Heavy vehicle) - I have inspected the vehicle mentioned overleaf and found that the vehicle is a defective heavy vehicle and repairs or adjustments are necessary to enable the vehicle to comply with the requirements of the Heavy Vehicle National Law (Queensland) and the Heavy Vehicle (Vehicle Standards) National Regulation.

Minor Defect Notices

For a minor defect notice the vehicle must not be used on a road after the time/day stated in this notice unless corrective action has been taken. Heavy Vehicles subject of a minor defect notice may be used on a road if corrective action has been taken.

Major Defect Notices

Infringement Notice issued

For a major defect notice the vehicle must not be used on a road after the notice is issued other than to move it to one or more locations stated in this notice. Once the relevant repairs have been carried out, the vehicle may be used on a road to be taken to a place to be inspected for the purpose of enabling the vehicle defect notice to be cleared if the vehicle is not carrying goods or passengers and the use of the vehicle does not pose a safety risk.

Defect Notice Clearance Requirements

When the defects have been rectified, the vehicle is to be inspected as directed on the front of this notice, if required to do so.

Self-clearing Defect Notice (light vehicle) - The registered owner must ensure the defects identified on the front of this notice are rectified and complete the Defect Clearance Declaration. The signed notice must be returned as directed on the front of the notice.

Minor or Major Defect Notice (light and heavy vehicles) - When the defects have been rectified, the vehicle is to be inspected as directed on the front of this notice, and the Defect Clearance Declaration must be completed and returned as directed on the front of this notice.

directed on the front of this notice, and the Defect Clearance Declaration must be completed and returned as directed on the notice. If a notice issued to a Heavy Vehicle is not cleared by the Regulator under section 530, the vehicle's registration may be suspended and subsequently cancelled by a registration authority under an Australian road law.

efect Notice Clearance Declaration	
I declare that the specified defects for the vehicle identified in	this notice have been rectified. (Self-clearing only)
I have inspected the vehicle identified in this Defect Notice an	d certify that the specified faults have been rectified.
I have completed a full inspection of the vehicle identified in the	is Defect Notice and certify that it complies with:
for a light vehicle - the Code of Practice - Vehicle Inspection for a heavy vehicle - the National Heavy Vehicle Inspection	
Name	Signature
f Approved Inspection Station (AIS) inspection, AIS number	Examiner's number
If qualified person inspection - Business name	Business address
	Postcode

Privacy statement: Information collected on this form is required under the *Transport Operations* (Road Use Management) Act 1995 or the Heavy Vehicle National Law (Queensland) to manage defective vehicles in Queensland. The information may be disclosed to vehicle insurers, statutory entities, lawyers, insolvency entitles, persons involved in vehicle incidents, or vehicle manufacturers. The information is also accessible by officers from the Department of Transport and Main Roads, Queensland Police Service and the National Heavy Vehicle Regulator. The information will not disclose your personal information to any other third party without your consent unless required or authorised by law.



VEHICLE: SI CLE TIAPERS	DATE: 30-11-73
HRS 1221,23,25	
KLM	
DESCRIPTION OF MAINTENANCE:	5 + 6
Look up after	machinerys.
10st run diag	nose fault.
and orger parts	
1 18	* *
M /	
NAME:	
SIGNATURE:	



Certificate of Inspection





Date of Issue: 01/12/2023 Certificate Number: ST 39013337

Motor Vehicle Details

Plate Number : 313QZH 7

Make : TRISTAR Body Shape : SEMI TRAILER

VIN Number : 6T9T25NT0D2NUM092 Engine No :

ATM (Kg) : 47000 Reg Category: HEAVY TRAILER

GTM (Kq) :

Registered Operator/s Details

WORLD WELDING AND TRANSPORT SERVICE PTY LTD 8-10 KOLONGO CRESCENT MOUNT ISA QLD 4825

Certification

This is to certify that the vehicle, particulars of which are set out in this certificate, was inspected in accordance with the provisions of the above mentioned Act and departmental guidelines on the issue date stated in this certificate and has no evident defect that would affect its safe use on the road.

This certificate is in force until the expiry date specified unless it is suspended or cancelled. **or** the registration of the vehicle is cancelled under the provisions of the said Act.

Inspector's Authority No: Q551

District : VIDCAIRNS

Inspector's Signature

Note - Vehicle inspections undertaken by the Department of Transport and Main Roads are carried out to prescribed safety standards. The Department recommends an independent comprehensive assessment of the vehicle's condition prior to purchase.



VEHICLE: 1- C 23	DATE: 18-12-23
HRS	
KLM	3 4 4
ESCRIPTION OF MAINTENANCE:	5 6
Remore old spool	value and
assemble un	I ore
	Jan 5.
	* ************************************
	· · · · · · · · · · · · · · · · · · ·
JP TO	
	*
. (6	
NAME:	
GNATURE:	

Townsville Workshop: 74-76 Northern Link Cct, Shaw (Bohle) Q 4818

Cloncurry Workshop: Lot 2, Hensley Drive, Cloncurry Q 4824

Postal Address: PO Box 766, Deeragun Q 4818 Phone: 07 4789 4888 - Email: fds@bigpond.net.au

www.fabbrodiesel.com.au ABN: 75 617 303 527



CUSTOMER JOB NO. 32431

Site: 313QZH Order No.: TBA

Cassandra Pascoe World Welding & Transport Services PO Box 1808 MOUNT ISA QLD 4825

Description

Work requested: Inspection

Hours: NA Kilometres: NA

3/11/23

Carried out inspection as per customer's request. Defects found:

- POS 1,2,4,5 Needs rotor and pads ASAP
- Rear door cylinder leaking oil.

ltem	Quantity	Unit Price	Total
Consumables	1.00	\$25.00	\$25.00
Labour - Townsville Workshop	1.5	\$120.00	\$180.00

Sub-Total ex GST	\$205.00
GST	\$20.50
Total inc GST	\$225.50