



TRAILER & DOLLY SERVICE SHEET

DATE 19-2-23

START TIME _____

FINISH TIME _____

JOB NO _____

FLEET NO 7224


KM'S _____

HRS _____

REGO _____

Service Items - Mechanic/Fitters to complete Initial = OK, X Repair, NA = Not Applicable		A Service	B Service	C Service
Local Trailers	40000km/365 days	7 DAYS	14 DAYS	40000KM
Linehaul Trailers	15000km 10 days 150000km/365days		15000KM	150000KM
1	Check faults noted on daily prestart and repair as necessary	MH		
2	Check fleet numbers are serviceable	MH		
3	Record Hub meter reading	NA		
4	Lubricate Container Pins	NA		
5	Check operation & condition of all lights/reflectors	MH		
6	Apply Air Check for leaks from boosters, valves & air lines	MH		
7	Adjust brakes, visually inspect components	MH		
8	Check air cells for air leaks and deterioration	MH		
9	Drain all air tanks, report if any oil is present in system	MH		
10	Grease trailer incl. brake cams, slack adjusters, landing legs, ring feeder & other grease points	MH		
11	Check hoist mounting bolts, hoses, coupling	MH		
12	Check number plate & rego label security. Check that rego label is current	MH		
13	Check condition of front air connections, light plug base & electrical lead	MH		
14	Check security of spare wheels & spare wheel carrier/gate rack	NA		
15	Check condition & security of all mudflaps, mudguards, brackets & spray suppression	MH		
16	Check landing legs for damage & security	MH		
17	Check sub frame & cross members for cracks, damage & security	MH		
18	Check condition, position & security of all air hoses	MH		

19	Check brake linings & drums for wear. Check hub seals for leakage
20	Check security of height control valves and links & adjust if required
21	Check skid plate/king pin security & condition, check draw bar/bushes and towing eye NOTE: If draw bar eye bolt is found loose, it is not to be retorqued and must be removed and replaced and draw bar eye boss to be checked for tolerances
22	Check wheel nut tensions, check valve stem alignment
23	Check all tyre pressures and refit valve caps (including spare) report abnormal wear
24	Check condition & security of rear marker signs
25	Check ring feeder condition, operation & security
26	Lubricate twist locks & check operation & security of pedestals, straighten handles as required
27	Check condition & security of rope rails, gate pockets, winch rails & straps
28	Check condition & security of floor and associated components
29	Raise trailer by rear frame & individually inspect rocker/radius bushes, wear pads, air cells for wear
30	Check security & bolt tension of airbag suspension hangers & radius rod arms
31	Raise wheel assembly & check bearings for free play by "feel" only & adjust as required
32	Indicate on below drawing wheel bearings that are replaced, checked and/or adjusted



33	Check brake linings & drums for wear whilst hubs are removed
34	Check hubs for cracks and tapered shoulders for wear
35	Remove bearings and clean/inspect for reuse
36	Replace mudflaps & decals as required
37	Remove s/cam slack adjuster pins and rotate/lubricate
38	Pack bearings with fresh grease & reassemble

Initial if adjusted - Tick if OK

PLEASE COMPLETE PAGE 2



TRAILER & DOLLY SERVICE SHEET

Work/Repairs carried out

* REPLACE BRAKE CALIPER ON FRONT AXLE RHS AND INSTALL NEW BRAKE PADS
* REPLACE AXLE CATCH STRAP ON FRONT AXLE RHS
* TIE UP LOOSE HOSES & CABLES

List any defect found

Part No/Consumables	Qty	Part No/Consumables	Qty

Tradesperson Name	MAT H	Signature	
		Date	19-2-23




WORLD WELDING & TRANSPORT SERVICES

Maintenance Report

VEHICLE: TL 24 DATE: 17, 04, 23

HRS: -

KLM: -



DESCRIPTION OF MAINTENANCE:

CHECK OVER



NAME: K. BURGESS

SIGNATURE: [Signature]



WORLD WELDING & TRANSPORT SERVICES


Maintenance Report

VEHICLE: TL 24

DATE: 12-5-23

HRS: _____

KLM: N/A



DESCRIPTION OF MAINTENANCE:

* REPLACE LEAKING BRAKE BOOSTER
ON MIDDLE AXLE RHS
* CHECK OVER

NAME: Mat H

SIGNATURE: [Signature]



WORLD WELDING & TRANSPORT SERVICES


Maintenance Report

VEHICLE: TL 24

DATE: 25-5-23

HRS: _____

KLM: N/A



DESCRIPTION OF MAINTENANCE:

* REPLACE BROKEN FITTING ON
REAR RHS BRAKE BOOSTER

* FIT 4 NEW TIRES TO REAR
AXLE

* INSTALL REBUILT HUB AND
NEW BRAKE DISC ASSEMBLY TO MIDDLE
AXLE LHS AND FIT NEW BRAKE PADS

NAME: MAT H

SIGNATURE: [Signature]




TRAILER & DOLLY SERVICE SHEET

DATE 20-6-23 START TIME _____ FINISH TIME _____ JOB NO _____
 FLEET NO TL24 KM'S N/A HRS _____ REGO _____

Service Items - Mechanic/Fitters to complete Initial = OK, X Repair, NA = Not Applicable		A Service	B Service	C Service
Local Trailers	40000km/365 days	7 DAYS	14 DAYS	40000KM
Linehaul Trailers	15000km 10 days 150000km/365days		15000KM	150000KM
1	Check faults noted on daily prestart and repair as necessary		MH	
2	Check fleet numbers are serviceable		MH	
3	Record Hub meter reading		N/A	
4	Lubricate Container Pins		N/A	
5	Check operation & condition of all lights/reflectors		MH	
6	Apply Air Check for leaks from boosters, valves & air lines		MH	
7	Adjust brakes , visually inspect components		MH	
8	Check air cells for air leaks and deterioration		MH	
9	Drain all air tanks, report if any oil is present in system		MH	
10	Grease trailer incl. brake cams, slack adjusters, landing legs, ring feeder & other grease points		MH	
11	Check hoist mounting bolts, hoses, coupling		MH	
12	Check number plate & rego label security. Check that rego label is current		MH	
13	Check condition of front air connections, light plug base & electrical lead		MH	
14	Check security of spare wheels & spare wheel carrier/gate rack		MH	
15	Check condition & security of all mudflaps, mudguards, brackets & spray suppression		MH	
16	Check landing legs for damage & security		MH	
17	Check sub frame & cross members for cracks, damage & security		MH	
18	Check condition, position & security of all air hoses		MH	

19	Check brake linings & drums for wear. Check hub seals for leakage
20	Check security of height control valves and links & adjust if required
21	Check skid plate/king pin security & condition, check draw bar/bushes and towing eye NOTE: If draw bar eye bolt is found loose, it is not to be retorqued and must be removed and replaced and draw bar eye boss to be checked for tolerances
22	Check wheel nut tensions, check valve stem alignment
23	Check all tyre pressures and refit valve caps (including spare) report abnormal wear
24	Check condition & security of rear marker signs
25	Check ring feeder condition, operation & security
26	Lubricate twist locks & check operation & security of pedestals, straighten handles as required
27	Check condition & security of rope rails, gate pockets, winch rails & straps
28	Check condition & security of floor and associated components
29	Raise trailer by rear frame & individually inspect rocker/radius bushes, wear pads, air cells for wear
30	Check security & bolt tension of airbag suspension hangers & radius rod arms
31	Raise wheel assembly & check bearings for free play by "feel" only & adjust as required
32	Indicate on below drawing wheel bearings that are replaced, checked and/or adjusted

MH	
MH	
MH	
MH	
MH	
MH	
N/A	
N/A	
N/A	
MH	
MH	
MH	
KB	



33	Check brake linings & drums for wear whilst hubs are removed
34	Check hubs for cracks and tapered shoulders for wear
35	Remove bearings and clean/inspect for reuse
36	Replace mudflaps & decals as required
37	Remove s/cam slack adjuster pins and rotate/lubricate
38	Pack bearings with fresh grease & reassemble

Initial if adjusted - Tick if OK

PLEASE COMPLETE PAGE 2



TRAILER & DOLLY SERVICE SHEET

Work/Repairs carried out

* REPLACE SPRING EYE BUSHES ON FRONT AXLE LHS AND REPLACE WEAR PLATES
* REPLACE SPRING EYE BUSH ON MIDDLE AXLE LHS AND REPLACE WEAR PLATES
* REPLACE SPRING EYE BUSHES ON REAR AXLE LHS & RHS AND REPLACE WEAR PLATES
* REPLACE FRONT LHS CLEARANCE LIGHT AND REPAIR WIRING

List any defect found

Part No/Consumables	Qty	Part No/Consumables	Qty

Tradesperson Name	MATT H	Signature	<i>M. H.</i>
		Date	27-6-23




TRAILER & DOLLY SERVICE SHEET

DATE 31-8-23 START TIME _____ FINISH TIME _____
FLEET NO 7124 KM'S 0 HRS _____

JOB NO _____
REGO _____

Service Items - Mechanic/Fitters to complete Initial = OK, X Repair, NA = Not Applicable		A Service	B Service	C Service
Local Trailers	40000km/365 days	7 DAYS	14 DAYS	40000KM
Linehaul Trailers	15000km 10 days 150000km/365days		15000KM	150000KM
1	Check faults noted on daily prestart and repair as necessary			
2	Check fleet numbers are serviceable	OX		
3	Record Hub meter reading	OX		
4	Lubricate Container Pins			
5	Check operation & condition of all lights/reflectors	OX		
6	Apply Air Check for leaks from boosters, valves & air lines	OX		
7	Adjust brakes , visually inspect components	OX		
8	Check air cells for air leaks and deterioration	OX		
9	Drain all air tanks, report if any oil is present in system	OX		
10	Grease trailer incl. brake cams, slack adjusters, landing legs, ring feeder & other grease points	OX		
11	Check hoist mounting bolts, hoses, coupling	OX		
12	Check number plate & rego label security. Check that rego label is current	OX		
13	Check condition of front air connections, light plug base & electrical lead	OX		
14	Check security of spare wheels & spare wheel carrier/gate rack			
15	Check condition & security of all mudflaps, mudguards, brackets & spray suppression	OX		
16	Check landing legs for damage & security	OX		
17	Check sub frame & cross members for cracks, damage & security	OX		
18	Check condition, position & security of all air hoses	OX		

19	Check brake linings & drums for wear. Check hub seals for leakage		
20	Check security of height control valves and links & adjust if required		
	Check skid plate/king pin security & condition, check draw bar/bushes and towing eye NOTE: If draw bar eye bolt is found loose, it is not to be retorqued and must be removed and replaced and draw bar eye boss to be checked for tolerances		
21			
22	Check wheel nut tensions, check valve stem alignment		
23	Check all tyre pressures and refit valve caps (including spare) report abnormal wear		
24	Check condition & security of rear marker signs		
25	Check ring feeder condition, operation & security		
26	Lubricate twist locks & check operation & security of pedestals, straighten handles as required		
27	Check condition & security of rope rails, gate pockets, winch rails & straps		
28	Check condition & security of floor and associated components		
29	Raise trailer by rear frame & individually inspect rocker/radius bushes, wear pads, air cells for wear		
30	Check security & bolt tension od airbag suspension hangers & radius rod arms		
31	Raise wheel assembly & check bearings for free play by "feel" only & adjust as required		
32	Indicate on below drawing wheel bearings that are replaced, checked and/or adjusted		



rear

- | | |
|----|--|
| 33 | Check brake linings & drums for wear whilst hubs are removed |
| 34 | Check hubs for cracks and tapered shoulders for wear |
| 35 | Remove bearings and clean/inspect for reuse |
| 36 | Replace mudflaps & decals as required |
| 37 | Remove s/cam slack adjuster pins and rotate/lubricate |
| 38 | Pack bearings with fresh grease & reassemble |

Initial if adjusted - Tick if C

PLEASE COMPLETE PAGE 2

Townsville Workshop: 74-76 Northern Link Cct, Shaw (Bohle) Q 4818
Cloncurry Workshop: Lot 2, Hensley Drive, Cloncurry Q 4824
Postal Address: PO Box 766, Deeragun Q 4818
Phone: 07 4789 4888 - Email: fds@bigpond.net.au
www.fabbrodiesel.com.au
ABN: 75 617 303 527



CUSTOMER JOB NO. 32428

Cassandra Pascoe
World Welding & Transport Services
PO Box 1808
MOUNT ISA QLD 4825

Site: 314QZH
Order No.: tba

Description

Work requested: Inspection

Hours: NA

Kilometres: NA

3/11/23

Carried out inspection as per customer's request.

Defects found:

- **Pos 1,2 & 4 rotors worn**
- **Pos 5 spring to wire rope missing**

Item	Quantity	Unit Price	Total
Consumables	1.00	\$25.00	\$25.00
Labour - Townsville Workshop	1.5	\$120.00	\$180.00

Sub-Total ex GST	\$205.00
GST	\$20.50
Total inc GST	\$225.50

Townsville Workshop: 74-76 Northern Link Cct, Shaw (Bohle) Q 4818
Cloncurry Workshop: Lot 2, Hensley Drive, Cloncurry Q 4824
Postal Address: PO Box 766, Deeragun Q 4818
Phone: 07 4789 4888 - Email: fds@bigpond.net.au
www.fabbrodiesel.com.au
ABN: 75 617 303 527



PLEASE PAY BY	AMOUNT	INVOICE DATE
08/12/2023	\$225.50	08/11/2023

TAX INVOICE NO. 721818

Cassandra Pascoe
World Welding & Transport Services
PO Box 1808
MOUNT ISA QLD 4825

Site: 314QZH
Order No.: 24515

Description

Work requested: Inspection

Hours: NA

Kilometres: NA

3/11/23

Carried out inspection as per customer's request.

Defects found:

- **Pos 1,2 & 4 rotors worn**
- **Pos 5 spring to wire rope missing**

Item	Quantity	Unit Price	Total
Consumables	1.00	\$25.00	\$25.00
Labour - Townsville Workshop	1.50 hrs	\$120.00	\$180.00

Asset Register - Dolly

Make	Model	VIN	Rego Number	Unit Number	Year	Grease Requirements
Tristar	Tri axle	6T9T23NT0D2N UM042	314QZH	TL24	2013	

PAYMENT PREFERRED BY EFT:

Account Name: Fabbro Diesel Services
BSB: 064834 - Account: 10581652
Please email remittance to info@fabbrodiesel.com.au.

Sub-Total ex GST	\$205.00
GST	\$20.50
Total inc GST	\$225.50
Amount Applied	\$0.00
Balance Due	\$225.50

Credit card also accepted in person or over the phone.



FABBRO DIESEL SERVICES WARRANTY

On externally purchased parts

In light of more frequent parts failures from majority of local suppliers; Fabbro Diesel Services will be unable to supply replacement labour on any parts supplied by customers from local suppliers. Most mainstream equipment manufactures, and aftermarket parts suppliers will predominately not supply any compensation for Fabbro Diesel Services' fitting labour even though their component was at fault. For over a decade FDS has written this lose off as FDS Policy. Unfortunately, this is a cost that FDS is no longer able to absorb moving forward.

Example:

Customer supplies a recon head – fitting takes 25 hours. Component fails and customer is given recon head and gasket to complete repair at FDS by the manufacture/parts supplier. FDS completes repair, sends customer second labour bill which will need to be taken up with original parts supplier.

Please note all parts purchased through FDS direct are exempt from this procedure and are covered if conditions fall under FDS warranty policy.

Fabbro Diesel Services or any of its subsidiaries, warrants the following products sold be it to be free from defects in material and workmanship:

- New parts and assembled components
- Reman parts, assembled components

Responsibilities

If a defect in material or workmanship is found during the warranty period, FDS will, during normal working hours and at a place of business of an FDS workshop or elsewhere approved by Russell Fabbro:

- Provide (at FDS choice) New reman parts or FDS approved repaired parts, assembled components, needed to correct the defect.

NOTE: New remanufactured, or FDS approved repaired parts or assembled components provided under the terms of this warranty are warranted for the remainder of the warranty period applicable to the parts or assembled components being replaced as if such parts or assembled components were the original parts or assembled components. Items replaced under this warranty become the property of FDS.

Replaced lubricating oil, filters, antifreeze, and other service items made unusable by the defect.

For all other products covered by this warranty: Provide reasonable and customary repair labour needed to correct the defect if product found to be defective and its replacement are both installed by FDS or other source approved by Russell Fabbro; excluding labour to disconnect and reconnect generator sets, engines, or transmissions to attached equipment or mounting and support systems not sold by FDS.

User Responsibilities

The user is responsible for:

- Providing proof of sale date to the first user
- Providing proof of date of installation
- Transportation costs
- Premium or overtime labour costs
- Parts shipping charges in excess of those that are usual and customary
- Costs to investigate complaints, unless the problem is caused by a defect in FDS material or workmanship
- Giving timely notice of a warrantable failure and promptly making the product available for repair
- Performance of the required maintenance (including use of proper fuel, oil, lubricants, and coolant) and replacement of items due to normal wear and tear.
- Allowing FDS access to all electronically stored data

Limitations

FDS is not responsible for:

- Failures resulting from any use or installation that FDS judges improper
- Failures resulting from attachments accessory items, and parts not sold by FDS
- Failures resulting from abuse, neglect, and/or improper storage or repair, including installation of parts and assembled components in contaminated systems
- Failures resulting from user's delay in making the product available after being notified of a potential product problem

Failures resulting from unauthorized repair or adjustments and unauthorized fuel-setting changes not performed by FDS.

APENDIX A

Warranty period – 6 months or 1000kms for PARTS

Warranty period on workmanship – 6 months for LABOUR

APENDIX B

Equipment that is serviced and maintained for 80% of its working life of Agreed Contract Maintenance may be subject to 12 months or 200 hours parts and labour warranty upon request.

Defect Notice

Transport Operations (Road Use Management) Act



Heavy Vehicle National

Law (Queensland) Id: SD 38411670



Queensland
Government

Registered Operator or Owner

WORLD WELDING AND TRANSPORT SERVICE PTY LTD
8-10 KOLONGO CRESCENT
MOUNT ISA QLD 4825

TL24

Vehicle Details

Plate No	: 314QZH	State	: QLD	Reg Expiry	: 01/06/2024
Make	: TRISTAR	Body Shape	: DOLLY TRAILER	Reg Category	: HEAVY TRAILER
Engine no	:	VIN Number	: 6T9T23NT0D2NUM042		
Odometer	:	Inspection Type	: PROGRAMMED		

Defect Details

MINOR (NO LABEL)

The requirements specified below must be complied with.

Cease using the vehicle after 16:00 on 12/12/2023 until replacements, repairs or alterations set out below have been carried out.

Carry out the replacements, repairs or alterations set out below by 12/12/2023

and you are required to:-

Produce the Owner's Declaration on the reverse side of this notice

at/to QUEENSLAND TRANSPORT, 21-35 LEYLAND ST, GARBUTT QLD 4814
at 16:00 on 12/12/2023.

Replacement, Repairs or Alterations required to the following:

WHEELS AND TYRES	TOW COUPLINGS
SERVICE BRAKE TEST	53 %

Details of other items rejected:

1. Rectify low brake force axle 2
2. Rectify damaged Mug Guard over axle 3
3. Ensure movement in the fifth wheel bushes is within manufacturers specifications.

QUALIFIED PERSON CLEARANCE

MUST INSPECT THE VEHICLE AND CERTIFY THAT

%THE SPECIFIED DEFECTS HAVE BEEN

REPAIRED / REPLACED

Forward signed notice to

Transport Inspectors Office

PO Box 7466 Garbutt Qld 4814

e-mail compnthn@tmr.qld.gov.au

Ph 1300 784 535

Declaration of service: I declare that this notice was given to the person nominated below:-

Licence no.

Licence issued (State)

Date of Birth

at 8:46 on 29/11/2023 personally.

Inspecting officer's signature

Auth. no. Q581

Signature of person to whom notice was given

Page: 1 of 1

Form F3470 MFD V01 Feb 2020

A person must not use or permit the use of a vehicle on a road in contravention of this notice. If a Defective Vehicle Label has been affixed to the vehicle it can only be removed by a person authorised to do so. Removal of a Defective Vehicle Label by an unauthorised person is an offence. If the driver to whom the defect notice is given is not the owner (light vehicle) or operator (heavy vehicle) of the vehicle, the driver must give the defect notice to the owner (light vehicle) or operator (heavy vehicle) of the vehicle within 14 days if the vehicle is a heavy vehicle or within 48 hours if the vehicle is a light vehicle.

Defect Notice (Heavy vehicle) - I have inspected the vehicle mentioned overleaf and found that the vehicle is a defective heavy vehicle and repairs or adjustments are necessary to enable the vehicle to comply with the requirements of the Heavy Vehicle National Law (Queensland) and the Heavy Vehicle (Vehicle Standards) National Regulation.

Minor Defect Notices

For a minor defect notice the vehicle must not be used on a road after the time/day stated in this notice unless corrective action has been taken. Heavy Vehicles subject of a minor defect notice may be used on a road if corrective action has been taken.

Major Defect Notices

For a major defect notice the vehicle must not be used on a road after the notice is issued other than to move it to one or more locations stated in this notice. Once the relevant repairs have been carried out, the vehicle may be used on a road to be taken to a place to be inspected for the purpose of enabling the vehicle defect notice to be cleared if the vehicle is not carrying goods or passengers and the use of the vehicle does not pose a safety risk.

Defect Notice Clearance Requirements

When the defects have been rectified, the vehicle is to be inspected as directed on the front of this notice, if required to do so.

Self-clearing Defect Notice (light vehicle) - The registered owner must ensure the defects identified on the front of this notice are rectified and complete the Defect Clearance Declaration. The signed notice must be returned as directed on the front of the notice.

Minor or Major Defect Notice (light and heavy vehicles) - When the defects have been rectified, the vehicle is to be inspected as directed on the front of this notice, and the Defect Clearance Declaration must be completed and returned as directed on the front of the notice. If a notice issued to a Heavy Vehicle is not cleared by the Regulator under section 530, the vehicle's registration may be suspended and subsequently cancelled by a registration authority under an Australian road law.

☐ Infringement Notice issued

Defect Notice Clearance Declaration

☐ I declare that the specified defects for the vehicle identified in this notice have been rectified. (Self-clearing only)

☒ I have inspected the vehicle identified in this Defect Notice and certify that the specified faults have been rectified.

☐ I have completed a full inspection of the vehicle identified in this Defect Notice and certify that it complies with:

- for a light vehicle - the *Code of Practice - Vehicle Inspection Guideline*
- for a heavy vehicle - the *National Heavy Vehicle Inspection Manual*.

Name

Tim Prandolini

Signature

[Signature]

If Approved Inspection Station (AIS) inspection, AIS number

Examiner's number

If qualified person inspection - Business name

WJATS

Business address

19 Hogan St

Stuart

Postcode 4811

Privacy statement: Information collected on this form is required under the *Transport Operations (Road Use Management) Act 1995* or the Heavy Vehicle National Law (Queensland) to manage defective vehicles in Queensland. The information may be disclosed to vehicle insurers, statutory entities, lawyers, insolvency entities, persons involved in vehicle incidents, or vehicle manufacturers. The information is also accessible by officers from the Department of Transport and Main Roads, Queensland Police Service and the National Heavy Vehicle Regulator. The information will not disclose your personal information to any other third party without your consent unless required or authorised by law.

Defect Notice

Transport Operations (Road Use Management) Act



Heavy Vehicle National

Law (Queensland) Id: SD 38411670



Queensland
Government

TL24

Registered Operator or Owner

WORLD WELDING AND TRANSPORT SERVICE PTY LTD
8-10 KOLONGO CRESCENT
MOUNT ISA QLD 4825

Vehicle Details

Plate No	: 314QZH	State	: QLD	Reg Expiry	: 01/06/2024
Make	: TRISTAR	Body Shape	: DOLLY TRAILER	Reg Category	: HEAVY TRAILER
Engine no	:	VIN Number	: 6T9T23NT0D2NUM042		
Odometer	:	Inspection Type	: PROGRAMMED		

Defect Details

MINOR (NO LABEL)

The requirements specified below must be complied with.

Cease using the vehicle after 16:00 on 12/12/2023 until replacements, repairs or alterations set out below have been carried out.

Carry out the replacements, repairs or alterations set out below by 12/12/2023

and you are required to:-

Produce the Owner's Declaration on the reverse side of this notice

at/to QUEENSLAND TRANSPORT, 21-35 LEYLAND ST, GARBUTT QLD 4814
at 16:00 on 12/12/2023.

Replacement, Repairs or Alterations required to the following:

WHEELS AND TYRES	TOW COUPLINGS
SERVICE BRAKE TEST	53 %

Details of other items rejected:

1. Rectify low brake force axle 2
2. Rectify damaged Mug Guard over axle 3
3. Ensure movement in the fifth wheel bushes is within manufacturers specifications.

QUALIFIED PERSON CLEARANCE

MUST INSPECT THE VEHICLE AND CERTIFY THAT
*THE SPECIFIED DEFECTS HAVE BEEN
REPAIRED / REPLACED

Forward signed notice to
Transport Inspectors Office
PO Box 7466 Garbutt Qld 4814
e-mail compnthn@tmr.qld.gov.au
Ph 1300 784 535

Declaration of service: I declare that this notice was given to the person nominated below:-

Licence no.	Licence issued (State)	Date of Birth
-------------	------------------------	---------------

at 8:46 on 29/11/2023 personally.

Inspecting officer's signature  Auth. no. Q581

Signature of person to whom notice was given _____

Page: 1 of 1

Form F3470 MFD V01 Feb 2020

A person must not use or permit the use of a vehicle on a road in contravention of this notice. If a Defective Vehicle Label has been affixed to the vehicle it can only be removed by a person authorised to do so. Removal of a Defective Vehicle Label by an unauthorised person is an offence. If the driver to whom the defect notice is given is not the owner (light vehicle) or operator (heavy vehicle) of the vehicle, the driver must give the defect notice to the owner (light vehicle) or operator (heavy vehicle) of the vehicle within 14 days if the vehicle is a heavy vehicle or within 48 hours if the vehicle is a light vehicle.

Defect Notice (Heavy vehicle) - I have inspected the vehicle mentioned overleaf and found that the vehicle is a defective heavy vehicle and repairs or adjustments are necessary to enable the vehicle to comply with the requirements of the Heavy Vehicle National Law (Queensland) and the Heavy Vehicle (Vehicle Standards) National Regulation.

Minor Defect Notices

For a minor defect notice the vehicle must not be used on a road after the time/day stated in this notice unless corrective action has been taken. Heavy Vehicles subject of a minor defect notice may be used on a road if corrective action has been taken.

Major Defect Notices

For a major defect notice the vehicle must not be used on a road after the notice is issued other than to move it to one or more locations stated in this notice. Once the relevant repairs have been carried out, the vehicle may be used on a road to be taken to a place to be inspected for the purpose of enabling the vehicle defect notice to be cleared if the vehicle is not carrying goods or passengers and the use of the vehicle does not pose a safety risk.

Defect Notice Clearance Requirements

When the defects have been rectified, the vehicle is to be inspected as directed on the front of this notice, if required to do so.

Self-clearing Defect Notice (light vehicle) - The registered owner must ensure the defects identified on the front of this notice are rectified and complete the Defect Clearance Declaration. The signed notice must be returned as directed on the front of the notice.

Minor or Major Defect Notice (light and heavy vehicles) - When the defects have been rectified, the vehicle is to be inspected as directed on the front of this notice, and the Defect Clearance Declaration must be completed and returned as directed on the front of the notice. If a notice issued to a Heavy Vehicle is not cleared by the Regulator under section 530, the vehicle's registration may be suspended and subsequently cancelled by a registration authority under an Australian road law.

☐ Infringement Notice issued

Defect Notice Clearance Declaration

- ☐ I declare that the specified defects for the vehicle identified in this notice have been rectified. (Self-clearing only)
- ☒ I have inspected the vehicle identified in this Defect Notice and certify that the specified faults have been rectified.
- ☐ I have completed a full inspection of the vehicle identified in this Defect Notice and certify that it complies with:
- for a light vehicle - the *Code of Practice - Vehicle Inspection Guideline*
 - for a heavy vehicle - the *National Heavy Vehicle Inspection Manual*.

Name

Signature

If Approved Inspection Station (AIS) inspection, AIS number

Examiner's number

If qualified person inspection - Business name

Business address

Postcode

Privacy statement: Information collected on this form is required under the *Transport Operations (Road Use Management) Act 1995* or the Heavy Vehicle National Law (Queensland) to manage defective vehicles in Queensland. The information may be disclosed to vehicle Insurers, statutory entities, lawyers, insolvency entities, persons involved in vehicle incidents, or vehicle manufacturers. The information is also accessible by officers from the Department of Transport and Main Roads, Queensland Police Service and the National Heavy Vehicle Regulator. The information will not disclose your personal information to any other third party without your consent unless required or authorised by law.

Certificate of Inspection

Transport Operations (Road Use Management) Act 1995



Queensland
Government

Date of Issue : 01/12/2023

Certificate Number: **ST 38619317**

Effective Date: 02/12/2023

Expiry Date: 01/12/2024

Motor Vehicle Details

Plate Number : 314QZH

Make : TRISTAR

Body Shape : DOLLY TRAILER

VIN Number : 6T9T23NT0D2NUM042

Engine No :

ATM (Kg) : 23500

Reg Category: HEAVY TRAILER

GTM (Kg) :

Registered Operator/s Details

WORLD WELDING AND TRANSPORT SERVICE PTY LTD
8-10 KOLONGO CRESCENT
MOUNT ISA QLD 4825

Certification

This is to certify that the vehicle, particulars of which are set out in this certificate, was inspected in accordance with the provisions of the above mentioned Act and departmental guidelines on the issue date stated in this certificate and has no evident defect that would affect its safe use on the road.

This certificate is in force until the expiry date specified unless it is suspended or cancelled, or the registration of the vehicle is cancelled under the provisions of the said Act.

Inspector's Authority No: Q551

District : VIDCAIRNS

Inspector's Signature

Note - Vehicle inspections undertaken by the Department of Transport and Main Roads are carried out to prescribed safety standards. The Department recommends an independent comprehensive assessment of the vehicle's condition prior to purchase.