



**Commercial Vehicle Inspection Certificate
Traffic Safety Act**

PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

Vehicle Type:	Truck	Seating Capacity:	
GVW:	63500 kg	Brake Type:	Air
Owner Name:	TARA ENERGY SERVICES LTD		
Address:	9526 81 AVE		
City:	CLAIRMONT	Province:	AB
		Postal Code:	T8X0M2
Telephone Number:	(780) 830-8008		
Vehicle Identification Number:	1XKDP4EX5JJ993179		
Make:	Kenworth	Model:	Construct
Year:	2018	Unit Number:	T-306
Odometer:	604618 KM	Licence Plate Number:	0DU526
		Province:	AB

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	Facility Number:
Anarchy Mechanical Ltd	19121
Inspection Technician Name:	Technician Number:
Randolph Campbell	B9833
Inspection Technician Signature:	
Inspection Date:	2025/10/03

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle		Gross Vehicle Weight registered															
Truck		63500 kg															
Vehicle Information																	
VIN	1	X	K	D	P	4	E	X	5	J	J	9	9	3	1	7	9
Unit Number	Year			Make			Model			Odometer							
T-306	2018			Kenworth			Construct			604,618							
Registered Owner's Name													Plate Number				
TARA ENERGY SERVICES LTD													0DU526				
Address							Postal Code			Phone Number							
9526 81 AVE							T8X0M2			(780) 830-8008							

Drum Brakes: **A-Full Inspection with Drum Removed**

Disc Brakes:

		<u>LEFT</u>	<u>FRONT</u>	<u>RIGHT</u>		
100 psi	18 mm	422.04 mm	Drums/Rotors	421.07 mm	100 psi	19 mm
		19 mm	Linings/Pads	19 mm		
		57 mm	Push Rod Travel	49 mm		
90 psi	86 psi	420.21 mm	Drums/Rotors	420.47 mm	88 psi	80 psi
13 mm	12 mm	19 mm	Linings/Pads	18 mm	11 mm	13 mm
		38 mm	Push Rod Travel	34 mm		
82 psi	82 psi	421.67 mm	Drums/Rotors	421.31 mm	90 psi	84 psi
15 mm	14 mm	19 mm	Linings/Pads	19 mm	17 mm	16 mm
		56 mm	Push Rod Travel	38 mm		
90 psi	90 psi	420.35 mm	Drums/Rotors	420.21 mm	88 psi	90 psi
13 mm	11 mm	19 mm	Linings/Pads	19 mm	10 mm	12 mm
		39 mm	Push Rod Travel	40 mm		
__ psi	__ psi	__ mm	Drums/Rotors	__ mm	__ psi	__ psi
__ mm	__ mm	__ mm	Linings/Pads	__ mm	__ mm	__ mm
		__ mm	Push Rod Travel	__ mm		
__ psi	__ psi	__ mm	Drums/Rotors	__ mm	__ psi	__ psi
__ mm	__ mm	__ mm	Linings/Pads	__ mm	__ mm	__ mm
		__ mm	Push Rod Travel	__ mm		

Park Brake Lining Left NA mm Right NA mm Trans NA mm

Wheel Torque Checked Inner NA ft lbs Outer 500 ft lbs

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 1 - Power Train								
Component	P	F	NA	Component	P	F	NA	
1.1. Accelerator Pedal/Throttle Actuator	✓			1.8. Engine Start Safety Feature	✓			
1.2. Exhaust System	✓			1.9. Gear Position Indicator	✓			
1.3. Emission Control Systems and Devices			✓	1.10. Engine or Accessory Drive Belt	✓			
1.4. Drive Shaft	✓			1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System			✓	
1.5. Clutch and Clutch Pedal			✓	1.12. Gasoline or Diesel Fuel System	✓			
1.6. Engine/Transmission Mount	✓			1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*			✓	
1.7. Engine/Shut Down	✓							

NOTES:
 CROSS SHAFT ARE VERY LOOSE
 OIL PAN LEAKING
 COOLANT LEAK FROM TRANS COOLER
 PTO LEAKING ON TRANSMISSION

APPENDIX "A"								
Component	P	F	NA	Component	P	F	NA	
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System	✓			A.3. Liquefied Natural Gas (LNG) Fuel System	✓			
A.2. Compressed Natural Gas (CNG) Fuel System	✓							

NOTES:

Section 2 - Suspension								
Component	P	F	NA	Component	P	F	NA	
2.1. Suspension & Frame Attachments	✓			2.5. Air Suspension	✓			
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer and Controlled-Steer Axle			✓	
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly	✓			
2.4. Spring & Spring Attachment	✓							

NOTES:
 BOTH REAR BUSHINGS ON THE STEER AXLE SPRINGS BOTH SIDES VERY SLOPPY- REPLACED THE BUSHINGS
 OVER EXTEND VALVE IS LEAKING -REPLACED VALVE
 D/S 3RD AXLE SHOCK LEAKING- REPLACED SHOCK

Section 3H - Hydraulic Brakes								
Component	P	F	NA	Component	P	F	NA	
3H.1. Hydraulic System Components			✓	3H.13. Disc Brake System Components			✓	
3H.2. Brake Pedal/Actuator			✓	3H.14. Mechanical Parking Brake			✓	
3H.3. Vacuum Assist (Boost) System			✓	3H.15. Spring-Applied Air-Released Parking Brake			✓	
3H.4. Hydraulic Assist (Boost) System			✓	3H.16. Spring-Applied Hydraulic-Released Parking Brake			✓	
3H.5. Air Assist (Boost) System			✓	3H.17. Anti-Lock Brake System (ABS)			✓	
3H.6. Air-Over-Hydraulic Brake System			✓	3H.18. Stability Control System			✓	
3H.11. Brake System Indicator Lamps			✓	3H.19. Brake Performance			✓	
3H.12. Drum Brake System Components			✓					

NOTES:

Section 3A - Air Brakes								
Component	P	F	NA	Component	P	F	NA	
3A.1. Air Compressor	✓			3A.13. Air System Components	✓			
3A.2. Air Supply System	✓			3A.14. Brake Chamber	✓			
3A.4. Air Tank	✓			3A.15. Drum Brake System Components	✓			
3A.5. Air Tank Check Valves	✓			3A.16. S-Cam Drum Brake System	✓			
3A.6. Brake Pedal/Actuator	✓			3A.17. Brake Shoe Travel (Wedge Brakes)			✓	

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 3A - Air Brakes							
Component	P	F	NA	Component	P	F	NA
3A.7. Treadle Valve and Trailer Hand Valve				3A.18. Disc Brake System Components			
3A.8. Brake Valves & Controls	✓			3A.19. Anti-Lock Brake System (ABS)	✓		
3A.9. Proportioning, Inversion or Modulation Valve	✓			3A.21. Stability Control System			✓
3A.10. Towing Vehicle (Tractor) Protection System	✓			3A.23. Brake Performance	✓		
3A.11. Parking Brake & Emergency Application	✓						

NOTES:

D/S 1ST AXLE BRAKE SHOE CRACKED - REPLACED D/S BRAKE SHOE
 1ST AXLE DRUM CRACKED - REPLACED DRUM
 1ST AXLE S-CAM SEAL - REPLACED S-CAM SEALS
 D/S BRAKE SHOE CONTAMINATED- REPLACED SHOES
 D/S 3RD AXLE DRUM CRACKED - REPLACED DRUM
 P/S 2ND AXLE BRAKE POT AIRLINE RUBBED THROUGH- FIXED ALL RUBBED AIR LINES

Section 4 - Steering							
Component	P	F	NA	Component	P	F	NA
4.1. Steering Control and Linkage	✓			4.4. Kingpin	✓		
4.2. Power Steering System (Hydraulic and Electric)	✓			4.5. Self-Steer and Controlled-Steer Axle	✓		
4.3. Steering Operation (Active Steer Axle)	✓						

NOTES:

Section 5 - Instruments and Auxiliary Equipment							
Component	P	F	NA	Component	P	F	NA
5.1. Fire Extinguisher	✓			5.8. Heater & Windshield Defroster	✓		
5.2. Hazard Warning Kit	✓			5.9. Fuel-Burning Auxiliary Heater			✓
5.3. Horn	✓			5.10. Chain/"Headache" Rack	✓		
5.5. Speedometer	✓			5.11. Auxiliary Controls and Devices	✓		
5.6. Odometer	✓			5.12. Auxiliary Drive Controls	✓		
5.7. Windshield Wiper/Washer	✓						

NOTES:

Section 6 - Lamps							
Component	P	F	NA	Component	P	F	NA
6.1. Required Lamps	✓			6.4. Instrument Panel Lamps	✓		
6.2. Reflex Reflector	✓			6.5. Headlamp Aim	✓		
6.3. Retro-Reflective Marking	✓						

NOTES:

D/S MIRROR LIGHT DIM- FIXED WIRING
 P/S REAR MARKER LESS THAN 50% ROOF MARKER DIM- REPLACED ROOF LIGHT

Section 7 - Electrical System							
Component	P	F	NA	Component	P	F	NA
7.1. Wiring	✓			7.3. Trailer Cord (output to towed vehicle)	✓		
7.2. Battery	✓						

NOTES:

Section 8 - Body							
Component	P	F	NA	Component	P	F	NA
8.1. Hood or Engine Enclosure	✓			8.12. Bumper	✓		
					✓		

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 8 - Body							
Component	P	F	NA	Component	P	F	NA
8.2. Tilt Cab			✓	8.13. Windshield			
8.3. Air-Suspended Cab	✓			8.14. Side Windows	✓		
8.4. Cab and Passenger-Vehicle Body	✓			8.15. Rear Window	✓		
8.5. Cargo Body			✓	8.16. Interior Sun Visor	✓		
8.6. Frame, Rails & Mounts	✓			8.17. Exterior Windshield Sun Visor	✓		
8.7. Unitized Body Elements	✓			8.18. Rear-View Mirror	✓		
8.8. Cab or Cargo Door	✓			8.19. Seat	✓		
8.9. Cargo Tank or Vessel			✓	8.20. Seat Belt/Occupant Restraint	✓		
8.10. Body, Device or Equipment Attached or Mounted to the Vehicle	✓			8.21. Fender/Mud Flap	✓		
8.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary Power Unit (APU))	✓			8.24. Aerodynamic Device & Attachment	✓		

NOTES:
P/S AND D/S WINDSHIELD CRACKED - REPLACED WINDSHIELD
D/S DECK STEP CRACKED- FIXED CRACK


Section 9 - Tires and Wheels							
Component	P	F	NA	Component	P	F	NA
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim (Applies to all wheel types)	✓		
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim			✓
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System			✓
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System			✓
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts and Studs)	✓		
9.6. Wheel Bearing	✓						

NOTES:
P/S 1ST AXLE HUB WORN BY BRAKES
TIRE PRESSURE ADJUSTMENT NEEDED

Section 10 - Couplers and Hitches							
Component	P	F	NA	Component	P	F	NA
10.1. Hitch Assembly, Structure & Attaching Components			✓	10.5. Roll-Coupling Hitch			✓
10.2. Secondary Attachment (Safety Chain or Cable)			✓	10.6. Automated Coupling Device			✓
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch			✓	10.7. Fifth Wheel Coupler	✓		
10.4. Ball Type Hitch			✓	10.8. Oscillating Fifth Wheel Coupler			✓

NOTES:
FIFTH WHEEL ADJUSTMENT NEEDED- ADJUSTED FIFTH WHEEL

Certification
The Vehicle for which this Record of Inspection is issued has **PASSED (Certificate #8416022)** the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection 2025/10/03	Technician Number B9833	Facility Number 19121	Signature 
---	-----------------------------------	---------------------------------	--

<p>Customer Acknowledgment</p> <p>I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.</p>	<p style="text-align: center;">Date (Year/Month/Day) 2025/10/03</p> <p style="text-align: center;">Customer Signature</p>
--	--