METCALF CRANE SERVICES PTY LTD
PRIME MOVER - INSPECTION & SERVICE REPORT

JOB NUMBER:	**H15-16**	**UNIT NUMBER:**	**UH15**	**DATE:**	**28.01.2026**
TRUCK MODEL:	**Kenworth K108**	**REGISTRATION NUMBER:**	**WZC-997**	**KM'S:**	**886,394km**
HOURS:					

***NOTE: MAKE SURE THAT HOURS AND KILOMETRES ARE RECORDED – MAKE SURE A SERVICE STICKER IS FITTED**

SERVICE	DONE	OK	N/A	INITIAL	CHECK FAULT – COMMENTS – PLEASE NOTE ALL FINDINGS
TEST DRIVE					
Drain air pressure, check build up	☐	☒	☐		
Check park brake operation	☐	☒	☐		
Check braking operation	☐	☒	☐		
Check transmission operation	☐	☒	☐		
ELECTRICAL					
Operation of all lights	☐	☒	☐		
Check all warning systems:- horns	☐	☒	☐		
Check all warning systems:- flashing lights	☐	☒	☐		
Check all switch functions	☐	☒	☐		
Check wiper/washer operation & condition	☒	☒	☐		
Check air conditioning operation	☐	☒	☐		
CAB & PANEL					
Ensure items in cab are secure	☐	☒	☐		
Condition of cab glass & interior	☐	☒	☐		
Condition of cab, panels & doors	☐	☒	☐		
Check seat belt condition & mounting	☐	☒	☐		
STEERING					
Check all linkages & ball joints	☐	☒	☐		
Check ball joint rubber condition	☐	☒	☐		
Check & report leaks	☐	☒	☐		

METCALF CRANE SERVICES

SERVICE	DONE	OK	N/A	INITIAL	CHECK FAULT – COMMENTS – PLEASE NOTE ALL FINDINGS
BRAKES					
Drain water from air tanks	☐	☒	☐		
Check condition & thickness of linings	☐	☒	☐		
WHEELS					
Check tyre condition & pressures	☐	☒	☐		
Check wheel nuts	☐	☒	☐		
PLEASE USE ISOLATION PROCEDURES & TAGS					
Change engine oil & fill to level	☒	☐	☐		Type & Litres: 50ltrs E900
Change oil filters	☒	☐	☐		Filter No: LF14000NN
Change fuel filters	☒	☐	☐		Filter No: FF2200
Change fuel pre filter	☒	☐	☐		Filter No: FS19905G
Check & clean air filter outer	☒	☐	☐		Filter No: AF1968M
Check & clean air filter inner	☐	☐	☒		Filter No:
Check coolant level	☐	☒	☐		
Check & report coolant leaks	☐	☒	☐		
Check & report oil or fuel leaks	☐	☒	☐		
Check condition of hose & secure clips	☐	☒	☐		
Check condition of mounts	☐	☒	☐		
Check exhaust system	☐	☒	☐		
Check battery levels, clean & lube terminals	☐	☒	☐		
Check washer bottle level	☐	☒	☐		
Check air intake system	☐	☒	☐		
TRANSMISSION☐					
Check & report any oil leaks	☐	☒	☐		
DIFFERENTIAL, FINAL DRIVES & DRIVELINES					
Check & report oil leaks	☐	☒	☐		
Fill oil to level	☐	☒	☐		
Check wear & lubricate drive shafts	☐	☒	☐		
BRAKES					
Adjust all brakes	☐	☒	☐		
Change air dryer filter	☐	☐	☒		

GENERAL COMMENTS
Replaced LHs window switch

TYRE PRESSURE	AXLE 1	AXLE 2	AXLE 3	AXLE 4
INNER	110Psi	110Psi	110Psi	
OUTER	110psi	110Psi	110Psi	

INSPECTED BY:	Phil Mifsud	QUALIFICATION:	Mechanic
SIGNATURE:	P. Mifsud	DATE:	28.01.2026

Certification by Responsible Person:

I certify that the described plant is to the manufacturers specifications and is being serviced and maintained by competent personnel to the manufacturer's recommendations

PRINT NAME:	Bill Duncan	POSITION:	Workshop Supervisor
SIGNATURE:	William Duncan	DATE:	28.01.2026

METCALF CRANE SERVICES

METCALF CRANE SERVICES PTY LTD
PRIME MOVER - INSPECTION & SERVICE REPORT

JOB NUMBER:	H15-15	UNIT NUMBER:	UH15	DATE:	21.03.2025
TRUCK MODEL:	Kenworth K108	REGISTRATION NUMBER:	WZC997	KM'S:	863142km
HOURS:	4120 hrs				

*NOTE: MAKE SURE THAT HOURS AND KILOMETRES ARE RECORDED – MAKE SURE A SERVICE STICKER IS FITTED

SERVICE	DONE	OK	N/A	INITIAL	CHECK FAULT – COMMENTS – PLEASE NOTE ALL FINDINGS
TEST DRIVE					
Drain air pressure, check build up	☐	☒	☐		
Check park brake operation	☐	☒	☐		
Check braking operation	☐	☒	☐		
Check transmission operation	☐	☒	☐		
ELECTRICAL					
Operation of all lights	☐	☒	☐		
Check all warning systems:- horns	☐	☒	☐		
Check all warning systems:- flashing lights	☐	☒	☐		
Check all switch functions	☐	☒	☐		
Check wiper/washer operation & condition	☒	☒	☐		
Check air conditioning operation	☐	☒	☐		
CAB & PANEL					
Ensure items in cab are secure	☐	☒	☐		
Condition of cab glass & interior	☐	☒	☐		
Condition of cab, panels & doors	☐	☒	☐		
Check seat belt condition & mounting	☐	☒	☐		
STEERING					
Check all linkages & ball joints	☐	☒	☐		
Check ball joint rubber condition	☐	☒	☐		
Check & report leaks	☐	☒	☐		


METCALF CRANE SERVICES

SERVICE	DONE	OK	N/A	INITIAL	CHECK FAULT – COMMENTS – PLEASE NOTE ALL FINDINGS
BRAKES					
Drain water from air tanks	☐	☒	☐		
Check condition & thickness of linings	☐	☒	☐		
WHEELS					
Check tyre condition & pressures	☐	☒	☐		
Check wheel nuts	☐	☒	☐		
PLEASE USE ISOLATION PROCEDURES & TAGS					
Change engine oil & fill to level	☒	☐	☐		Type & Litres: 48ltrs E900
Change oil filters	☒	☐	☐		Filter No: LF14000NN
Change fuel filters	☒	☐	☐		Filter No: FF2200
Change fuel pre filter	☐	☒	☐		Filter No: FS19905g
Check & clean air filter outer	☒	☐	☐		Filter No:
Check & clean air filter inner	☐	☐	☒		Filter No:
Check coolant level	☐	☒	☐		
Check & report coolant leaks	☐	☒	☐		
Check & report oil or fuel leaks	☐	☒	☐		
Check condition of hose & secure clips	☐	☒	☐		
Check condition of mounts	☐	☒	☐		
Check exhaust system	☐	☒	☐		
Check battery levels, clean & lube terminals	☐	☒	☐		
Check washer bottle level	☐	☒	☐		
Check air intake system	☐	☒	☐		
TRANSMISSION☐					
Check & report any oil leaks	☐	☒	☐		
DIFFERENTIAL, FINAL DRIVES & DRIVELINES					
Check & report oil leaks	☐	☒	☐		
Fill oil to level	☐	☒	☐		
Check wear & lubricate drive shafts	☐	☒	☐		
BRAKES					
Adjust all brakes	☐	☒	☐		
Change air dryer filter	☐	☐	☒		

METCALF CRANE SERVICES

GENERAL COMMENTS
Adjusted clutch
Replaced 4x drive tyres
Rand R intercooler cleaned inter cooler and radiator.

TYRE PRESSURE	AXLE 1	AXLE 2	AXLE 3	AXLE 4
INNER	110Psi	110Psi	110Psi	
OUTER	110psi	110Psi	110Psi	

INSPECTED BY:	Will Howden	QUALIFICATION:	Mechanic
SIGNATURE:		DATE:	21.03.2025

Certification by Responsible Person:

I certify that the described plant is to the manufacturers specifications and is being serviced and maintained by competent personnel to the manufacturer's recommendations

PRINT NAME:	Nick de Leur	POSITION:	Workshop Supervisor
SIGNATURE:		DATE:	21.03.2025

METCALF CRANE SERVICES PTY LTD
PRIME MOVER - INSPECTION & SERVICE REPORT

JOB NUMBER:	**H15-16**	**UNIT NUMBER:**	**UH15**	**DATE:**	**28.01.2026**
TRUCK MODEL:	**Kenworth K108**	**REGISTRATION NUMBER:**	**WZC-997**	**KM'S:**	**886,394km**
HOURS:					

***NOTE: MAKE SURE THAT HOURS AND KILOMETRES ARE RECORDED – MAKE SURE A SERVICE STICKER IS FITTED**

SERVICE	DONE	OK	N/A	INITIAL	CHECK FAULT – COMMENTS – PLEASE NOTE ALL FINDINGS
TEST DRIVE					
Drain air pressure, check build up	☐	☒	☐		
Check park brake operation	☐	☒	☐		
Check braking operation	☐	☒	☐		
Check transmission operation	☐	☒	☐		
ELECTRICAL					
Operation of all lights	☐	☒	☐		
Check all warning systems:- horns	☐	☒	☐		
Check all warning systems:- flashing lights	☐	☒	☐		
Check all switch functions	☐	☒	☐		
Check wiper/washer operation & condition	☒	☒	☐		
Check air conditioning operation	☐	☒	☐		
CAB & PANEL					
Ensure items in cab are secure	☐	☒	☐		
Condition of cab glass & interior	☐	☒	☐		
Condition of cab, panels & doors	☐	☒	☐		
Check seat belt condition & mounting	☐	☒	☐		
STEERING					
Check all linkages & ball joints	☐	☒	☐		
Check ball joint rubber condition	☐	☒	☐		
Check & report leaks	☐	☒	☐		

METCALF CRANE SERVICES

SERVICE	DONE	OK	N/A	INITIAL	CHECK FAULT – COMMENTS – PLEASE NOTE ALL FINDINGS
BRAKES					
Drain water from air tanks	☐	☒	☐		
Check condition & thickness of linings	☐	☒	☐		
WHEELS					
Check tyre condition & pressures	☐	☒	☐		
Check wheel nuts	☐	☒	☐		
PLEASE USE ISOLATION PROCEDURES & TAGS					
Change engine oil & fill to level	☒	☐	☐		Type & Litres: 50ltrs E900
Change oil filters	☒	☐	☐		Filter No: LF14000NN
Change fuel filters	☒	☐	☐		Filter No: FF2200
Change fuel pre filter	☒	☐	☐		Filter No: FS19905G
Check & clean air filter outer	☒	☐	☐		Filter No: AF1968M
Check & clean air filter inner	☐	☐	☒		Filter No:
Check coolant level	☐	☒	☐		
Check & report coolant leaks	☐	☒	☐		
Check & report oil or fuel leaks	☐	☒	☐		
Check condition of hose & secure clips	☐	☒	☐		
Check condition of mounts	☐	☒	☐		
Check exhaust system	☐	☒	☐		
Check battery levels, clean & lube terminals	☐	☒	☐		
Check washer bottle level	☐	☒	☐		
Check air intake system	☐	☒	☐		
TRANSMISSION☐					
Check & report any oil leaks	☐	☒	☐		
DIFFERENTIAL, FINAL DRIVES & DRIVELINES					
Check & report oil leaks	☐	☒	☐		
Fill oil to level	☐	☒	☐		
Check wear & lubricate drive shafts	☐	☒	☐		
BRAKES					
Adjust all brakes	☐	☒	☐		
Change air dryer filter	☐	☐	☒		

GENERAL COMMENTS
Replaced LHs window switch

TYRE PRESSURE	AXLE 1	AXLE 2	AXLE 3	AXLE 4
INNER	110Psi	110Psi	110Psi	
OUTER	110psi	110Psi	110Psi	

INSPECTED BY:	Phil Mifsud	QUALIFICATION:	Mechanic
SIGNATURE:	P. Mifsud	DATE:	28.01.2026

Certification by Responsible Person:

I certify that the described plant is to the manufacturers specifications and is being serviced and maintained by competent personnel to the manufacturer's recommendations

PRINT NAME:	Bill Duncan	POSITION:	Workshop Supervisor
SIGNATURE:	William Duncan	DATE:	28.01.2026

METCALF CRANE SERVICES

METCALF CRANE SERVICES PTY LTD
PRIME MOVER - INSPECTION & SERVICE REPORT

JOB NUMBER:	**H15-14**	**UNIT NUMBER:**	UH15	**DATE:**	**04.09.2024**
TRUCK MODEL:	**Kenworth K108**	**REGISTRATION NUMBER:**	WZC-997	**KM'S:**	**839,174**
HOURS:					

***NOTE: MAKE SURE THAT HOURS AND KILOMETRES ARE RECORDED – MAKE SURE A SERVICE STICKER IS FITTED**

SERVICE	DONE	OK	N/A	INITIAL	CHECK FAULT – COMMENTS – PLEASE NOTE ALL FINDINGS
TEST DRIVE					
Drain air pressure, check build up	☐	☒	☐		
Check park brake operation	☐	☒	☐		
Check braking operation	☐	☒	☐		
Check transmission operation	☐	☒	☐		
ELECTRICAL					
Operation of all lights	☐	☒	☐		
Check all warning systems:- horns	☐	☒	☐		
Check all warning systems:- flashing lights	☐	☒	☐		
Check all switch functions	☐	☒	☐		
Check wiper/washer operation & condition	☐	☒	☐		
Check air conditioning operation	☐	☒	☐		
CAB & PANEL					
Ensure items in cab are secure	☐	☒	☐		
Condition of cab glass & interior	☐	☒	☐		
Condition of cab, panels & doors	☐	☒	☐		
Check seat belt condition & mounting	☐	☒	☐		
STEERING					
Check all linkages & ball joints	☐	☒	☐		
Check ball joint rubber condition	☐	☒	☐		
Check & report leaks	☐	☒	☐		

METCALF CRANE SERVICES

SERVICE	DONE	OK	N/A	INITIAL	CHECK FAULT – COMMENTS – PLEASE NOTE ALL FINDINGS
BRAKES					
Drain water from air tanks	☐	☒	☐		
Check condition & thickness of linings	☐	☒	☐		
WHEELS					
Check tyre condition & pressures	☐	☒	☐		
Check wheel nuts	☐	☒	☐		
PLEASE USE ISOLATION PROCEDURES & TAGS					
Change engine oil & fill to level	☒	☐	☐		Type & Litres: 50ltrs E900
Change oil filters	☒	☐	☐		Filter No: LF14000NN
Change fuel filters	☒	☐	☐		Filter No:
Change fuel pre filter	☐	☒	☐		Filter No:
Check & clean air filter outer	☒	☐	☐		Filter No: AF1968M
Check & clean air filter inner	☐	☐	☒		Filter No:
Check coolant level	☐	☒	☐		
Check & report coolant leaks	☐	☒	☐		
Check & report oil or fuel leaks	☐	☒	☐		
Check condition of hose & secure clips	☐	☒	☐		
Check condition of mounts	☐	☒	☐		
Check exhaust system	☐	☒	☐		
Check battery levels, clean & lube terminals	☐	☒	☐		
Check washer bottle level	☐	☒	☐		
Check air intake system	☐	☒	☐		
TRANSMISSION☐					
Check & report any oil leaks	☐	☒	☐		
DIFFERENTIAL, FINAL DRIVES & DRIVELINES					
Check & report oil leaks	☐	☒	☐		
Fill oil to level	☐	☒	☐		
Check wear & lubricate drive shafts	☐	☒	☐		
BRAKES					
Adjust all brakes	☐	☒	☐		
Change air dryer filter	☐	☐	☒		

METCALF CRANE SERVICES


GENERAL COMMENTS
New air filter , turbo boost hose replaced , LHS rear cab light replaced, Tail light lenses replaced .

TYRE PRESSURE	AXLE 1	AXLE 2	AXLE 3	AXLE 4
INNER	110Psi	110Psi	110Psi	
OUTER		110Psi	110Psi	

INSPECTED BY:	Nick deLeur	QUALIFICATION:	Mechanic
SIGNATURE:			04.09.2024

Certification by Responsible Person:

I certify that the described plant is to the manufacturers specifications and is being serviced and maintained by competent personnel to the manufacturer's recommendations

PRINT NAME:	Bill Duncan	POSITION:	Workshop Supervisor
SIGNATURE:		DATE:	04.09.2024

METCALF CRANE SERVICES PTY LTD

Truck Inspection & Service Report

Job Number: H15-11	**Unit Number: UH15**	**Date: 21.06.2023**
Truck Model: Kenworth K108	**Rego: WZC-997**	
KMS: 784,004Kms		

***NOTE: MAKE SURE THAT HOURS AND KILOMETRES ARE RECORDED – MAKE SURE A SERVICE STICKER IS FITTED**

SERVICE	DONE	OK	N/A	INITIAL	CHECK FAULT – COMMENTS – PLEASE NOTE ALL FINDINGS
TEST DRIVE					
Drain air pressure, check build up		Y			
Check park brake operation		Y			
Check braking operation		Y			
Check transmission operation		Y			
ELECTRICAL					
Operation of all lights		Y			
Check all warning systems:- horns		Y			
Check all warning systems:- flashing lights		Y			
Check all switch functions		Y			
Check wiper/washer operation & condition		Y			
Check air conditioning operation		Y			

SERVICE	DONE	OK	N/A	INITIAL	CHECK FAULT – COMMENTS – PLEASE NOTE ALL FINDINGS	
CAB & PANEL						Manual Page No.
Ensure items in cab are secure		Y				
Condition of cab glass & interior		Y				
Condition of cab, panels & doors		Y				
Check seat belt condition & mounting		Y				
STEERING						
Check all linkages & ball joints		Y				
Check ball joint rubber condition		Y				
Check & report leaks		Y				
BRAKES						
Check brake system for air leaks		Y				
Drain water from air tanks		Y				
Check condition & thickness of linings		Y				

SERVICE	DONE	OK	N/A	INITIAL	CHECK FAULT – COMMENTS – PLEASE NOTE ALL FINDINGS	
WHEELS						Manual Page No.
Check tyre condition & pressures		Y				
Check wheel nuts		Y				
PLEASE USE ISOLATION PROCEDURES & TAGS						
Change engine oil & fill to level	Y				Type & Litres: 50Ltrs E900	
Change oil filters	Y				Filter No: LF14000NN	
Change fuel filters		Y			Filter No:	
Change fuel pre filter	Y				Filter No: FS19764	
Check & clean air filter outer		Y			Filter No:	
Check & clean air filter inner			X		Filter No:	
Check coolant level		Y				
Check & report coolant leaks		Y				
Check & report oil or fuel leaks		Y				
Check condition of hose & secure clips		Y				
Check condition of mounts		Y				
Check exhaust system		Y				
Check battery levels, clean & lube terminals		Y				
Check washer bottle level		Y				
Check air intake system		Y				

SERVICE	DONE	OK	N/A	INITIAL	CHECK FAULT – COMMENTS – PLEASE NOTE ALL FINDINGS	
TRANSMISSION						Manual Page No.
Check & report any oil leaks		Y				
DIFFERENTIAL, FINAL DRIVES & DRIVELINES						
Check & report oil leaks		Y				
Fill oil to level		Y				
Check wear & lubricate drive shafts	Y					

BRAKES						
Adjust all brakes	Y					
Change air dryer filter			Y			
GENERAL COMMENTS						

Tyre Pressure	**Axle 1**	**Axle 2**	**Axle 3**						
Inner	**110PSI**	**110PSI**	**110PSI**						
Outer		**110PSI**	**110PSI**						

Inspected by: _____**Nick deLeur.** **Signature:** _____

Qualifications: _____**MECHANIC**_____ ____**Date: 21.06.2023**_____

Certification by Responsible Person:

I Certify that the described plant is to the manufacturers specifications and is being serviced and maintained by competent personnel to the manufacturer's recommendations.

Signature: _____ **Date: 21.06.2023**

Print Name: _____**BILL DUNCAN**_____**Position: WORKSHOP SUPERVISOR**_____

METCALF CRANE SERVICES PTY LTD

Truck Inspection & Service Report

Job Number:	**Unit Number : UH15**	**Date: 10.11.2021**
Truck Model: Kenworth K108	**Rego : WZC-997**	
KMS: 682,290 Kms		

***NOTE: MAKE SURE THAT HOURS AND KILOMETRES ARE RECORDED – MAKE SURE A SERVICE STICKER IS FITTED**

SERVICE	DONE	OK	N/A	INITIAL	CHECK FAULT – COMMENTS – PLEASE NOTE ALL FINDINGS	
TEST DRIVE						.
Drain air pressure, check build up		Y				
Check park brake operation		Y				
Check braking operation		Y				
Check transmission operation		Y				
ELECTRICAL						
Operation of all lights		Y				
Check all warning systems:- horns		Y				
Check all warning systems:- flashing lights		Y				
Check all switch functions		Y				
Check wiper/washer operation & condition		Y				
Check air conditioning operation		Y				

SERVICE	DONE	OK	N/A	INITIAL	CHECK FAULT – COMMENTS – PLEASE NOTE ALL FINDINGS	
CAB & PANEL						Manual Page No.
Ensure items in cab are secure		**Y**				
Condition of cab glass & interior		**Y**				
Condition of cab, panels & doors		Y				
Check seat belt condition & mounting		Y				
STEERING						
Check all linkages & ball joints		Y				
Check ball joint rubber condition		Y				
Check & report leaks		Y				
BRAKES						
Check brake system for air leaks		Y				
Drain water from air tanks		Y				
Check condition & thickness of linings		Y				

SERVICE	DONE	OK	N/A	INITIAL	CHECK FAULT – COMMENTS – PLEASE NOTE ALL FINDINGS	
WHEELS						Manual Page No.
Check tyre condition & pressures		**Y**				
Check wheel nuts		**Y**				
PLEASE USE ISOLATION PROCEDURES & TAGS						
Change engine oil & fill to level	Y				Type & Litres:50 Ltrs E900	
Change oil filters	Y				Filter No: W57746XD	
Change fuel filters		Y			Filter No:	
Change fuel pre filter					Filter No;	
Check & clean air filter outer		Y			Filter No:	
Check & clean air filter inner			x			
Check coolant level		Y				
Check & report coolant leaks		Y				
Check & report oil or fuel leaks		Y				
Check condition of hose & secure clips		Y				
Check condition of mounts		Y				
Check exhaust system		Y				
Check battery levels, clean & lube terminals		Y				
Check washer bottle level		Y				
Check air intake system		Y				

SERVICE	DONE	OK	N/A	INITIAL	CHECK FAULT – COMMENTS – PLEASE NOTE ALL FINDINGS	
TRANSMISSION						Manual Page No.
Check & report any oil leaks		Y				
DIFFERENTIAL, FINAL DRIVES & DRIVELINES						
Check & report oil leaks		Y				
Fill oil to level		Y				
Check wear & lubricate drive shafts	Y					

BRAKES						
Adjust all brakes	Y					
Change air dryer filter			Y			
GENERAL COMMENTS						

Tyre Pressure	**Axle 1**	**Axle 2**	**Axle 3**						
Inner	**110PSI**	**110PSI**	**110PSI**						
Outer		**110PSI**	**110PSI**						

***NOTE: RECORD ACTUAL TYRE PRESSURE BEFORE CORRECTING TO FACTORY SETTINGS**

Inspected by: _____Phil Mifsud Signature: _____

Qualifications: _____MECHANIC_____Date:10.11.2021_____

Certification by Responsible Person:

I Certify that the described plant is to the manufacturers specifications and is being serviced and maintained by competent personnel to the manufacturers recommendations.

Signature: _____ Date: 10.11.2021

Print Name: _____BILL DUNCAN_____Position: WORKSHOP SUPERVISOR_____

METCALF CRANE SERVICES PTY LTD

Truck Inspection & Service Report

Job Number: IJ00009	**Unit Number : UH15**	**Date: 19/07/2022**
Truck Model: Kenworth K108	**Rego : WZC-997**	
KMS: 724,113 Kms		

***NOTE: MAKE SURE THAT HOURS AND KILOMETRES ARE RECORDED – MAKE SURE A SERVICE STICKER IS FITTED**

SERVICE	DONE	OK	N/A	INITIAL	CHECK FAULT – COMMENTS – PLEASE NOTE ALL FINDINGS	
TEST DRIVE						.
Drain air pressure, check build up		Y				
Check park brake operation		Y				
Check braking operation		Y				
Check transmission operation		Y				
ELECTRICAL						
Operation of all lights		Y				
Check all warning systems:- horns		Y				
Check all warning systems:- flashing lights		Y				
Check all switch functions		Y				
Check wiper/washer operation & condition		Y				
Check air conditioning operation		Y				

SERVICE	DONE	OK	N/A	INITIAL	CHECK FAULT – COMMENTS – PLEASE NOTE ALL FINDINGS	
CAB & PANEL						Manual Page No.
Ensure items in cab are secure		**Y**				
Condition of cab glass & interior		**Y**				
Condition of cab, panels & doors		Y				
Check seat belt condition & mounting		Y				
STEERING						
Check all linkages & ball joints		Y				
Check ball joint rubber condition		Y				
Check & report leaks		Y				
BRAKES						
Check brake system for air leaks		Y				
Drain water from air tanks		Y				
Check condition & thickness of linings		Y				

SERVICE	DONE	OK	N/A	INITIAL	CHECK FAULT – COMMENTS – PLEASE NOTE ALL FINDINGS	
WHEELS						Manual Page No.
Check tyre condition & pressures		**Y**				
Check wheel nuts		**Y**				
PLEASE USE ISOLATION PROCEDURES & TAGS						
Change engine oil & fill to level	Y				Type & Litres: 50Ltrs E900	
Change oil filters	Y				Filter No: LF14000NN	
Change fuel filters	Y				Filter No: FF2200	
Change fuel pre filter	Y				Filter No: FS19764	
Check & clean air filter outer	Y				Filter No: AF1968	
Check & clean air filter inner			x			
Check coolant level		Y				
Check & report coolant leaks		Y				
Check & report oil or fuel leaks		Y				
Check condition of hose & secure clips		Y				
Check condition of mounts		Y				
Check exhaust system		Y				
Check battery levels, clean & lube terminals		Y				
Check washer bottle level		Y				
Check air intake system		Y				

SERVICE	DONE	OK	N/A	INITIAL	CHECK FAULT – COMMENTS – PLEASE NOTE ALL FINDINGS	
TRANSMISSION						Manual Page No.
Check & report any oil leaks		Y				
DIFFERENTIAL, FINAL DRIVES & DRIVELINES						
Check & report oil leaks		Y				
Fill oil to level		Y				
Check wear & lubricate drive shafts	Y					

BRAKES						
Adjust all brakes	Y					
Change air dryer filter			Y			
GENERAL COMMENTS						
2nd UHF fitted						
New Air filter						
New Dome light switch fitted						

Tyre Pressure	**Axle 1**	**Axle 2**	**Axle 3**						
Inner	**110PSI**	**110PSI**	**110PSI**						
Outer		**110PSI**	**110PSI**						

***NOTE: RECORD ACTUAL TYRE PRESSURE BEFORE CORRECTING TO FACTORY SETTINGS**

Inspected by: _____Nick Deleur Signature: _____

Qualifications: _____MECHANIC_____Date:19/07/2022_____

Certification by Responsible Person:

I Certify that the described plant is to the manufacturers specifications and is being serviced and maintained by competent personnel to the manufacturers recommendations.

Signature: _____ Date: 25/01/2022

Print Name: _____BILL DUNCAN_____Position: WORKSHOP SUPERVISOR_____

METCALF CRANE SERVICES PTY LTD

Truck Inspection & Service Report

Job Number: 53120	**Unit Number : UH15**	**Date: 16/03/2020**
Truck Model: Kenworth K108	**Rego : WZC-997**	
KMS: 610,200 Kms		

***NOTE: MAKE SURE THAT HOURS AND KILOMETRES ARE RECORDED – MAKE SURE A SERVICE STICKER IS FITTED**

SERVICE	DONE	OK	N/A	INITIAL	CHECK FAULT – COMMENTS – PLEASE NOTE ALL FINDINGS	
TEST DRIVE						.
Drain air pressure, check build up		Y				
Check park brake operation		Y				
Check braking operation		Y				
Check transmission operation		Y				
ELECTRICAL						
Operation of all lights		Y				
Check all warning systems:- horns		Y				
Check all warning systems:- flashing lights		Y				
Check all switch functions		Y				
Check wiper/washer operation & condition		Y				
Check air conditioning operation		Y				

SERVICE	DONE	OK	N/A	INITIAL	CHECK FAULT – COMMENTS – PLEASE NOTE ALL FINDINGS	
CAB & PANEL						Manual Page No.
Ensure items in cab are secure		**Y**				
Condition of cab glass & interior		**Y**				
Condition of cab, panels & doors		Y				
Check seat belt condition & mounting		Y				
STEERING						
Check all linkages & ball joints		Y				
Check ball joint rubber condition		Y				
Check & report leaks		Y				
BRAKES						
Check brake system for air leaks		Y				
Drain water from air tanks		Y				
Check condition & thickness of linings		Y				

SERVICE	DONE	OK	N/A	INITIAL	CHECK FAULT – COMMENTS – PLEASE NOTE ALL FINDINGS	
WHEELS						Manual Page No.
Check tyre condition & pressures		**Y**				
Check wheel nuts		**Y**				
PLEASE USE ISOLATION PROCEDURES & TAGS						
Change engine oil & fill to level	Y				Type & Litres: 50Ltrs E900	
Change oil filters	Y				Filter No: W57746XD	
Change fuel filters	Y				Filter No:	
Clean fuel pre filler	Y					
Check & clean air filter outer		Y				
Check & clean air filter inner		Y				
Check coolant level		Y				
Check & report coolant leaks		Y				
Check & report oil or fuel leaks		Y				
Check condition of hose & secure clips		Y				
Check condition of mounts		Y				
Check exhaust system		Y				
Check battery levels, clean & lube terminals		Y				
Check washer bottle level		Y				
Check air intake system		Y				

SERVICE	DONE	OK	N/A	INITIAL	CHECK FAULT – COMMENTS – PLEASE NOTE ALL FINDINGS	
TRANSMISSION						Manual Page No.
Check & report any oil leaks		Y				
DIFFERENTIAL, FINAL DRIVES & DRIVELINES						
Check & report oil leaks		Y				
Fill oil to level		Y				
Check wear & lubricate drive shafts	Y					

BRAKES						
Adjust all brakes		Y				
Change air dryer filter			Y			

GENERAL COMMENTS
Air filter replaced AF1968M

Tyre Pressure	**Axle 1**	**Axle 2**	**Axle 3**						
Inner	**110PSI**	**110PSI**	**110PSI**						
Outer		**110PSI**	**110PSI**						

***NOTE: RECORD ACTUAL TYRE PRESSURE BEFORE CORRECTING TO FACTORY SETTINGS**

Inspected by: _____NICK DELEUR_____ Signature: _____

Qualifications: _____MECHANIC_____Date:16/03/2020_____

Certification by Responsible Person:

I Certify that the described plant is to the manufacturers specifications and is being serviced and maintained by competent personnel to the manufacturers recommendations.

Signature: _____ Date: 16/03/2020

Print Name: _____BILL DUNCAN_____Position: WORKSHOP SUPERVISOR_____

METCALF CRANE SERVICES PTY LTD
PRIME MOVER - INSPECTION & SERVICE REPORT

JOB NUMBER:	**15-12**	**UNIT NUMBER:**	UH15	**DATE:**	**27.11.2023**
TRUCK MODEL:	Kenworth K108	**REGISTRATION NUMBER:**	WZC-997	**KM'S:**	**803,847**
HOURS:					

***NOTE: MAKE SURE THAT HOURS AND KILOMETRES ARE RECORDED – MAKE SURE A SERVICE STICKER IS FITTED**

SERVICE	DONE	OK	N/A	INITIAL	CHECK FAULT – COMMENTS – PLEASE NOTE ALL FINDINGS
TEST DRIVE					
Drain air pressure, check build up	☐	☒	☐		
Check park brake operation	☐	☒	☐		
Check braking operation	☐	☒	☐		
Check transmission operation	☐	☒	☐		
ELECTRICAL					
Operation of all lights	☐	☒	☐		
Check all warning systems:- horns	☐	☒	☐		
Check all warning systems:- flashing lights	☐	☒	☐		
Check all switch functions	☐	☒	☐		
Check wiper/washer operation & condition	☐	☒	☐		
Check air conditioning operation	☐	☒	☐		
CAB & PANEL					
Ensure items in cab are secure	☐	☒	☐		
Condition of cab glass & interior	☐	☒	☐		
Condition of cab, panels & doors	☐	☒	☐		
Check seat belt condition & mounting	☐	☒	☐		
STEERING					
Check all linkages & ball joints	☐	☒	☐		replaced
Check ball joint rubber condition	☐	☒	☐		replaced
Check & report leaks	☐	☒	☐		

METCALF CRANE SERVICES

SERVICE	DONE	OK	N/A	INITIAL	CHECK FAULT – COMMENTS – PLEASE NOTE ALL FINDINGS
BRAKES					
Drain water from air tanks	☐	☒	☐		
Check condition & thickness of linings	☐	☒	☐		
WHEELS					
Check tyre condition & pressures	☐	☒	☐		**New steer tyres fitted by Mevs**
Check wheel nuts	☐	☒	☐		
PLEASE USE ISOLATION PROCEDURES & TAGS					
Change engine oil & fill to level	☒	☐	☐		Type & Litres: 50ltrs E900
Change oil filters	☒	☐	☐		Filter No: LF14000NN
Change fuel filters	☒	☐	☐		Filter No: FF2200
Change fuel pre filter	☒	☐	☐		Filter No: FS19905G
Check & clean air filter outer	☐	☒	☐		Filter No:
Check & clean air filter inner	☐	☐	☒		Filter No:
Check coolant level	☐	☒	☐		
Check & report coolant leaks	☐	☒	☐		
Check & report oil or fuel leaks	☐	☒	☐		
Check condition of hose & secure clips	☐	☒	☐		
Check condition of mounts	☐	☒	☐		
Check exhaust system	☐	☒	☐		
Check battery levels, clean & lube terminals	☐	☒	☐		
Check washer bottle level	☐	☒	☐		
Check air intake system	☐	☒	☐		
TRANSMISSION☐					
Check & report any oil leaks	☐	☒	☐		
DIFFERENTIAL, FINAL DRIVES & DRIVELINES					
Check & report oil leaks	☐	☒	☐		
Fill oil to level	☐	☒	☐		
Check wear & lubricate drive shafts	☐	☒	☐		
BRAKES					
Adjust all brakes	☒	☐	☐		Front axle linings replaced
Change air dryer filter	☐	☐	☒		

GENERAL COMMENTS
Front end fully rebuilt, new spring & U bolts, new wheel bearings, hub seals, replaced front brake drums & linings
Tie rod & drag link replaced, kingpins replaced
New steer tyres
Front end alignment done by Axle fix.

TYRE PRESSURE	AXLE 1	AXLE 2	AXLE 3	AXLE 4
INNER	110Psi	110Psi	110Psi	
OUTER		110Psi	110Psi	

*NOTE: RECORD ACTUAL TYRE PRESSURE BEFORE CORRECTING TO FACTORY SETTINGS

INSPECTED BY:	Nick deLeur	QUALIFICATION:	Mechanic
SIGNATURE:		DATE:	27.11.2023

Certification by Responsible Person: I certify that the described plant is to the manufacturers specifications and is being serviced and maintained by competent personnel to the manufacturer's recommendations			
PRINT NAME:	Bill Duncan	POSITION:	Workshop Supervisor
SIGNATURE:		DATE:	27.11.2023

METCALF CRANE SERVICES PTY LTD

Truck Inspection & Service Report

Job Number: 72250	**Unit Number: UH15**	**Date: 13/10/2022**
Truck Model: Kenworth K108	**Rego: WZC-997**	
KMS: 745,653 Kms		

***NOTE: MAKE SURE THAT HOURS AND KILOMETRES ARE RECORDED – MAKE SURE A SERVICE STICKER IS FITTED**

SERVICE	DONE	OK	N/A	INITIAL	CHECK FAULT – COMMENTS – PLEASE NOTE ALL FINDINGS	
TEST DRIVE						.
Drain air pressure, check build up		Y				
Check park brake operation		Y				
Check braking operation		Y				
Check transmission operation		Y				
ELECTRICAL						
Operation of all lights		Y				
Check all warning systems:- horns		Y				
Check all warning systems:- flashing lights		Y				
Check all switch functions		Y				
Check wiper/washer operation & condition		Y				
Check air conditioning operation		Y				

SERVICE	DONE	OK	N/A	INITIAL	CHECK FAULT – COMMENTS – PLEASE NOTE ALL FINDINGS	
CAB & PANEL						Manual Page No.
Ensure items in cab are secure		**Y**				
Condition of cab glass & interior		**Y**				
Condition of cab, panels & doors		Y				
Check seat belt condition & mounting		Y				
STEERING						
Check all linkages & ball joints		Y				
Check ball joint rubber condition		Y				
Check & report leaks		Y				
BRAKES						
Check brake system for air leaks		Y				
Drain water from air tanks		Y				
Check condition & thickness of linings		Y				

SERVICE	DONE	OK	N/A	INITIAL	CHECK FAULT – COMMENTS – PLEASE NOTE ALL FINDINGS	
WHEELS						Manual Page No.
Check tyre condition & pressures		**Y**				
Check wheel nuts		**Y**				
PLEASE USE ISOLATION PROCEDURES & TAGS						
Change engine oil & fill to level	Y				Type & Litres:50 Ltrs E900	
Change oil filters	Y				Filter No: LF14000NN	
Change fuel filters		Y			Filter No:	
Change fuel pre filter		Y			Filter No:	
Check & clean air filter outer		Y			Filter No:	
Check & clean air filter inner			X		Filter No:	
Check coolant level		Y				
Check & report coolant leaks		Y				
Check & report oil or fuel leaks		Y				
Check condition of hose & secure clips		Y				
Check condition of mounts		Y				
Check exhaust system		Y				
Check battery levels, clean & lube terminals		Y				
Check washer bottle level		Y				
Check air intake system		Y				

SERVICE	DONE	OK	N/A	INITIAL	CHECK FAULT – COMMENTS – PLEASE NOTE ALL FINDINGS	
TRANSMISSION						Manual Page No.
Check & report any oil leaks		Y				
DIFFERENTIAL, FINAL DRIVES & DRIVELINES						
Check & report oil leaks		Y				
Fill oil to level		Y				
Check wear & lubricate drive shafts	Y					

BRAKES						
Adjust all brakes	Y					
Change air dryer filter			Y			
GENERAL COMMENTS						
Replaced rear diff pinion seal						
Replaced jack shaft uni's						

Tyre Pressure	**Axle 1**	**Axle 2**	**Axle 3**						
Inner	**110PSI**	**110PSI**	**110PSI**						
Outer		**110PSI**	**110PSI**						

Inspected by: _____Nick deLeur Signature: _____

Qualifications: _____MECHANIC_____Date: 13/10/2022_____

Certification by Responsible Person:

I Certify that the described plant is to the manufacturers specifications and is being serviced and maintained by competent personnel to the manufacturer's recommendations.

Signature: _____ Date: 13/10/2022

Print Name: _____BILL DUNCAN_____Position: WORKSHOP SUPERVISOR_____

METCALF CRANE SERVICES PTY LTD

Truck Inspection & Service Report

Job Number: 61498	**Unit Number : UH15**	**Date: 26/03/2021**
Truck Model: Kenworth K108	**Rego : WZC-997**	
KMS: 655,732 Kms		

***NOTE: MAKE SURE THAT HOURS AND KILOMETRES ARE RECORDED – MAKE SURE A SERVICE STICKER IS FITTED**

SERVICE	DONE	OK	N/A	INITIAL	CHECK FAULT – COMMENTS – PLEASE NOTE ALL FINDINGS	
TEST DRIVE						.
Drain air pressure, check build up		Y				
Check park brake operation		Y				
Check braking operation		Y				
Check transmission operation		Y				
ELECTRICAL						
Operation of all lights		Y				
Check all warning systems:- horns		Y				
Check all warning systems:- flashing lights		Y				
Check all switch functions		Y				
Check wiper/washer operation & condition		Y				
Check air conditioning operation		Y				

SERVICE	DONE	OK	N/A	INITIAL	CHECK FAULT – COMMENTS – PLEASE NOTE ALL FINDINGS	
CAB & PANEL						Manual Page No.
Ensure items in cab are secure		**Y**				
Condition of cab glass & interior		**Y**				
Condition of cab, panels & doors		Y				
Check seat belt condition & mounting		Y				
STEERING						
Check all linkages & ball joints		Y				
Check ball joint rubber condition		Y				
Check & report leaks		Y				
BRAKES						
Check brake system for air leaks		Y				
Drain water from air tanks		Y				
Check condition & thickness of linings		Y				

SERVICE	DONE	OK	N/A	INITIAL	CHECK FAULT – COMMENTS – PLEASE NOTE ALL FINDINGS	
WHEELS						Manual Page No.
Check tyre condition & pressures		**Y**				
Check wheel nuts		**Y**				
PLEASE USE ISOLATION PROCEDURES & TAGS						
Change engine oil & fill to level	Y				Type & Litres: 50Ltrs E900	
Change oil filters	Y				Filter No: W57746XD	
Change fuel filters		Y			Filter No:	
Change fuel pre filter		Y			Filter No;	
Check & clean air filter outer		Y			Filter No:	
Check & clean air filter inner			x			
Check coolant level		Y				
Check & report coolant leaks		Y				
Check & report oil or fuel leaks		Y				
Check condition of hose & secure clips		Y				
Check condition of mounts		Y				
Check exhaust system		Y				
Check battery levels, clean & lube terminals		Y				
Check washer bottle level		Y				
Check air intake system		Y				

SERVICE	DONE	OK	N/A	INITIAL	CHECK FAULT – COMMENTS – PLEASE NOTE ALL FINDINGS	
TRANSMISSION						Manual Page No.
Check & report any oil leaks		Y				
DIFFERENTIAL, FINAL DRIVES & DRIVELINES						
Check & report oil leaks		Y				
Fill oil to level		Y				
Check wear & lubricate drive shafts	Y					

BRAKES						
Adjust all brakes		Y				
Change air dryer filter			Y			
GENERAL COMMENTS						
Replaced Boost hose turbo side intercooler						

Tyre Pressure	**Axle 1**	**Axle 2**	**Axle 3**						
Inner	**110PSI**	**110PSI**	**110PSI**						
Outer		**110PSI**	**110PSI**						

***NOTE: RECORD ACTUAL TYRE PRESSURE BEFORE CORRECTING TO FACTORY SETTINGS**

Inspected by: _____Nick Deleur Signature: _____

Qualifications: _____MECHANIC_____Date:26/03/2021_____

Certification by Responsible Person:

I Certify that the described plant is to the manufacturers specifications and is being serviced and maintained by competent personnel to the manufacturers recommendations.

Signature: _____ Date: 26/03/2021

Print Name: _____BILL DUNCAN_____Position: WORKSHOP SUPERVISOR_____

METCALF CRANE SERVICES PTY LTD

Truck Inspection & Service Report

Job Number: 59264	**Unit Number : UH15**	**Date: 14/11/2020**
Truck Model: Kenworth K108	**Rego : WZC-997**	
KMS: 632,971 Kms		

***NOTE: MAKE SURE THAT HOURS AND KILOMETRES ARE RECORDED – MAKE SURE A SERVICE STICKER IS FITTED**

SERVICE	DONE	OK	N/A	INITIAL	CHECK FAULT – COMMENTS – PLEASE NOTE ALL FINDINGS	
TEST DRIVE						.
Drain air pressure, check build up		Y				
Check park brake operation		Y				
Check braking operation		Y				
Check transmission operation		Y				
ELECTRICAL						
Operation of all lights		Y				
Check all warning systems:- horns		Y				
Check all warning systems:- flashing lights		Y				
Check all switch functions		Y				
Check wiper/washer operation & condition		Y				
Check air conditioning operation		Y				

SERVICE	DONE	OK	N/A	INITIAL	CHECK FAULT – COMMENTS – PLEASE NOTE ALL FINDINGS	
CAB & PANEL						Manual Page No.
Ensure items in cab are secure		**Y**				
Condition of cab glass & interior		**Y**				
Condition of cab, panels & doors		Y				
Check seat belt condition & mounting		Y				
STEERING						
Check all linkages & ball joints		Y				
Check ball joint rubber condition		Y				
Check & report leaks		Y				
BRAKES						
Check brake system for air leaks		Y				
Drain water from air tanks		Y				
Check condition & thickness of linings		Y				

SERVICE	DONE	OK	N/A	INITIAL	CHECK FAULT – COMMENTS – PLEASE NOTE ALL FINDINGS	
WHEELS						Manual Page No.
Check tyre condition & pressures		**Y**				
Check wheel nuts		**Y**				
PLEASE USE ISOLATION PROCEDURES & TAGS						
Change engine oil & fill to level	Y				Type & Litres: 50Ltrs E900	
Change oil filters	Y				Filter No: W57746XD	
Change fuel filters	Y				Filter No: FF2200	
Change fuel pre filter	Y				Filter No: FS19905G	
Check & clean air filter outer		Y			Filter No:	
Check & clean air filter inner			x			
Check coolant level		Y				
Check & report coolant leaks		Y				
Check & report oil or fuel leaks		Y				
Check condition of hose & secure clips		Y				
Check condition of mounts		Y				
Check exhaust system		Y				
Check battery levels, clean & lube terminals		Y				
Check washer bottle level		Y				
Check air intake system		Y				

SERVICE	DONE	OK	N/A	INITIAL	CHECK FAULT – COMMENTS – PLEASE NOTE ALL FINDINGS	
TRANSMISSION						Manual Page No.
Check & report any oil leaks		Y				
DIFFERENTIAL, FINAL DRIVES & DRIVELINES						
Check & report oil leaks		Y				
Fill oil to level		Y				
Check wear & lubricate drive shafts	Y					

BRAKES						
Adjust all brakes		Y				
Change air dryer filter			Y			

GENERAL COMMENTS

Tyre Pressure	**Axle 1**	**Axle 2**	**Axle 3**						
Inner	**110PSI**	**110PSI**	**110PSI**						
Outer		**110PSI**	**110PSI**						

***NOTE: RECORD ACTUAL TYRE PRESSURE BEFORE CORRECTING TO FACTORY SETTINGS**

Inspected by: _____NICK DELEUR_____ Signature: _____

Qualifications: _____MECHANIC_____Date:14/11/2020_____

Certification by Responsible Person:

I Certify that the described plant is to the manufacturers specifications and is being serviced and maintained by competent personnel to the manufacturers recommendations.

Signature: _____ Date: 14/11/2020

Print Name: _____BILL DUNCAN_____Position: WORKSHOP SUPERVISOR_____

METCALF CRANE SERVICES PTY LTD

Truck Inspection & Service Report

Job Number: 46989	**Unit Number : UH15**	**Date: 26/07/2019**
Truck Model: Kenworth K108	**Rego : WZC-997**	
KMS: 590,074Kms 11,278 Hrs		

***NOTE: MAKE SURE THAT HOURS AND KILOMETRES ARE RECORDED – MAKE SURE A SERVICE STICKER IS FITTED**

SERVICE	DONE	OK	N/A	INITIAL	CHECK FAULT – COMMENTS – PLEASE NOTE ALL FINDINGS	
TEST DRIVE						.
Drain air pressure, check build up		Y				
Check park brake operation		Y				
Check braking operation		Y				
Check transmission operation		Y				
ELECTRICAL						
Operation of all lights		Y				
Check all warning systems:- horns		Y				
Check all warning systems:- flashing lights		Y				
Check all switch functions		Y				
Check wiper/washer operation & condition		Y				
Check air conditioning operation		Y				

SERVICE	DONE	OK	N/A	INITIAL	CHECK FAULT – COMMENTS – PLEASE NOTE ALL FINDINGS	
CAB & PANEL						Manual Page No.
Ensure items in cab are secure		**Y**				
Condition of cab glass & interior		**Y**				
Condition of cab, panels & doors		Y				
Check seat belt condition & mounting		Y				
STEERING						
Check all linkages & ball joints		Y				
Check ball joint rubber condition		Y				
Check & report leaks		Y				
BRAKES						
Check brake system for air leaks		Y				
Drain water from air tanks		Y				
Check condition & thickness of linings		Y				

SERVICE	DONE	OK	N/A	INITIAL	CHECK FAULT – COMMENTS – PLEASE NOTE ALL FINDINGS	
WHEELS						Manual Page No.
Check tyre condition & pressures		**Y**				
Check wheel nuts		**Y**				
PLEASE USE ISOLATION PROCEDURES & TAGS						
Change engine oil & fill to level	Y				Type & Litres: 50Ltrs E900	
Change oil filters	Y				Filter No: W57746XD	
Change fuel filters	Y				Filter No:	
Clean fuel pre filler	Y					
Check & clean air filter outer		Y				
Check & clean air filter inner		Y				
Check coolant level		Y				
Check & report coolant leaks		Y				
Check & report oil or fuel leaks		Y				
Check condition of hose & secure clips		Y				
Check condition of mounts		Y				
Check exhaust system		Y				
Check battery levels, clean & lube terminals		Y				
Check washer bottle level		Y				
Check air intake system		Y				

SERVICE	DONE	OK	N/A	INITIAL	CHECK FAULT – COMMENTS – PLEASE NOTE ALL FINDINGS	
TRANSMISSION						Manual Page No.
Check & report any oil leaks		Y				
DIFFERENTIAL, FINAL DRIVES & DRIVELINES						
Check & report oil leaks		Y				
Fill oil to level		Y				
Check wear & lubricate drive shafts	Y					

BRAKES						
Adjust all brakes		Y				
Change air dryer filter			Y			

GENERAL COMMENTS

Tyre Pressure	**Axle 1**	**Axle 2**	**Axle 3**						
Inner	**110PSI**	**110PSI**	**110PSI**						
Outer		**110PSI**	**110PSI**						

***NOTE: RECORD ACTUAL TYRE PRESSURE BEFORE CORRECTING TO FACTORY SETTINGS**

Inspected by: _____NICK DELEUR_____ Signature: _____

Qualifications: _____MECHANIC_____Date:26/07/2019_____

Certification by Responsible Person:

I Certify that the described plant is to the manufacturers specifications and is being serviced and maintained by competent personnel to the manufacturers recommendations.

Signature: _____ Date: 26/07/2019

Print Name: _____BILL DUNCAN_____Position: WORKSHOP SUPERVISOR_____

METCALF CRANE SERVICES PTY LTD
PRIME MOVER - INSPECTION & SERVICE REPORT

JOB NUMBER:	**H15-13**	**UNIT NUMBER:**	UH15	**DATE:**	**22.04.2024**
TRUCK MODEL:	Kenworth K108	**REGISTRATION NUMBER:**	WZC-997	**KM'S:**	**820,140**
HOURS:					

***NOTE: MAKE SURE THAT HOURS AND KILOMETRES ARE RECORDED – MAKE SURE A SERVICE STICKER IS FITTED**

SERVICE	DONE	OK	N/A	INITIAL	CHECK FAULT – COMMENTS – PLEASE NOTE ALL FINDINGS
TEST DRIVE					
Drain air pressure, check build up	☐	☒	☐		
Check park brake operation	☐	☒	☐		
Check braking operation	☐	☒	☐		
Check transmission operation	☐	☒	☐		
ELECTRICAL					
Operation of all lights	☐	☒	☐		
Check all warning systems:- horns	☐	☒	☐		
Check all warning systems:- flashing lights	☐	☒	☐		
Check all switch functions	☐	☒	☐		
Check wiper/washer operation & condition	☐	☒	☐		
Check air conditioning operation	☐	☒	☐		
CAB & PANEL					
Ensure items in cab are secure	☐	☒	☐		
Condition of cab glass & interior	☐	☒	☐		
Condition of cab, panels & doors	☐	☒	☐		
Check seat belt condition & mounting	☐	☒	☐		
STEERING					
Check all linkages & ball joints	☐	☒	☐		
Check ball joint rubber condition	☐	☒	☐		
Check & report leaks	☐	☒	☐		

METCALF CRANE SERVICES

SERVICE	DONE	OK	N/A	INITIAL	CHECK FAULT – COMMENTS – PLEASE NOTE ALL FINDINGS
BRAKES					
Drain water from air tanks	☐	☒	☐		
Check condition & thickness of linings	☐	☒	☐		
WHEELS					
Check tyre condition & pressures	☐	☒	☐		
Check wheel nuts	☐	☒	☐		
PLEASE USE ISOLATION PROCEDURES & TAGS					
Change engine oil & fill to level	☒	☐	☐		Type & Litres: 50ltrs E900
Change oil filters	☒	☐	☐		Filter No: LF14000NN
Change fuel filters	☐	☒	☐		Filter No: FF2200
Change fuel pre filter	☐	☒	☐		Filter No: FS19905G
Check & clean air filter outer	☐	☒	☐		Filter No:
Check & clean air filter inner	☐	☐	☒		Filter No:
Check coolant level	☐	☒	☐		
Check & report coolant leaks	☐	☒	☐		
Check & report oil or fuel leaks	☐	☒	☐		
Check condition of hose & secure clips	☐	☒	☐		
Check condition of mounts	☐	☒	☐		
Check exhaust system	☐	☒	☐		
Check battery levels, clean & lube terminals	☐	☒	☐		
Check washer bottle level	☐	☒	☐		
Check air intake system	☐	☒	☐		
TRANSMISSION☐					
Check & report any oil leaks	☐	☒	☐		
DIFFERENTIAL, FINAL DRIVES & DRIVELINES					
Check & report oil leaks	☐	☒	☐		
Fill oil to level	☐	☒	☐		
Check wear & lubricate drive shafts	☐	☒	☐		
BRAKES					
Adjust all brakes	☒	☐	☐		
Change air dryer filter	☐	☐	☒		

GENERAL COMMENTS

TYRE PRESSURE	AXLE 1	AXLE 2	AXLE 3	AXLE 4
INNER	110Psi	110Psi	110Psi	
OUTER		110Psi	110Psi	

INSPECTED BY:	Phil Mifsud	QUALIFICATION:	Mechanic
SIGNATURE:		DATE:	22.04.2024

Certification by Responsible Person:

I certify that the described plant is to the manufacturers specifications and is being serviced and maintained by competent personnel to the manufacturer's recommendations

PRINT NAME:	Bill Duncan	POSITION:	Workshop Supervisor
SIGNATURE:		DATE:	22.04.2024

METCALF CRANE SERVICES PTY LTD

Truck Inspection & Service Report

Job Number: 69857	**Unit Number : UH15**	**Date: 19/04/2022**
Truck Model: Kenworth K108	**Rego : WZC-997**	
KMS: 704,491 Kms		

***NOTE: MAKE SURE THAT HOURS AND KILOMETRES ARE RECORDED – MAKE SURE A SERVICE STICKER IS FITTED**

SERVICE	DONE	OK	N/A	INITIAL	CHECK FAULT – COMMENTS – PLEASE NOTE ALL FINDINGS	
TEST DRIVE						.
Drain air pressure, check build up		Y				
Check park brake operation		Y				
Check braking operation		Y				
Check transmission operation		Y				
ELECTRICAL						
Operation of all lights		Y				
Check all warning systems:- horns		Y				
Check all warning systems:- flashing lights		Y				
Check all switch functions		Y				
Check wiper/washer operation & condition		Y				
Check air conditioning operation		Y				

SERVICE	DONE	OK	N/A	INITIAL	CHECK FAULT – COMMENTS – PLEASE NOTE ALL FINDINGS	
CAB & PANEL						Manual Page No.
Ensure items in cab are secure		**Y**				
Condition of cab glass & interior		**Y**				
Condition of cab, panels & doors		Y				
Check seat belt condition & mounting		Y				
STEERING						
Check all linkages & ball joints		Y				
Check ball joint rubber condition		Y				
Check & report leaks		Y				
BRAKES						
Check brake system for air leaks		Y				
Drain water from air tanks		Y				
Check condition & thickness of linings		Y				

SERVICE	DONE	OK	N/A	INITIAL	CHECK FAULT – COMMENTS – PLEASE NOTE ALL FINDINGS	
WHEELS						Manual Page No.
Check tyre condition & pressures		**Y**				
Check wheel nuts		**Y**				
PLEASE USE ISOLATION PROCEDURES & TAGS						
Change engine oil & fill to level	Y				Type & Litres:50 Ltrs E900	
Change oil filters	Y				Filter No: W57746XD	
Change fuel filters		Y			Filter No:	
Change fuel pre filter					Filter No;	
Check & clean air filter outer		Y			Filter No:	
Check & clean air filter inner			x			
Check coolant level		Y				
Check & report coolant leaks		Y				
Check & report oil or fuel leaks		Y				
Check condition of hose & secure clips		Y				
Check condition of mounts		Y				
Check exhaust system		Y				
Check battery levels, clean & lube terminals		Y				
Check washer bottle level		Y				
Check air intake system		Y				

SERVICE	DONE	OK	N/A	INITIAL	CHECK FAULT – COMMENTS – PLEASE NOTE ALL FINDINGS	
TRANSMISSION						Manual Page No.
Check & report any oil leaks		Y				
DIFFERENTIAL, FINAL DRIVES & DRIVELINES						
Check & report oil leaks		Y				
Fill oil to level		Y				
Check wear & lubricate drive shafts	Y					

BRAKES						
Adjust all brakes	Y					
Change air dryer filter			Y			
GENERAL COMMENTS						

Tyre Pressure	**Axle 1**	**Axle 2**	**Axle 3**						
Inner	**110PSI**	**110PSI**	**110PSI**						
Outer		**110PSI**	**110PSI**						

***NOTE: RECORD ACTUAL TYRE PRESSURE BEFORE CORRECTING TO FACTORY SETTINGS**

Inspected by: _____Phil Mifsud Signature: _____

Qualifications: _____MECHANIC_____Date:19.04.2022_____

Certification by Responsible Person:

I Certify that the described plant is to the manufacturers specifications and is being serviced and maintained by competent personnel to the manufacturers recommendations.

Signature: _____ Date: 19.04.2022

Print Name: _____BILL DUNCAN_____Position: WORKSHOP SUPERVISOR_____

METCALF CRANE SERVICES PTY LTD

Truck Inspection & Service Report

Job Number: 72416	**Unit Number: UH15**	**Date: 14/01/2023**
Truck Model: Kenworth K108	**Rego: WZC-997**	
KMS: 764,204 Kms	**1,757 Hrs**	

***NOTE: MAKE SURE THAT HOURS AND KILOMETRES ARE RECORDED – MAKE SURE A SERVICE STICKER IS FITTED**

SERVICE	DONE	OK	N/A	INITIAL	CHECK FAULT – COMMENTS – PLEASE NOTE ALL FINDINGS	
TEST DRIVE						.
Drain air pressure, check build up		Y				
Check park brake operation		Y				
Check braking operation		Y				
Check transmission operation		Y				
ELECTRICAL						
Operation of all lights		Y				
Check all warning systems:- horns		Y				
Check all warning systems:- flashing lights		Y				
Check all switch functions		Y				
Check wiper/washer operation & condition		Y				
Check air conditioning operation		Y				

SERVICE	DONE	OK	N/A	INITIAL	CHECK FAULT – COMMENTS – PLEASE NOTE ALL FINDINGS	
CAB & PANEL						Manual Page No.
Ensure items in cab are secure		**Y**				
Condition of cab glass & interior		**Y**				
Condition of cab, panels & doors		Y				
Check seat belt condition & mounting		Y				
STEERING						
Check all linkages & ball joints		Y				
Check ball joint rubber condition		Y				
Check & report leaks		Y				
BRAKES						
Check brake system for air leaks		Y				
Drain water from air tanks		Y				
Check condition & thickness of linings		Y				

SERVICE	DONE	OK	N/A	INITIAL	CHECK FAULT – COMMENTS – PLEASE NOTE ALL FINDINGS	
WHEELS						Manual Page No.
Check tyre condition & pressures		**Y**				
Check wheel nuts		**Y**				
PLEASE USE ISOLATION PROCEDURES & TAGS						
Change engine oil & fill to level	Y				Type & Litres:50 Ltrs E900	
Change oil filters	Y				Filter No: LF14000NN	
Change fuel filters		Y			Filter No:	
Change fuel pre filter		Y			Filter No:	
Check & clean air filter outer		Y			Filter No:	
Check & clean air filter inner			X		Filter No:	
Check coolant level		Y				
Check & report coolant leaks		Y				
Check & report oil or fuel leaks		Y				
Check condition of hose & secure clips		Y				
Check condition of mounts		Y				
Check exhaust system		Y				
Check battery levels, clean & lube terminals		Y				
Check washer bottle level		Y				
Check air intake system		Y				

SERVICE	DONE	OK	N/A	INITIAL	CHECK FAULT – COMMENTS – PLEASE NOTE ALL FINDINGS	
TRANSMISSION						Manual Page No.
Check & report any oil leaks		Y				
DIFFERENTIAL, FINAL DRIVES & DRIVELINES						
Check & report oil leaks		Y				
Fill oil to level		Y				
Check wear & lubricate drive shafts	Y					

BRAKES						
Adjust all brakes	Y					
Change air dryer filter			Y			
GENERAL COMMENTS						
New Park brake valves fiited						

Tyre Pressure	**Axle 1**	**Axle 2**	**Axle 3**						
Inner	**110PSI**	**110PSI**	**110PSI**						
Outer		**110PSI**	**110PSI**						

Inspected by: _____Phil Mifsud Signature: _____

Qualifications: _____MECHANIC_____Date: 14.01.2023_____

Certification by Responsible Person:

I Certify that the described plant is to the manufacturers specifications and is being serviced and maintained by competent personnel to the manufacturer's recommendations.

Signature: _____ Date: 14/01/2023

Print Name: _____BILL DUNCAN_____Position: WORKSHOP SUPERVISOR_____