

# VEHICLE DATA CODE INQUIRY

---

## VEHICLE DETAIL

---

<b>Serial Number:</b>	VS7158	<b>Plant Code:</b>	TMP
<b>Fleet Size:</b>	1	<b>VIN:</b>	5KJNBWD11SPVS7158
<b>Split Range:</b>	VS7158/VS7158	<b>Customer Name:</b>	T AND T TRUC
<b>TSO Number:</b>	95320V	<b>Salesperson:</b>	
<b>Pilot:</b>	N	<b>CAE Coordinator:</b>	FRANCK
<b>Open TCO:</b>	N 5	<b>Customer Account:</b>	BD4898

---

## SPECIFICATIONS

---

<b>Base Model:</b>	49X	<b>Cab Size:</b>	121
<b>Sleeper Size:</b>	000	<b>Qty Cab Colors:</b>	3
<b>Key Code:</b>	FT2539	<b>Engine Model:</b>	DD16
<b>Transmission Model:</b>	4700RDS	<b>Auxiliary Transmission:</b>	
<b>Front Axle:</b>	S200D	<b>Rear Axle:</b>	T46M
<b>Tag/Pusher Axle Model:</b>		<b>Suspension Model:</b>	ADZ252
<b>TSO Processing:</b>	COMPLETE	<b>Engineering CWOS:</b>	COMPLETE
<b>Pricing Issues:</b>	COMPLETE		

---

## SCHEDULE

---

<b>Order Status:</b>	DEALER RECEIVED	<b>Status Date:</b>	2024-10-31
<b>Order Received Date:</b>	2023-11-29	<b>Delivery Requested Date:</b>	2024-04-02
<b>Latest Accept Date:</b>	2024-04-02	<b>Projected Delivery Date:</b>	2024-11-09
<b>Order Released Date:</b>	2024-08-09	<b>Ship Method:</b>	CUSTOMER PICKUP

---

## SHIPPING/PRICING

---

<b>Transit Start Date:</b>	2024-10-31	<b>Estimated Arrival Date:</b>	
<b>Delivered Date:</b>	2024-10-31	<b>Spec Con Date:</b>	2024-09-23
<b>Official Invoice Date:</b>	2024-10-14	<b>Retail Sold Date:</b>	2024-12-19
<b>Concession Number:</b>	W92179	<b>Price Level:</b>	
<b>PDI Received Date:</b>	2024-10-15	<b>PDI Returned Date:</b>	2024-10-23
<b>Approval Date:</b>		<b>TCO Approval:</b>	
<b>Ship To:</b>	THE TRUCK SHOP 1702 E. STREET NE AUBURN ,WA98071 USA 206 708 3304		

**Ship Instructions:**

Databook	Origin TCO #	Description	Value
		<b>PRICING IS NOT AVAILABLE FOR THIS REPORT PRICE LEVEL INFORMATION</b>	
DRS-998 PRL-28X		NO READY SPEC WST 47X/49X PRL-28X (EFF:MY25 ORDERS)	0
AA1-001 AA6-002		<b>GENERAL APPLICATION INFORMATION</b> TRACTOR/TRAILER CONFIGURATION DOMICILED, USA (EXCLUDING CALIFORNIA AND CARB OPT-IN STATES)	
AF2-998 A85-027 A84-1SP AA3-998 AA2-009 AH6-001 AA5-006		NO STATE/PROVINCE DOMICILE SELECTED HEAVY HAUL SERVICE HEAVY HAULING BUSINESS SEGMENT NO BODY SPECIFIED LOWBOY TRAILER SINGLE (1) TRAILER	
AB5-003		TERRAIN/DUTY: 10% (SOME) OF THE TIME, IN TRANSIT, IS SPENT ON NON-PAVED ROADS MAINTAINED GRAVEL OR CRUSHED ROCK - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE	
AB1-008 AA4-006 A66-99D A68-99D A67-99D A63-99D A70-99D AC8-99D A79-99D A78-99D AL7-99D AM5-99D AL9-99D AC3-99D AM3-99D AR1-99D AM2-99D AM0-99D	002	MAXIMUM 8% EXPECTED GRADE HEAVY EQUIPMENT COMMODITY EXPECTED FRONT AXLE(S) LOAD EXPECTED REAR DRIVE AXLE(S) LOAD EXPECTED PUSHER AXLE(S) LOAD EXPECTED GROSS VEHICLE WEIGHT CAPACITY EXPECTED GROSS COMBINATION WEIGHT CALC'D BACK OF CAB TO REAR SUSP C/L (CA) EXPECTED MAXIMUM TRAILER SWING RADIUS EXPECTED MAXIMUM TRAILER DIP ANGLE CALC'D MAXIMUM FORWARD 5TH WHEEL LOC CALC'D TRAILER CLEAR@MAX FWD 5TH WHL LOC CALC'D MIN TRLR KP TO LANDING GEAR CLEAR CALC'D VEHICLE SPEED @ GOVERNED ENG RPM CALC'D FRAME HEIGHT @ REAR SUSP-EXP LOAD CAL'D FRAME HT AT FRONT SUSP-UNLADEN CALC'D FRAME HEIGHT @ REAR SUSP-UNLADEN TOP OF FRM TO RR TIRE TOP-UNLD	20000 LBS 40000 LBS 20000 LBS 80000 LBS 154000 LBS 158.268 IN 62.5 IN 4 DEG 60 IN 93.88 IN 67 IN 84.759 MPH 42.37 IN 44.025 IN 43.82 IN -0.08 IN
A61-99D A59-99D A60-99D A62-99D	002	<b>MAXIMUM GVW &amp; AXLE SYSTEM CAPACITIES</b> CALC'D MAX CAPACITY FRONT AXLE(S) TOTAL CALC'D MAX CAPACITY DRIVE AXLE(S) TOTAL CALC'D MAX CAP PUSHER/TAG AXLE(S) TOTAL RATED MAXIMUM VEHICLE CAPACITY - GVWR	20000 LBS 40000 LBS 20000 LBS 80000 LBS
001-472 004-225 007-998 995-1A6 AF3-2CR 002-001 019-007	002	<b>BASE MODEL</b> WESTERN STAR 49X 2025 MODEL YEAR SPECIFIED NO ENGINE MODEL YEAR SPECIFIED WESTERN STAR SEVERE SERVICE WARRANTY TRACTOR ONLY WITH NO BODY UPFIT SET FORWARD AXLE - TRACTOR TRAILER TOWING PROVISION FORWARD OF FIFT H WHEEL/BEHIND BOC & END OF FRAME WITH S AE J560	0 0 0 0 0 0 0
003-001		LH PRIMARY STEERING LOCATION ENGINE	0
101-2YR		DETROIT DD16 15.6L 560 HP @ 1800 RPM, 20 80 GOV RPM, 1850 LB-FT @ 1120 RPM	0
99C-024 99X-024 99Z-006 99D-027		EPA 2010/GHG 2024 CONFIGURATION OBD 2024 VEHICLE IS SUBJECT TO EPA GHG21/GHG24 EPA CLEAN IDLE LABEL - (INCLUDES 6X4 INC	0 0 0 0

Databook	Origin TCO #	Description	Value
9EE-001		H LABEL ON LOWER FORWARD OF DRIVER DOOR)	
28F-015		CEEA+ 667 ELECTRICAL ARCHITECTURE	0
		ENGINE AFTERTREATMENT DEVICE, AUTOMATIC	0
		OVER THE ROAD ACTIVE REGENERATION AND VI	
		RTUAL REGENERATION REQUEST SWITCH IN CLU	
		STER AND DASH MOUNTED INHIBIT SWITCH	
79A-075		75 MPH ROAD SPEED LIMIT	0
79B-000		CRUISE CONTROL SPEED LIMIT SAME AS ROAD	0
		SPEED LIMIT	
79C-998		NO DRIVER FUEL ECONOMY INCENTIVE	0
79D-998		NO PROGRESSIVE SHIFTING	0
79E-998		NO LOW RANGE TORQUE PROTECT	0
79F-013		FLEET MANAGEMENT - DAILY ENGINE USAGE EN	0
		ABLED	
79G-998		NO IDLE SHUTDOWN CONFIGURATION	0
79J-998		NO PTO SHUTDOWN CONFIGURATION	0
79K-007		PTO MODE ENGINE RPM LIMIT - 1100 RPM	0
79L-998		PTO MODE THROTTLE OVERRIDE DISABLED	0
79M-998		PTO MODE BRAKE OVERRIDE - DISABLED	0
79N-998		NO PTO MODE CLUTCH OVERRIDE	0
79P-032		PTO RPM CONTROL WITH STEERING WHEEL SWIT	0
		CHES	
79Q-998		NO PTO RPM WITH CRUISE RESUME SWITCH	0
79R-001		PTO MODE COOLING FAN ENABLE	0
79S-998		NO PTO MODE CANCEL VEHICLE SPEED	0
79T-001		PTO MODE RPM INCREMENT - 25 RPM	0
79U-007		PTO GOVERNOR RAMP RATE - 250 RPM PER SEC	0
		OND	
79V-001	003	FUEL DOSING OF AFTERTREATMENT ENABLED IN	0
		PTO MODE-CLEANS HYDROCARBONS AT HIGH TE	
		MPERATURES ONLY	
79W-016		THREE CLUSTER MENU PTO SPEEDS W/ONE OPER	0
		ATOR SET SPEED	
79X-023		PTO SPEED 1 SETTING - 600 RPM	0
79Y-002		PTO SPEED 2 SETTING - 1000 RPM	0
79Z-023	002	PTO SPEED 3 SETTING - 1050 RPM	0
87W-998		NO PTO MODE ENG RPM LIMIT, PTO 2	0
87X-998		NO PTO MODE ENG RPM LIMIT, PTO 3	0
87Y-998		NO PTO MODE ENG RPM LIMIT, PTOEM	0
87Z-998		NO PTO MODE ENG RPM LIMIT, REMOTE	0
88X-998		NO PTO 1 REMOTE SET SPEED	0
88Y-998		NO PTO 2 REMOTE SET SPEED	0
88Z-998		NO PTO 3 REMOTE SET SPEED	0
85Q-998		NO AMT DEFAULT START GEAR	0
85R-998		NO MAXIMUM START GEAR	0
85U-998		NO AMT COAST DOWN GEAR	0
80A-007		ALTERNATE ROAD SPEED LIMIT - 5 MPH WITH	0
		PTO ENGAGED	
80B-998		NO CHECK ENGINE LIGHT ON OVERSPEED	0
80C-012		ENGINE BRAKE WITH GLOBAL CRUISE CONTROL	0
		ENABLED	
80D-998		NO SOFT CRUISE CONTROL	0
80E-998		NO ENGINE FAN WITH RETARDER	0
80F-998		NO MAINTENANCE MONITOR	0
80G-001		PTO MINIMUM RPM - 600	0
80S-002		PTO 1, DASH SWITCH, ROLLING OPERATION (E	0
		NGAGE WHILE PARKED, ROLL IN NEUTRAL AFTE	
		R ENGAGEMENT)	
80T-998		NO TRANS PTO 2 ENGAGEMENT CONTROLS	0
80U-998		NO PTO 3 CONTROLS	0

Databook	Origin TCO #	Description	Value
80V-998		NO ENGINE PTO MODE ACTIVATION CONTROLS	0
80H-998		NO ACCELERATION MANAGEMENT	0
80J-998		NO REGEN INHIBIT SPEED THRESHOLD	0
80R-998		NO DRIVETRAIN TORQUE PROTECTION	0
80Y-998		NO CRUISE CONT-UPPER/LOWER LIMITS	0
84E-000		PRIMARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE	0
84F-000		SECONDARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE	0
84G-000		PRIMARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE	0
84H-000		SECONDARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE	0
84J-000		ENGINE BRAKE RANGE PRESELECT RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE	0
84K-000		ENGINE BRAKE RANGE ALTERNATE PRESELECT RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE	0
84N-998		NO TCU-ENGINE LOAD REDUCTION FUNCTION	0
85E-007		MAXIMUM ENGINE SPEED FOR PTO ENGAGEMENT 800 RPM	0
85F-020		MAXIMUM ENGINE SPEED FOR PTO OPERATION 1 300 RPM	0
85G-002		MAXIMUM OUTPUT SPEED FOR PTO ENGAGEMENT 75 RPM	0
85H-051		MAXIMUM OUTPUT SPEED FOR PTO OPERATION 1 300 RPM - ALLISON 5TH GEN TRANSMISSIONS	0
85J-001		2ND REVERSE, SELECTOR ONLY	0
85P-998		NO REAR PTO TRANSMISSION RANGE	0
85K-998		NO PTO 1 J1939 CONTROL	0
85L-998		NO PTO 2 J1939 CONTROL	0
85M-998		NO PTO 3 J1939 CONTROL	0
85N-998		NO ENGINE MOUNT PTO J1939 CONTROL	0
13E-001		ENGINE EQUIPMENT STANDARD OIL PAN	0
105-001		ENGINE MOUNTED OIL CHECK AND FILL	0
104-002		FUMOTO DRAIN VALVE(S) ON OIL PAN	0
133-004		ONE PIECE VALVE COVER	0
014-116		SIDE OF HOOD AIR INTAKE WITH ENGINE MOUNTED AIR CLEANER	0
124-1E6		LN 12V 185 AMP BRUSHLESS 2333GH PAD MOUNTED ALTERNATOR WITH REMOTE BATTERY VOLT SENSE, LAMP TERMINAL AND HEX SHAFT	0
292-222		(3) DTNA GENUINE, HIGH TEMP AGM STARTING AND CYCLING, MIN 2775CCA, 570RC, THREADED STUD BATTERIES	0
29H-998		NO AUXILIARY BATTERIES	0
290-1AC		PASSENGER SEAT BATTERY BOX VENTED TO OUTSIDE OF CAB	0
29G-998		NO AUXILIARY BATTERY BOX	0
282-013		BATTERY BOX MOUNTED UNDER PASSENGER SEAT	0
29E-998		NO AUXILIARY BATTERY BOX MOUNTING/LOCATION	0
291-017		WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN	0

Databook	Origin TCO #	Description	Value
289-006		PLASTIC BATTERY BOX COVER	0
29F-998		NO AUXILIARY BATTERY BOX COVER	0
293-058		NON-ESSENTIAL POSTIVE LOAD DISCONNECT, I N CAB CONTROL SWITCH MOUNTED OUTBOARD OF DRIVER SEAT	0
295-029		POSITIVE AND NEGATIVE POSTS FOR JUMPSTAR T LOCATED ON FRAME NEXT TO STARTER	0
306-998		NO BATTERY/ISOLATOR CONTROL	0
28E-001		12V POWERNET ARCHITECTURE	0
80X-998		NO BATTERY MANAGEMENT SYSTEM	0
180-998		NO CLUTCH	0
18B-998		NO MINIMUM CLUTCH TORQUE RATING REQUEST	0
183-998		NO CLUTCH BRAKE	0
181-998		NO CLUTCH RELEASE BEARING LUBE	0
182-998		NO CLUTCH RELEASE	0
107-042		BW LK-862 650CC 34.8 CFM DUAL CYLINDER A IR COMPRESSOR	0
108-002		STANDARD MECHANICAL AIR COMPRESSOR GOVER NOR	0
131-013		AIR COMPRESSOR DISCHARGE LINE	0
152-041		ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROT ECTION SYSTEM	0
128-002		JACOBS COMPRESSION BRAKE	0
016-1C4		RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL L AFTERTREATMENT SYSTEM ASSEMBLY WITH DU AL CAB MOUNTED VERTICAL TAILPIPES	0
239-038		11 FOOT 06 INCH (138 INCH+0/-5.9 INCH) E XHAUST SYSTEM HEIGHT	0
233-020		30 DEGREE CURVE BRIGHT UPPER STACK(S) AN D ELBOW(S)	0
237-1DB		DUAL 30 DEGREE CURVED VERTICAL TAILPIPES B-PILLAR MOUNTED	0
23U-003	002	23 GALLON DIESEL EXHAUST FLUID TANK	0
43W-001		STANDARD DIESEL EXHAUST FLUID SYSTEM COO LANT PLUMBING	0
30N-003		100 PERCENT DIESEL EXHAUST FLUID FILL	0
23Z-006		POLISHED ALUMINUM WST DIESEL EXHAUST FLU ID TANK COVER	0
43X-001		LH HEAVY DUTY STANDARD DIESEL EXHAUST FL UID TANK LOCATION	0
43Y-001		STANDARD DIESEL EXHAUST FLUID TANK CAP	0
242-050		PERFORATED DUAL STAINLESS STEEL MUFFLER/ TAILPIPE SHIELDS WITH WESTERN STAR LOGO	0
273-059		ELECTRONICALLY CONTROLLED VARIABLE SPEED VISCIOUS FAN DRIVE	0
276-002		AUTOMATIC FAN CONTROL WITH DASH SWITCH A ND INDICATOR LIGHT, NON ENGINE MOUNTED	0
110-068		DDC SUPPLIED ENGINE MOUNTED FUEL FILTER/ FUEL WATER SEPARATOR WITH WATER-IN-FUEL INDICATOR	0
118-001		FULL FLOW OIL FILTER	0
266-108		1600 SQUARE INCH VOCATIONAL RADIATOR	0
103-036		ANTIFREEZE TO -34F, ETHYLENE GLYCOL PRE- CHARGED SCA HEAVY DUTY COOLANT	0
171-007		GATES BLUE STRIPE COOLANT HOSES OR EQUIV ALENT	0
172-001		CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES	0
261-001		STANDARD CHARGE AIR COOLER PLUMBING	0
270-023		HDEP FIXED RATIO COOLANT PUMP AND RADIAT	0

Databook	Origin TCO #	Description	Value
		<b>OR DRAIN VALVE</b>	
173-998		NO TRAILER HEAT PROVISION	0
168-014		ONE PIECE STEEL CONSTRUCTION SKID PLATE <b>AND RADIATOR SCREEN</b>	0
360-998		NO FRONT ENGINE PTO	0
361-998		NO REAR ENGINE PTO	0
138-041		PHILLIPS-TEMRO 1500 WATT/115 VOLT BLOCK <b>HEATER WITH THERMOSTAT</b>	0
141-998		NO COOLANT HEATER - GAS/DSL	0
166-998		NO OIL PREHEATER	0
140-022		CHROME ENGINE HEATER RECEPTACLE MOUNTED <b>UNDER LH DOOR</b>	0
134-001		ALUMINUM FLYWHEEL HOUSING	0
132-998		NO AIR INTAKE WARMER	0
155-075		MITSUBISHI 12V MOD 3.175-DP60 STARTER WI <b>TH INTEGRATED MAGNETIC SWITCH</b>	0
185-004		STANDARD FOOT PEDAL SYSTEM	0
106-002		ELECTRONIC ACCELERATOR CONTROL <b>TRANSMISSION &amp; EQUIPMENT</b>	0
342-1NC		ALLISON 4700 RDS AUTOMATIC TRANSMISSION <b>WITH PTO PROVISION</b>	0
343-339		ALLISON VOCATIONAL PACKAGE 223 - AVAILAB <b>LE ON 3000/4000 PRODUCT FAMILIES WITH VO</b>	0
84B-006		CATIONAL MODELS RDS, HS, MH AND TRV ALLISON VOCATIONAL RATING FOR HEAVY EQUI <b>PMENT TRANSPORT APPLICATIONS ONLY AVAILA</b>	0
84C-039		<b>BLE WITH 3000/4000 PRODUCT FAMILIES</b> PRIMARY MODE GEARS, LOWEST GEAR 1, START <b>GEAR 2, HIGHEST GEAR 7, AVAILABLE FOR 4</b>	0
84D-039		<b>700/4800 AND 9-SPEED PRODUCT FAMILIES ON</b> <b>LY</b> SECONDARY MODE GEARS, LOWEST GEAR 1, STA <b>RT GEAR 2, HIGHEST GEAR 7, AVAILABLE FOR</b>	0
97G-004		<b>4700 AND 9-SPEED PRODUCT FAMILIES ONLY</b> TRANSMISSION PROGNOSTICS - ENABLED 2013	0
QUOTE		POTENTIAL QUOTE BTID 2310041416	
QUOTE		POTENTIAL QUOTE BTID 2311091351	
QUOTE		POTENTIAL QUOTE BTID 2311170621	
QUOTE		POTENTIAL QUOTE BTID 2311280632	
85V-998		NO AMT LOW MODE	0
85W-998		NO AMT MANUAL MODE	0
85X-998		NO AMT DRIVE MODE	0
85Y-998		NO AMT REVERSE MODE	0
85T-998		NO AMT HOLD MODE	0
86Q-998		NO TCU - AMT SHIFT CALIBRATION	0
34V-047		ALLISON 6TH GEN C72M	0
QUOTE		POTENTIAL QUOTE BTID 2310041416	
QUOTE		POTENTIAL QUOTE BTID 2311091351	
QUOTE		POTENTIAL QUOTE BTID 2311170621	
QUOTE		POTENTIAL QUOTE BTID 2311280632	
QUOTE		POTENTIAL QUOTE BTID 2405070704	
34C-011		ELECTRONIC TRANSMISSION WIRING TO POWERT <b>RAIN INTERFACE CONNECTOR</b>	0
345-078		HEAVY DUTY ELECTRONIC TRANSMISSION SHIFT <b>CONTROL, COLUMN MOUNTED</b>	0
347-998		NO CLUTCH HOUSING MATERIAL	0
370-006		WATER TO OIL TRANSMISSION COOLER	0
346-003		TRANSMISSION OIL CHECK AND FILL WITH ELE <b>CTRONIC OIL LEVEL CHECK</b>	0
368-998		NO EXTERNAL TRANSMISSION OIL FILTER	0

Databook	Origin TCO #	Description	Value
35T-001		ATF-SYNTHETIC AUTOMATIC TRANSMISSION FLUID	0
341-018		MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN	0
84T-000		DISABLE - NEUTRAL RANGE ASSIST	0
84U-000		DRIVER SWITCH INPUT - DEFAULT - NO SWITCHES	0
84V-001		DIRECTION CHANGE ENABLED WITH MULTIPLEXED SERVICE BRAKES - ALLISON 5TH GEN TRANSMISSIONS	0
84W-001		AUXILIARY FUNCTION RANGE INHIBIT WITH MULTIPLEXED SERVICE BRAKES - ALLISON 5TH GEN TRANSMISSIONS	0
85D-001		SINGLE INPUT AUTOMATIC NEUTRAL WITH SELECTOR OVERRIDE WITH MULTIPLEXED PARK BRAKE - ALLISON 5TH GEN TRANSMISSIONS	0
68L-998		NO AUX ELECTRICAL VAULT CLEAR SPACE REQUIREMENT	0
353-074		QUICKFIT BODY LIGHTING CONNECTOR UNDER CAB, WITH BLUNTCUTS	0
362-823		CUSTOMER INSTALLED CHELSEA 280 SERIES PTO	0
363-001		PTO MOUNTING, LH SIDE OF MAIN TRANSMISSION ON ALLISON	0
372-123		PTO CONTROLS FOR ENHANCED VEHICLE ELECTRIC/ELECTRONIC ARCHITECTURE	0
352-998		NO AUXILIARY TRANSMISSION	0
375-998		NO AUXILIARY OIL COOLER	0
373-998		NO TRANSFER CASE	0
376-998		NO SHIFT CONTROL, TRANSFER CASE	0
377-998		NO POWER DIVIDER	0
348-998		NO TRANSMISSION ACCESSORIES	0
374-998		NO TRANSFER CASE SUPPORT	0
385-998		NO MAIN DRIVELINE HARDWARE	0
400-1BB		FRONT AXLE, SUSPENSION & EQUIPMENT	0
389-998		DETROIT DA-F-20.0-5 20,000# FL1 71.0 KPI /3.74 DROP SINGLE FRONT AXLE	0
402-1B1		NO FRONT AXLE DRIVESHAFT	0
403-043		MERITOR EX-L AIR DISC FRONT BRAKES	0
419-004		2011/2013-FMVSS 121 RSD FRONT BRAKE LINING	0
427-001		FRONT DISC BRAKE ROTORS	0
409-006		FRONT BRAKE DUST SHIELDS	0
408-001		FRONT OIL SEALS	0
416-022		VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL	0
404-094		STANDARD SPINDLE NUTS FOR ALL AXLES	0
405-030		AIR DISC LONGSTROKE FRONT BRAKE CHAMBERS	0
536-105		FRONT AIR DISC BRAKE INTERNAL ADJUSTERS	0
537-005		DUAL HIGH CAPACITY POWER STEERING GEARS, BENDIX, 20-23K	0
539-003		STEEL STEERING SHAFT	0
534-003		POWER STEERING PUMP	0
533-001		4 QUART POWER STEERING RESERVOIR	0
40T-002		OIL/AIR POWER STEERING COOLER	0
620-025		CURRENT AVAILABLE SYNTHETIC 75W-90 FRONT AXLE LUBE	0
62J-998		20,000# TAPERLEAF FRONT SUSPENSION	0
619-005		NO TANDEM AXLE SPACING	0
		MAINTENANCE FREE RUBBER BUSHINGS - FRONT	0

Databook	Origin TCO #	Description	Value
		<b>SUSPENSION</b>	
410-001		FRONT SHOCK ABSORBERS	0
909-998		NO FRONT AIR SUSPENSION LEVELING VALVE	0
		<b>REAR AXLE, SUSPENSION &amp; EQUIPMENT</b>	
420-059		MERITOR RT-46-164P 46,000# R-SERIES TAND	0
		<b>EM REAR AXLE WITH PUMP</b>	
421-489		4.89 REAR AXLE RATIO	0
424-001		IRON REAR AXLE CARRIER WITH STANDARD AXL	0
		<b>E HOUSING</b>	
42T-001		STANDARD REAR AXLE BREATHER(S)	0
386-089		SPL250 HT XL DANA SPICER MAIN DRIVELINE	0
388-012		SPL170 XL DANA SPICER INTERAXLE DRIVELIN	0
		<b>E WITH HALF ROUND YOKES</b>	
382-998		NO (#1) DRIVELINE	0
452-006		DRIVER CONTROLLED TRACTION DIFFERENTIAL	0
		<b>- BOTH TANDEM REAR AXLES</b>	
878-023		(1) INTERAXLE LOCK VALVE, (1) DRIVER CON	0
		<b>TROLLED DIFFERENTIAL LOCK FORWARD-REAR A</b>	
		<b>ND REAR-REAR AXLE VALVE</b>	
87A-005	002	INDICATOR LIGHT FOR EACH INTERAXLE LOCKO	0
		<b>UT SWITCH</b>	
87B-008		INDICATOR LIGHT FOR EACH DIFFERENTIAL LO	0
		<b>CKOUT SWITCH</b>	
423-1A4		MERITOR EX-L OPTIMIZED AXIAL AIR DISC RE	0
		<b>AR BRAKES</b>	
433-043		2011/2013-FMVSS 121 RSD REAR BRAKE LININ	0
		<b>GS</b>	
434-003		STANDARD BRAKE CHAMBER LOCATION	0
451-005		REAR DISC BRAKE ROTORS	0
425-002		REAR BRAKE DUST SHIELDS	0
440-006		REAR OIL SEALS	0
426-094		AIR DISC LONGSTROKE 2-DRIVE AXLES SPRING	0
		<b>PARKING CHAMBERS</b>	
428-030		REAR AIR DISC BRAKE INTERNAL ADJUSTERS	0
41T-002		CURRENT AVAILABLE SYNTHETIC 75W-90 REAR	0
		<b>AXLE LUBE</b>	
622-1K3		NEWAY ADZ 252 52,000# REAR AIR SUSPENSIO	0
		<b>N</b>	
621-109		10.2 INCH NOMINAL RIDE HEIGHT (475MM GLO	0
		<b>BAL REFERENCE HEIGHT)</b>	
431-001		STANDARD AXLE SEATS IN AXLE CLAMP GROUP	0
624-010		60 INCH AXLE SPACING	0
628-998		NO SUSPENSION BEAMS	0
888-078		IGNITION CONTROLLED ELECTRIC DUMP SWITCH	0
		<b>FOR AIR SUSPENSION WITH STATE RETENTION</b>	
		<b>AND GAUGE</b>	
87D-012		REAR AIR SUSPENSION DUMP VALVE AUTOFILL	0
		<b>&gt;5 MPH WITH INDICATOR LIGHT</b>	
910-012		DUAL AIR REAR SUSPENSION LEVELING VALVES	0
		<b>WITH INLINE FILTER</b>	
924-007		UPFIT ROUTING AND CLIPPING BRACKET, LH,	0
		<b>BOC TO SUSPENSION, UPPER &amp; LOWER SUPPORT</b>	
		<b>S</b>	
928-007		UPFIT ROUTING AND CLIPPING BRACKET, RH,	0
		<b>BOC TO SUSPENSION, UPPER &amp; LOWER SUPPORT</b>	
		<b>S</b>	
623-006		FORE/AFT AND TRANSVERSE CONTROL RODS	0
630-998		NO REAR SUSPENSION STABILIZER	0
625-998		NO REAR SUSPENSION OPTIONS	0
439-005		REAR SHOCK ABSORBERS - TWO AXLES (TANDEM	0

Databook	Origin TCO #	Description	Value
035-193		) (AIR RIDE SUSPENSION) HENDRICKSON FM20 TOUGHLIFT 20,000# NON-S TEER PUSHER SUSPENSION, N-SERIES DROP CE NTER AXLE	0
443-181		N-SERIES NON-STEER INTEGRAL DROP CENTER PUSHER AXLE	0
456-1AH		HENDRICKSON 16.5X7 CAM PUSHER/TAG BRAKES , DOUBLE ANCHOR, FABRICATED SHOES	0
457-002		NON-ASBESTOS PUSHER/TAG BRAKE LINING	0
448-023		CONMET CAST IRON PUSHER/TAG BRAKE DRUMS	0
429-001		PUSHER/TAG BRAKE DUST SHIELDS	0
442-016		PUSHER/TAG OIL SEALS	0
444-001		VENTED PUSHER/TAG HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL	0
445-074		HALDEX GOLDSEAL LONGSTROKE PUSHER/TAG AX LE SPRING PARKING CHAMBERS	0
458-010		BENDIX VERSAJUST AUTOMATIC PUSHER/TAG SL ACK ADJUSTERS	0
626-190		HENDRICKSON FM20 TOUGHLIFT 20,000# NON-S TEER AIR LIFT PUSHER SUSPENSION	0
627-004		60 INCH AXLE SPACING PUSHER/TAG	0
874-015		(1) DASH VALVE AND (1) PHYSICAL GAUGE FO R SINGLE LIFT AXLE	0
87F-011		LIFT AXLE WIRING, LIFT AXLE MAINTAINS TH E CURRENT POSITION WHEN VEHICLE IS PUT I N REVERSE, LAST STATE RETENTION WITH IGN ITION OFF	0
896-015		(1)REGULATOR AND (1)GAUGE MOUNTED ON CHA SSIS FOR SINGLE LIFT AXLE BRAKE SYSTEM	0
490-1AV		WABCO 6S/6M ABS WITH TRACTION CONTROL WI TH ATC SHUT OFF SWITCH	0
871-001		REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES	0
904-001		FIBER BRAID PARKING BRAKE HOSE	0
412-001		STANDARD BRAKE SYSTEM VALVES	0
413-002		STD U.S. FRONT BRAKE VALVE	0
432-014		(2) RELAY VALVES; ONE 5-8 PSI FOR TANDEM AXLE AND ONE 3-4.5 PSI CRACK FOR PUSHER /TAG	0
480-031		WABCO TWIN AIR DRYER WITH HEATER	0
479-015	002	AIR DRYER FRAME MOUNTED	0
483-004		WABCO OIL COALESCING FILTER FOR AIR DRYE R	0
460-091		ALUMNUM AIR BRAKE RESERVOIRS, NO TRIPLE OR TORPEDO TANKS	0
46A-998		NO AUXILIARY AIR TANK	0
5CF-001		CLEAR FRAME SPACE REQUESTED	0
5LA-032	004	CFS,LH,OB,#1,START 32" BOC	0
5LB-012	004	CFS,LH,OB,#1, 12" LONG	0
5MA-001		CFS,RH,OB,#1,START 1" BOC	0
5MB-013		CFS,RH,OB,#1, 13" LONG	0
5MG-001		CFS,RH,OB,#2,START 1" BOC	0
5MH-012		CFS,RH,OB,#2, 12" LONG	0
6CF-998		NO FRAME COMPONENT LOCATION REQUESTS (SC O)	0
46D-002		STANDARD AIR SYSTEM PRESSURE PROTECTION SYSTEM	0
477-001		PULL CABLE ON WET TANK, PETCOCK DRAIN VA LVES ON ALL OTHER AIR TANKS	0

Databook	Origin TCO #	Description	Value
485-037		CAB BLOW OUT KIT WITH AIR HOSE AND NOZZLE INSIDE DRIVER CAB ENTRY DOOR	0
481-092		GLAD HANDS ONLY FOR 3-IN-1 PRIMARY TRAILER CABLE	0
476-093		40 INCH CHROME POGOSTICK WITH U-BOLT HOLDER MOUNTED BETWEEN RAILS ON STRADDLE BRACKET	0
914-020		TRAILER GLAD HANDS AT BACK OF CAB AND END OF FRAME PLUMBED TO OPERATE ONE CONNECTION LOCATION AT A TIME	0
919-998		NO OPTIONAL CHASSIS AIR SYSTEM PIPING, VALVES, OR AIR UNLOADER SYSTEM	0
87G-998		NO WIRING/SWITCH-CHASS,OPT,AIR PP	0
87T-998		NO WRG/SW-OPTL #2,CHAS,AIR	0
484-022		COMBINATION GLAD HANDS AND LIGHT PLUG HOLDER MOUNTED ON HOSETENNA	0
296-010		PRIMARY CONNECTOR/RECEPTACLE WIRED FOR SEPARATE STOP/TURN, ABS CENTER PIN POWERED THROUGH IGNITION	0
297-132		SAE J560 7-WAY PRIMARY TRAILER CABLE RECEPTACLE MOUNTED BACK OF CAB/BACK OF SLEEPER	0
35M-010		1 QUICKFIT PROGRAMABLE MODULE (QPM/XMC)	0
32A-007		SIGNAL DETECTION AND ACTUATION MODULE	0
48H-003		QUICKFIT POWERTRAIN INTERFACE CONNECTOR UNDER CAB WITH CAPS	0
44Z-002		EXTERIOR HARNESSES WRAPPED IN ABRASION TAPE	0
308-998		NO SUPPLEMENTAL TRAILER CABLE WIRING	0
1AZ-003		PAINTED STRADDLE BRACKET LOCATED 36" BACK OF CAB/BACK OF SLEEPER	0
339-998		NO INTERLOCK/ELECTRICAL LOAD MANAGER	0
33M-998		NO AUXILIARY POWER DISTRIBUTION MANAGEMENT	0
331-998		NO SUPPLEMENTAL J560 7-WAY TRAILER ABS RECEPTACLE	0
303-025		SAE J560 7-WAY PRIMARY TRAILER CABLE RECEPTACLE MOUNTED END OF FRAME	0
30K-998		NO HIGH CURRENT RECEPTACLE/WIRING	0
30L-998		NO HIGH CURRENT TRAILER/BODY CABLE	0
334-998		NO ADDITIONAL SUPPLEMENTAL 7-WAY TRAILER CABLE RECEPTACLE	0
310-094		15 FOOT PHILLIPS #30-2171 DETACHABLE 7-WAY 3-IN-1 TRAILER CABLE	0
309-998		NO SUPPLEMENTAL TRAILER ELEC CABLE FRAME & WHEELBASE	0
545-139	002	6340MM (250 INCH) WHEELBASE, SFA ONLY	0
546-106		13.0MM X 87.0MM X 311.0MM STEEL FRAME (0.51X3.43X12.24 INCH) 120 KSI	0
547-037		0.236 INCH (6.00MM) C-CHANNEL INNER FRAME REINFORCEMENT	0
548-998		NO OUTER FRAME REINFORCEMENT	0
549-998		NO FRONT FRAME EXTENSION	0
552-030		1600MM (63 INCH) REAR FRAME OVERHANG	0
QUOTE		POTENTIAL QUOTE BTID 2310041416	
QUOTE		POTENTIAL QUOTE BTID 2310041416	
QUOTE		POTENTIAL QUOTE BTID 2311091351	
QUOTE		POTENTIAL QUOTE BTID 2311170621	
QUOTE		POTENTIAL QUOTE BTID 2311280632	
QUOTE		POTENTIAL QUOTE BTID 2405070704	

Databook	Origin TCO #	Description	Value
AB8-99D	002	CALC'D FRAME SLOPE @ FRT/RR SUSP RATINGS	0.268 %
553-031		FLANGE TAPERED END OF FRAME, GRIND AND P OLISH WELDS	0
559-004		HEAVY DUTY DUCTILE IRON ENGINE CROSSMEMB ER	0
562-001		STANDARD MIDSHIP #1 CROSSMEMBER(S)	0
561-007		HEAVY DUTY BACK OF TRANSMISSION CROSSMEM BER	0
565-001		STANDARD SUSPENSION CROSSMEMBER	0
568-001		STANDARD WEIGHT REAR SUSPENSION CROSSMEM BER	0
572-036	002	HEAVY DUTY REAR CROSSMEMBER	0
587-998		NO REAR TOWING DEVICE	0
588-998		NO REAR TOW DEVICE HEIGHT	0
		<b>CHASSIS EQUIPMENT</b>	
674-019		LH BACK OF CAB ACCESS, GRAB HANDLES WITH SINGLE RUBBER INSERT	0
592-059		56 INCH (1400MM) DECK PLATE FLUSH MOUNTE D BETWEEN RAILS	0
556-143		BRIGHT STEEL 1/4 INCH LOGGER BUMPER	0
557-998		NO BUMPER STEP(S)	0
558-027		REMOVABLE CENTERED FRONT TOW PIN FOR LOG GER BUMPER	0
55E-998		NO BUMPER MOUNTING BRACKETS	0
574-001		BUMPER MOUNTING FOR SINGLE LICENSE PLATE	0
585-043	002	BETTS B-35 PAINTED MUDFLAP BRACKETS	0
590-032		WESTERN STAR LOGO BLACK MUDFLAPS	0
586-015		FRONT ANTI-SPRAY CAB MOUNTED MUDFLAPS	0
59Y-001		LOGGER BUMPER MOUNTED MUDFLAPS	0
576-998		NO TIRE CHAINS/HANGER	0
551-034		CLASS 10.9 THREADED METRIC FASTENERS	0
583-998		NO REAR QUARTER FENDERS	0
602-998		NO TOOL/STORAGE BOX #1	0
61B-998		NO TOOL/STORAGE BOX #1 MOUNTING LOCATION	0
025-002		POLISHED ALUMINUM WST EQUIPMENT COVERS	0
603-998		NO TOOL/STORAGE BOX #2	0
61C-998		NO TOOL/STORAGE BOX #2 MOUNTING LOCATION	0
599-998		NO AUXILIARY FUEL DRIVEN POWER UNIT	0
69N-998		NO AUXILIARY POWER UNIT PLUMBING	0
600-998		NO CAB GUARD	0
489-998		NO TIRE PRESSURE CONTROL/SENSOR	0
50W-998		NO RIM/WHEEL TIRE PRESSURE SENSOR	0
794-998		NO JACK OR WHEEL WRENCH PROVISION	0
605-998		CHASSIS,MISC CUSTOM REQUIREMENTS-NONE	0
606-998		NO DRILLING PREP FOR CUSTOMER INSTALLED <b>BODY/EQUIPMENT</b>	0
601-998		NO BODY BUILDER DIAGRAMS <b>FIFTH WHEEL &amp; EQUIPMENT</b>	0
578-369		HOLLAND FW70R/S 72 INCH SEVERE DUTY AIR SLIDE	0
577-043	002	FIFTH WHEEL 1524MM (60.0 INCHES) AHEAD O F SUSPENSION CENTERLINE	0
580-998		NO ADDITIONAL FIFTH WHEEL DRILLINGS	0
582-1AB	002	216MM (8.50 INCH) FIFTH WHEEL HEIGHT	0
QUOTE		POTENTIAL QUOTE BTID 2405070704	
QUOTE		POTENTIAL QUOTE BTID 2405070704	
A03-99D	002	CALC'D UNLADEN 5TH WHEEL HEIGHT +/-0.5"	52.32 IN
570-002	002	INBOARD ANGLE - FIFTH WHEEL MOUNTING	0
890-001		DASH MOUNTED CONTROL AND PLUMBING FOR FI FTH WHEEL	0

<b>Databook</b>	<b>Origin TCO #</b>	<b>Description</b>	<b>Value</b>
579-005		LH FIFTH WHEEL RELEASE	0
591-998		NO FIFTH WHEEL ADD-ONS	0
581-998		NO FIFTH WHEEL RAMP	0
		<b>FUEL TANK(S) &amp; EQUIPMENT</b>	
206-151	002	60 GALLON/227 LITER ALUMINUM FUEL TANK - <b>RH</b>	0
201-998		NO RH AUXILIARY FUEL TANK	0
204-162	002	150 GALLON/567 LITER ALUMINUM FUEL TANK <b>- LH</b>	0
200-998		NO LH AUXILIARY FUEL TANK	0
203-998		NO HYDRAULIC OIL TANK	0
218-006		25 INCH DIAMETER FUEL TANK(S)	0
215-006		POLISHING OF FUEL/HYDRAULIC TANK(S) WITH <b>POLISHED STAINLESS STEEL BANDS</b>	0
212-014		LH FUEL TANK MOUNTED FORWARD, RH FUEL TA NK MOUNTED AFT	0
232-998		NO ADDITIONAL FUEL PROVIDED	0
664-002		POLISHED STEP FINISH	0
207-998		NO FUEL TANK SCREENS	0
211-998		NO FUEL TANK COMPRESSION BRACE	0
205-001		FUEL TANK CAP(S)	0
220-998		NO FUEL HEATER	0
122-124		DAVCO 385 FUEL/WATER SEPARATOR WITH ESOC <b>AND 12 VOLT PREHEATER</b>	0
216-020		EQUIFLO INBOARD FUEL SYSTEM	0
20E-998		NO AUXILIARY FUEL SUPPLY AND RETURN PORT <b>S</b>	0
202-016		HIGH TEMPERATURE REINFORCED NYLON FUEL L INE	0
213-998		NO FUEL LINE INSULATION	0
221-998		NO FUEL COOLER	0
20A-998		NO FUEL TANK MOUNTING, AUX, LH	0
20B-998		NO FUEL TANK MOUNTING, AUX, RH	0
		<b>TIRES</b>	
093-16E		MICHELIN XZE 425/65R22.5 20 PLY RADIAL F RONT TIRES	0
094-2BV		MICHELIN XDS2 11R24.5 16 PLY RADIAL REAR TIRES	0
095-0BN		MICHELIN XZE 255/70R22.5 16 PLY RADIAL P USHER/TAG TIRES	0
527-002		TIRE QTY - FRONT AXLE: 2	0
528-008		TIRE QTY - REAR AXLE: 8	0
529-004		TIRE QTY - PUSHER AXLE: 4	0
		<b>HUBS</b>	
418-060		CONMET PRESET PLUS PREMIUM IRON FRONT HU BS	0
450-058		CONMET PRESET PLUS PREMIUM ALUMINUM REAR HUBS	0
449-058		CONMET PRESET PLUS PREMIUM ALUMINUM PUSH ER/TAG HUBS	0
		<b>WHEELS</b>	
502-1H5		ALCOA LVL ONE 82462X 22.5X12.25 10-HUB P ILOT 4.68 INSET 10-HAND ALUMINUM DISC FR ONT WHEELS	0
505-358		ALCOA ULTRA ONE 98U63X 24.5X8.25 10-HUB PILOT ALUMINUM REAR WHEELS	0
509-1N4		ALCOA LVL ONE 88565XDF 22.5X8.25 10-HUB PILOT HD 5.71 INSET DURAFLANGE ALUMINUM DISC PUSHER/TAG WHEELS	0
511-998		NO SPARE WHEEL	0

Databook	Origin TCO #	Description	Value
51A-998		NO ADDITIONAL SPARE WHEEL	0
524-022		POLISHED DISC SIDE FRONT WHEELS WITH DUR A-BRIGHT FINISH	0
525-023		POLISHED OUTER (DISHED SIDE) REAR WHEELS WITH OUTER ONLY DURA-BRIGHT FINISH	0
526-023		POLISHED OUTER (DISHED SIDE) PUSHER/TAG WHEELS WITH OUTER ONLY DURA-BRIGHT FINIS H	0
50T-998		NO FRONT AXLE WHEEL/HUB COVER	0
50U-998		NO REAR AXLE WHEEL/HUB COVER	0
50X-998		NO WHEEL/HUB COVER-PUSHER/TAG	0
52L-998		NO POLISHED, BRIGHT STANDARD POLISH, CLE AN BUFF OR BRUSHED FINISH SPARE WHEEL	0
496-011		FRONT WHEEL MOUNTING NUTS	0
497-011		REAR WHEEL MOUNTING NUTS	0
495-011		PUSHER/TAG WHEEL MOUNTING NUTS	0
498-998		NO TIRE VALVE STEM/CAP/EXTENSIONS CAB EXTERIOR	0
829-116		121.5" BBC ALUMINUM CONVENTIONAL CAB	0
825-004		TRENCH STYLE LOW ROOF	0
653-004		RH CAB DOOR(S) WITH 70 DEGREE DOOR STOP	0
651-004		LH CAB DOOR(S) WITH 70 DEGREE DOOR STOP	0
055-016		X-SERIES PREMIUM TRIM LEVEL PACKAGE	0
682-998		NO SLEEPER BOX/SLEEPER CAB	0
784-998		NO AIR SHIELD OR BRACKETS	0
783-998		NO SIDE EXTENDERS	0
82A-028		STAINLESS STEEL CAB ACCENT MOLDING	0
704-998		NO BAGGAGE DOOR	0
650-008		AIR CAB MOUNTING	0
705-998		NO MISCELLANEOUS CUSTOM CAB REQUIREMENTS	0
648-002		NONREMOVABLE BUGSCREEN MOUNTED BEHIND GR ILLE	0
695-998		NO SLEEPER DOOR	0
667-001		FRONT FENDERS	0
754-017		BOLT-ON MOLDED FLEXIBLE FENDER EXTENSION S	0
678-053		INTERIOR LH AND RH A PILLAR GRAB HANDLES	0
645-005		STAINLESS STEEL RADIATOR SHELL/HOOD BEZE L	0
646-006		STAINLESS STEEL GRILLE	0
82D-017	002	PDI INSTALLED STAINLESS STEEL AIR INTAKE SCREEN RED LED MARKER/TURN LIGHT BAR PA IR 47X/49X/57X - DIETER ABP-WSS564	0
649-998		NO RADIATOR GRILLE GUARD	0
640-016		X-SERIES STEEL REINFORCED ALUMINUM CAB	0
644-080	002	X-SERIES POWER HOOD	0
67U-001		HOOD OPENING ASSIST WITH LOCKING STRUT	0
643-002		HEAVY DUTY HOOD MOUNTING	0
65X-010		BRIGHT HOOD MOUNTED AIR INTAKE GRILLE, B LACK SCREEN, WITH LED ACCENT LIGHTS	0
64A-998	005	NO HOOD MOUNTED BUG DEFLECTOR	0
652-016		WESTERN STAR NAMEPLATES	0
690-010		ENGINE COMPARTMENT PREMIUM NOISE ABATEME NT AND INSULATION	0
727-096		DUAL ROUND AIR HORNS, SINGLE BASE, MOUNT ED UNDER CAB	0
726-002		DUAL ELECTRIC HORNS	0
657-001		DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME	0
78G-004		KEY QUANTITY OF 4	0

Databook	Origin TCO #	Description	Value
575-001		REAR LICENSE PLATE MOUNT END OF FRAME	0
327-064		DUAL AMBER LED CLASS I STROBE LIGHTS WITH STAINLESS STEEL BRACKETS ABOVE CAB DOORS	0
312-095		DUAL STAGE INTELLIGENT LED HEADLIGHTS WITH HEATED LENS SYSTEM	0
302-073		VISOR MOUNTED LED MARKER LIGHTS	0
305-031		LED ACCENT LIGHT ON HOOD MOUNTED AIR INTAKE	0
314-808		WIRING AND SWITCH ONLY FOR CUSTOMER FURNISHED DRIVING/ROAD LIGHTS	0
315-998		NO FOG LIGHTS	0
311-998	002	NO DAYTIME RUNNING LIGHTS	0
316-998		NO SPOTLIGHTS	0
294-1A2	002	INDIVIDUAL LED STOP/TURN/BACKUP LIGHTS GRIMMET MOUNTED IN BOX UNDER END OF FRAME	0
300-061		LED REAR FACING TURN SIGNAL LAMPS IN CONVEX MIRROR LENS IN ADDITION TO STANDARD SWITCH, INDICATOR LIGHT AND APPROXIMATELY 10 FEET OF WIRE ON CHASSIS LH AT BACK OF CAB FOR CUSTOMER FURNISHED UTILITY LIGHT(S)	0
318-1AD			0
31K-001		(2) CHROME LED UTILITY LIGHTS WITH STAINLESS STEEL ANTI-GLARE SHIELDS MOUNTED ON MIRROR ARMS	0
596-998		NO LOAD LOCK CARRIERS	0
744-104		C-BAR MIRROR SYSTEM WITH DUAL HEATED MIRRORS WITH INTEGRAL HEATED CONVEX, DUAL REMOTE, TURN SIGNAL, STAINLESS STEEL BACK COVER, AND BRIGHT C-BAR	0
797-001		DOOR MOUNTED MIRRORS	0
796-001		102 INCH EQUIPMENT WIDTH	0
743-209		LH AND RH CONVEX MIRRORS INTEGRAL WITH PRIMARY MIRRORS	0
74A-001		RH DOWN VIEW MIRROR	0
74B-998		NO AUXILIARY MIRROR	0
712-998		NO CUSTOM NAMEPLATE	0
713-998		NO PERMIT PLAQUE	0
729-001		STANDARD SIDE/REAR REFLECTORS	0
73A-002		REAR REFLECTIVE DEVICE	0
787-998		NO SECURITY DEVICE	0
677-099		POLISHED ALUMINUM W/ST AFTERTREATMENT SYSTEM COVER	0
275-998		NO EMERGENCY WARNING SIRENS	0
776-998		NO SLEEPER VENT	0
764-020		STAINLESS STEEL EXTERIOR SUN VISOR WITH INTEGRAL MARKER LIGHTS	0
768-064	002	SINGLE SOLAR TINTED REAR WINDOW, (1) 31 INCH X 20 INCH	0
661-016		SOLAR TINTED DOOR GLASS LH AND RH WITH TINTED FORWARD SIDE GLASS	0
654-011		RH AND LH ELECTRIC POWERED WINDOWS	0
76Z-998		NO SIDE SLEEPER CAP WINDOWS	0
767-998		NO SIDE WINDOW	0
663-019		1-PIECE ROPED-IN SOLAR GREEN GLASS WINDSHIELD	0
659-006		8 LITER (2 GAL) WINDSHIELD WASHER RESERVOIR, CAB MOUNTED, WITH FLUID LEVEL INDICATOR	0
647-998		NO WINTERFRONT	0

Databook	Origin TCO #	Description	Value
		<b>CAB INTERIOR</b>	
707-1C4		CHARCOAL BLACK VINYL UP LEVEL INTERIOR	0
70K-017		CARBON WITH PREMIUM TEAK ACCENT	0
706-034		STANDARD LH DOOR TRIM	0
708-034		STANDARD RH DOOR TRIM	0
772-035		BLACK MATS WITH ADDED FLOOR HEAT AND NOISE INSULATION	0
773-998		NO FLOOR COVERING-SLPR (SLPR/INT)	0
771-998		NO BAGGAGE AREA FLOOR COVERING	0
785-014		(2) DASH MOUNTED POWER OUTLETS AND COIN TRAY	0
64D-998		NO LH SLEEPER STORAGE	0
64E-998		NO RH SLEEPER STORAGE	0
691-001		FORWARD ROOF MOUNTED CONSOLE	0
696-998		NO REAR FLOOR STORAGE	0
693-019		LH AND RH DOOR STORAGE POCKETS INTEGRATED INTO MOLDED DOOR PANELS	0
741-015		(2) COAT HOOKS ON BACKWALL OF CAB	0
826-998		NO LOWER BUNK	0
745-998		NO UPPER BUNK	0
666-998		NO BUNK RESTRAINT	0
738-021		DIGITAL ALARM CLOCK IN DRIVER DISPLAY	0
742-998		NO CUP/THERMOS HOLDER	0
680-036		WING DASH WITH E-VAULT	0
718-998		NO SLEEPER FAN	0
720-025		5 LB. FIRE EXTINGUISHER MOUNTED INBOARD OF DRIVER SEAT	0
700-014		HEATER, DEFROSTER AND AIR CONDITIONER WITH CONSTANT OUTLET TEMPERATURE CONTROL	0
701-002		HVAC DUCTING WITH MAIN FRESH AIR FILTER	0
703-005		MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH	0
689-998		NO AUXILIARY HVAC UNIT	0
170-045		STANDARD HEATER PLUMBING WITH BALL SHUTOFF VALVES AT SUPPLY LINES ONLY	0
130-041		VALEO HEAVY DUTY A/C REFRIGERANT COMPRESSOR	0
698-001		RADIATOR MOUNTED AIR CONDITIONER CONDENSER	0
702-002		BINARY CONTROL, R-134A	0
739-034		PREMIUM INSULATION	0
285-013		SOLID-STATE CIRCUIT PROTECTION AND FUSES	0
96R-002		STANDARD ELECTRICAL PROTECTIVE COATING, GREASE ON BATTERY TERMINALS AND RED ENAMEL PAINT IN ENGINE COMPARTMENT AND ON CHASSIS CONNECTIONS	0
280-007		12V NEGATIVE GROUND ELECTRICAL SYSTEM	0
322-998		NO BAGGAGE COMPARTMENT LIGHT	0
324-1B2		PREMIUM LED CAB LIGHTING	0
325-998		NO SLEEPER INTERIOR LAMP	0
655-028		LH AND RH ELECTRIC DOOR LOCKS WITH AUTO UNLOCK FEATURE WHEN DOOR IS SET FROM OPEN TO CLOSED POSITION	0
64C-002		BRIGHT DOOR HANDLES	0
740-998		NO MATTRESS	0
66W-998		NO ENTRANCE DOOR CONTROL	0
284-998		NO POWER SUPPLY SLEEPER/CAB	0
337-998		NO AC 120V CAB WIRING AND AC OUTLET	0
710-998		NO CAB PRIVACY CURTAIN	0
719-998		NO REFRIGERATOR	0

Databook	Origin TCO #	Description	Value
722-001		TRIANGULAR REFLECTORS WITH FLARES	0
756-1J7		ELITE 2.0 HIGH BACK AIR SUSPENSION DRIVE	0
		R SEAT W/2 AIR LUMBAR,ACTIVE BOLSTER,INT	
		EGRATED CUSHION EXTENSION, TILT,ADJUSTAB	
760-294		LE SHOCK, MAP POCKET, HEAT & VENTILATION	0
		BATTERY BOX MID BACK NON SUSPENSION PASS	
		ENGER SEAT	
757-001		BLACK SUSPENSION COVER FOR AIR DRIVER SE	0
		AT	
759-007		DUAL DRIVER SEAT ARMRESTS, NO PASSENGER	0
		SEAT ARMRESTS	
758-131		BLACK LAREDO LEATHER DRIVER SEAT COVER W	0
		ITH DIAMOND STITCHED CENTER PANELS AND E	
		MBRODERED LOGO	
761-134		BLACK LAREDO LEATHER PASSENGER SEAT COVE	0
		R WITH NO STITCH PATTERN AND NO LOGO	
763-1AD		3 POINT ADJUSTABLE D-RING RETRACTOR DRIV	0
		ER AND FIXED D-RING RETRACTOR PASSENGER	
		SEAT BELTS WITH DRIVER SEAT BELT STATUS	
		INDICATOR LIGHT AND AUDIBLE ALARM	
725-998		NO SUPPLEMENTAL RESTRAINT SYSTEM	0
66Q-998		NO EXERCISE PROVISIONS	0
71U-998		NO MEDICAL DEVICE	0
709-998		NO SLEEPER CURTAIN	0
532-002		ADJUSTABLE TILT AND TELESCOPING STEERING	0
		COLUMN	
540-070		4-SPOKE 18 INCH (450MM) LEATHER WRAPPED	0
		STEERING WHEEL WITH CHROME SWITCH BEZELS	
765-021		DRIVER AND PASSENGER INTERIOR SUN VISORS	0
		WITH ILLUMINATED VANITY MIRRORS	
		CONTROLS & INSTRUMENTS	
870-002		BRIGHT ARGENT FINISH GAUGE BEZELS	0
734-026	002	VOCATIONAL INSTRUMENT PANEL WITH CUSTOME	0
		R SPECIFIED CUSTOM SWITCH AND GAUGE LAYO	
		UT	
486-001		LOW AIR PRESSURE INDICATOR LIGHT AND AUD	0
		IBLE ALARM	
838-010		(1) PNEUMATIC TRACTOR AND (1) TRAILER BR	0
		AKE APPLICATION AIR GAUGE	
840-001		DUAL NEEDLE PRIMARY AND SECONDARY AIR PR	0
		ESSURE GAUGE	
198-035	002	ELECTRONIC AIR RESTRICTION INDICATOR DIS	0
		PLAYED IN DRIVER DISPLAY	
721-021		87 DB TO 112 DB SELF-ADJUSTING BACKUP AL	0
		ARM	
149-015		ELECTRONIC CRUISE CONTROL WITH CONTROLS	0
		ON STEERING WHEEL SPOKES	
156-007		KEY OPERATED IGNITION SWITCH AND INTEGRA	0
		L START POSITION; 4 POSITION OFF/RUN/STA	
		RT/ACCESSORY	
811-044		PREMIUM INSTRUMENT CLUSTER WITH 5.0 INCH	0
		TFT COLOR DISPLAY	
160-038		HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE	0
		CONNECTOR LOCATED BELOW LH DASH	
844-001		2 INCH ELECTRIC FUEL GAUGE	0
845-011		FUEL FILTER RESTRICTION INDICATOR	0
148-074		ENGINE REMOTE INTERFACE NOT CONFIGURED	0
87L-998		NO REMOTE ENGINE CONTROL-ENABLE	0
3ZM-998		NO MULTIMEDIA BOX	0
3ZS-998		NO DRIVER FACING CAMERA	0

Databook	Origin TCO #	Description	Value
866-009		DUAL REAR AXLE TEMPERATURE GAUGES WITH SENSOR SHIELD	0
856-001		ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE	0
854-001		ENGINE OIL TEMPERATURE GAUGE	0
864-001		2 INCH TRANSMISSION OIL TEMPERATURE GAUGE	0
867-004		ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER	0
830-017		ENGINE AND TRIP HOUR METERS INTEGRAL WITH DRIVER DISPLAY	0
438-998		NO HUBODOMETER	0
736-998		NO OBSTACLE DETECTION SYSTEM	0
73K-998		NO SIDE OBJECT DETECTION SYSTEM	0
73H-998		NO CAMERA/VIDEO/IMAGING SYSTEM	0
49B-004		ELECTRONIC STABILITY CONTROL	0
14L-998		NO SERVICE BRAKE ACTUATION HOLD	0
80K-998		NO SHUTDOWN OVERRIDE	0
73B-998		NO LANE DEPARTURE WARNING SYSTEM	0
73U-998		NO ROAD SIGN IMAGING/RESPONSE SYSTEM	0
72J-998		NO DR ASSIST SYSTEM	0
852-002		ELECTRIC ENGINE OIL PRESSURE GAUGE	0
786-113		GENERIC TELEMATICS PREWIRE (CONSTANT BATTERY POWER/IGNITION/GROUND/J1939); RP122 6 TYPE CONNECTOR AT PASSENGER SIDE OF DASH	0
78A-998		NO POSITION/COMMUNICATION ACCESSORY	0
1U1-998		NO NAVIGATION SYSTEM	0
746-143	002	7" B-PANEL INTERACTIVE TOUCHSCREEN DISPLAY RADIO W/ USB-C, APPLE CARPLAY, ANDROID AUTO, BLUETOOTH/AM/FM/SXM/WB, WITH MICROPHONE	0
747-001		DASH MOUNTED RADIO	0
750-041		STANDARD SPEAKER SYSTEM	0
753-007		AM/FM ANTENNA MOUNTED ON RH SIDE MIRROR	0
748-045		UNIDEN BEARCAT 880 FACTORY INSTALLED CB RADIO WITH 10 CHANNEL WEATHERBAND	0
749-001		ROOF/OVERHEAD CONSOLE CB RADIO PROVISION	0
751-001		SINGLE REMOTE SPEAKER WITH LEAD FOR 2-WAY RADIO	0
75W-998		NO MULTIBAND ANTENNA	0
752-004		SINGLE FIBERGLASS LH MIRROR MOUNTED CB ANTENNA WITH BRACKET AND LEAD	0
75A-998		NO RADIO-MTG,UHF/VHF	0
75B-998		NO ANTENNA-RADIO,UHF/VHF	0
78C-003		INTEROPERABLE SDAR ANTENNA	0
737-998		NO TELEVISION ANTENNA/PROVISION	0
810-027		ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER	0
817-001		STANDARD VEHICLE SPEED SENSOR	0
812-032		ELECTRONIC 2500 RPM TACHOMETER	0
48C-004		QUICKFIT PROGRAMMABLE INTERFACE CONNECTOR(S) UNDER CAB WITH BLUNTCUTS	0
813-1C8		DETROIT CONNECT PLATFORM HARDWARE	0
8D1-205		5 YEARS DETROIT CONNECT BASE PACKAGE (FEATURES VARY BY MODEL) DETROIT CONNECT PLATFORM	0
8D2-998		NO PREMIUM REMOTE UPDATES SERVICE	0
8D3-998		NO SAFETY SYSTEMS DATA SERVICE	0
8D5-998		NO DETROIT CONNECT VIDEO CAPTURE PACKAGE	0

Databook	Origin TCO #	Description	Value
80W-003		MAINTENANCE SYSTEM WITH MENU AND POP-UPS IN INSTRUMENT CLUSTER	0
6TS-005	002	TMC RP1226 ACCESSORY CONNECTOR LOCATED B EHIND PASSENGER SIDE REMOVEABLE DASH PAN EL	0
81Y-005		PRE-TRIP INSPECTION FEATURE FOR EXTERIOR LAMPS ONLY	0
80L-001		ENABLE AUTO ENGINE RPM ELEVATE FOR EXTEN DED IDLE	0
80M-998		NO ALTERNATE PTO SPEED	0
80N-998		NO REDUCED ENGINE SPEED ON VSS FAILURE	0
80P-998		NO FLEET SPEC FOR PARAMETERIZATION	0
80Q-998		NO VEHICLE SPEED LIMIT - GHG	0
162-002		IGNITION SWITCH CONTROLLED ENGINE STOP	0
157-998		NO REMOTE START	0
329-132	002	THREE EXTRA HARDWIRED SWITCHES IN DASH, ROUTE TO BETWEEN SEATS, BLUNTCUT	0
4CG-998		NO TEM INTERFACE, SW PKG, MUX	0
4E1-998		NO SW RCPTS & WRG, ALTN CSL LOC	0
4CH-998		NO TEM INTFC, SW PKG, MUX, LWR DASH	0
4C0-998		NO TEM INTERFACE, SW PKG, GRAPHICS	0
4C1-009	002	HARDWIRE SWITCH #1, ON/OFF/ON MOMENTARY, 20 AMPS IGNITION POWER	0
4C2-026		HARDWIRE SWITCH #2, ON/OFF LATCHING, 10 AMPS BATTERY POWER	0
4C3-017		HARDWIRE SWITCH #3, ON/OFF LATCHING, 10 A MPS BATTERY POWER	0
4C4-998	002	NO HARDWIRE SWITCH #4	0
264-033		STEERING WHEEL MOUNTED ELECTRIC HORN CON TROL	0
482-001		STANDARD TRACTOR PROTECTION VALVE	0
883-001		TRAILER HAND CONTROL BRAKE VALVE	0
842-006	002	DIGITAL TURBO AIR PRESSURE IN DRIVER DIS PLAY	0
836-015		DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DR IVER DISPLAY	0
660-008		SINGLE ELECTRIC WINDSHIELD WIPER MOTOR W ITH DELAY	0
304-030		ROTARY HEADLAMP SWITCH, MARKER LIGHTS/HE ADLIGHTS SWITCH WITH PULL OUT FOR OPTION AL FOG/ROAD LAMPS	0
81B-004		PANEL LAMP DIMMER SWITCH IN SWITCH PANEL	0
882-021		TWO VALVE PARKING BRAKE SYSTEM WITH DASH VALVE CONTROL AUTONEUTRAL AND WARNING I NDICATOR	0
299-020		SELF CANCELING TURN SIGNAL SWITCH WITH D IMMER, HEADLAMP FLASH, WASH/WIPE/INTERMI TTENT	0
298-046		INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH 40 AMP (20 AMP PER SIDE) TRAILER LA MP CAPACITY	0
869-998		NO MISCELLANEOUS GAUGES PAINT	0
065-903		THREE COLOR CUSTOM PAINT	0
QUOTE		ASSIGNED QUOTE BTID 2408091205	0
965-023		NUMBER OF ELITE EY PAINT COLORS (3)	0
QUOTE		POTENTIAL QUOTE BTID 2405070704	0
980-5A1		CAB COLOR A: L0001EY BLACK ELITE EY	0
981-38E		CAB COLOR B: 00759295EY	0

Databook	Origin TCO #	Description	Value
982-5F8		<b>SEMINOLE RED MET ELITE EY</b> CAB COLOR C: L0225EY	0
98L-998		<b>WHITE ELITE EY</b>	0
986-020		NO GRILLE GUARD PAINT	0
		BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT	0
98C-998		NO FUEL TANK PAINT COLOR	0
962-998		PAINT-FRT WHEEL COLOR: NONE	0
966-998		PAINT-RR WHEEL COLOR: NONE	0
96E-998		NO PUSHER/TAG WHEEL PAINT	0
964-998		NO BUMPER PAINT	0
976-998		NO EXTERIOR SUNVISOR PAINT	0
979-998		NO AERODYNAMIC ROOF DEVICE PAINT	0
		<b>ADDITIONAL SPECIFICATIONS</b>	
48Q-998		NO TIRE INFLATION DEVICE/SYSTEM	0
998-032	002	CORPORATE PDI CENTER OPTION INSTALLATION /MODIFICATION ONLY	0
958-998		NO INSPECTION-LABOR ONLY	0
99B-998		NO MODIFICATION CENTER SHIPPING INSTRUCTIONS	0
82N-998		NO SHIPPING PROTECTION	0
999-034		DEALER ADVISED AND ACCEPTS TERMS OF PIL #395; SPEED OF LOADED VEHICLE MUST BE LIMITED TO 5 MPH MAXIMUM WHEN LIFTABLE AXLE IS RAISED	0
996-001	002	U.S. FMVSS CERTIFICATION, EXCEPT SALES C ABS AND GLIDER KITS	0
RDS-001		DISCOUNT	0
RCN-100		PRICE CONCESSION SYSTEM	0
RFU-022		REAR TIRE SURCHARGE	0
RFV-022		PUSHER/TAG TIRE SURCHARGE	0
RFY-022		FRONT TIRE SURCHARGE	0
PNV-998		NO CARB24 PRICING IMPACT	0
MWF-003		DETROIT FRONT AXLE COVERAGE, VOCATIONAL, 3 YEAR/300,000 MILES/480 000 KILOMETERS	0
P73-2WS		STANDARD DESTINATION CHARGE	0
PNZ-998		NO CARB-COMPLIANT BASE WARRANTY	0
PMV-998		NO ESCALATOR	0
RD3-998		NO SAFETY EVENT VIEWER	0
RD1-205		5 YRS DETROIT CONNECT BASE PKG (FEATURES VARY BY MODEL) DETROIT CONNECT PLATFORM	0
RD2-998		NO PREMIUM REMOTE UPDATES SERVICE	0
RD5-998		NO DETROIT CONNECT VIDEO CAPTURE PACKAGE	0
RAU-025		MY25 ESCALATOR	0
PST-008		WESTERN STAR PAYMENT TERMS CREDIT	0