

Vehicle Inspection Certificate Number: LS20AC47

Start Date / Time: Jul 15, 2025, 9:14 AM

End Date / Time: Jul 15, 2025, 10:32 AM

VEHICLE/ENGINE INFORMATION	CHASSIS
Plate#: Y4253V	Year: 2014
VIN: 2M593161XE1140586	Make: MANAC
GVWR(kg): 54437	Model: MANAC TRAILER
Odometer:	Fleet ID: QD4021

SAFETY INSPECTION RESULT	PASS
--------------------------	------

SAFETY SYSTEM INSPECTION RESULTS

All Safety System Components Passed Inspection
--

MANDATORY ITEMS

Inspection Item	Result	Inspection Item	Result
Axle 1, Driver Side Tire		Axle 1, Passenger Side Tire	
Tire Tread Depth (mm)	10	Tire Tread Depth (mm)	13
Initial Tire Pressure (kPa)	720	Initial Tire Pressure (kPa)	720
Drum Brakes Bonded/riveted continuous strip		Drum Brakes Bonded/riveted continuous strip	
Shoe Lining Thickness (mm)	Over 15	Shoe Lining Thickness (mm)	Over 15
Drum Inside Diameter (mm)	419.37	Drum Inside Diameter (mm)	419.37
Within OEM specifications?	Yes	Within OEM specifications?	Yes
S-Cam Drum Brakes		S-Cam Drum Brakes	
Chamber Type (size)	30	Chamber Type (size)	30
Brake Stroke (mm)	31	Brake Stroke (mm)	31

Inspection Item	Result	Inspection Item	Result
Axle 2, Driver Side, Inner Tire		Axle 2, Passenger Side, Inner Tire	
Tire Tread Depth (mm)	13	Tire Tread Depth (mm)	13
Initial Tire Pressure (kPa)	720	Initial Tire Pressure (kPa)	720
Axle 2, Driver Side, Outer Tire		Axle 2, Passenger Side, Outer Tire	
Tire Tread Depth (mm)	13	Tire Tread Depth (mm)	13
Initial Tire Pressure (kPa)	720	Initial Tire Pressure (kPa)	720
Drum Brakes Bonded/riveted continuous strip		Drum Brakes Bonded/riveted continuous strip	
Shoe Lining Thickness (mm)	Over 15	Shoe Lining Thickness (mm)	Over 15

Drum Brakes	
Chamber Type (size)	30
Brake Stroke (mm)	31

S-Cam Drum Brakes	
Chamber Type (size)	30
Brake Stroke (mm)	31

Inspection Item	Result
Axle 3, Driver Side, Inner Tire	
Tire Tread Depth (mm)	13
Initial Tire Pressure (kPa)	720
Axle 3, Driver Side, Outer Tire	
Tire Tread Depth (mm)	14
Initial Tire Pressure (kPa)	720
Drum Brakes	
Bonded/riveted continuous strip	
Shoe Lining Thickness (mm)	Over 15
Drum Inside Diameter (mm)	419.37
Within OEM specifications?	Yes
S-Cam Drum Brakes	
Chamber Type (size)	30
Brake Stroke (mm)	31

Inspection Item	Result
Axle 3, Passenger Side, Inner Tire	
Tire Tread Depth (mm)	14
Initial Tire Pressure (kPa)	720
Axle 3, Passenger Side, Outer Tire	
Tire Tread Depth (mm)	14
Initial Tire Pressure (kPa)	720
Drum Brakes	
Bonded/riveted continuous strip	
Shoe Lining Thickness (mm)	Over 15
Drum Inside Diameter (mm)	419.37
Within OEM specifications?	Yes
S-Cam Drum Brakes	
Chamber Type (size)	30
Brake Stroke (mm)	31

Inspection Item	Result
Axle 4, Driver Side, Inner Tire	
Tire Tread Depth (mm)	14
Initial Tire Pressure (kPa)	720
Axle 4, Driver Side, Outer Tire	
Tire Tread Depth (mm)	13
Initial Tire Pressure (kPa)	720
Drum Brakes	
Bonded/riveted continuous strip	
Shoe Lining Thickness (mm)	Over 15
Drum Inside Diameter (mm)	419.37
Within OEM specifications?	Yes
S-Cam Drum Brakes	
Chamber Type (size)	30
Brake Stroke (mm)	31

Inspection Item	Result
Axle 4, Passenger Side, Inner Tire	
Tire Tread Depth (mm)	13
Initial Tire Pressure (kPa)	720
Axle 4, Passenger Side, Outer Tire	
Tire Tread Depth (mm)	13
Initial Tire Pressure (kPa)	720
Drum Brakes	
Bonded/riveted continuous strip	
Shoe Lining Thickness (mm)	Over 15
Drum Inside Diameter (mm)	419.37
Within OEM specifications?	Yes
S-Cam Drum Brakes	
Chamber Type (size)	30
Brake Stroke (mm)	31

Vehicle Inspection Centre #: 13563

Technician #: 191215

Name: RICHARD THOMPSON

Report Number: 133

Tablet ID: 2923