

## COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 8 - Body							
Component	P	F	NA	Component	P	F	NA
Vehicle							
8.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary Power Unit (APU))			✓	8.24. Aerodynamic Device & Attachment			✓

**NOTES:**

Truck is rigged up as a bed truck with 2 permanently mounted winches equipped with gin poles and full width live roll at rear of unit.

Section 9 - Tires and Wheels							
Component	P	F	NA	Component	P	F	NA
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim (Applies to all wheel types)	✓		
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim			✓
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System			✓
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System			✓
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts and Studs)	✓		
9.6. Wheel Bearing	✓						

**NOTES:**

NA

Section 10 - Couplers and Hitches							
Component	P	F	NA	Component	P	F	NA
10.1. Hitch Assembly, Structure & Attaching Components	✓			10.5. Roll-Coupling Hitch			✓
10.2. Secondary Attachment (Safety Chain or Cable)			✓	10.6. Automated Coupling Device			✓
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch	✓			10.7. Fifth Wheel Coupler	✓		
10.4. Ball Type Hitch			✓	10.8. Oscillating Fifth Wheel Coupler			✓

**NOTES:**

NA

**Certification**

The Vehicle for which this Record of Inspection is issued has **PASSED (Certificate #8158532)** the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection <b>2025/04/28</b>	Technician Number <b>C1268</b>	Facility Number <b>12074</b>	Signature
---	-----------------------------------	---------------------------------	-----------

**Customer Acknowledgment**

I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.

Date (Year/Month/Day)

2025/04/28

Customer Signature

*Dwain Pokyphide*

## COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 3A - Air Brakes								
Component	P	F	NA	Component	P	F	NA	
3A.11. Parking Brake & Emergency Application	✓							

**NOTES:**  
NA

Section 4 - Steering								
Component	P	F	NA	Component	P	F	NA	
4.1. Steering Control and Linkage	✓			4.4. Kingpin	✓			
4.2. Power Steering System (Hydraulic and Electric)	✓			4.5. Self-Steer and Controlled-Steer Axle	✓			
4.3. Steering Operation (Active Steer Axle)	✓							

**NOTES:**  
NA

Section 5 - Instruments and Auxiliary Equipment								
Component	P	F	NA	Component	P	F	NA	
5.1. Fire Extinguisher	✓			5.8. Heater & Windshield Defroster	✓			
5.2. Hazard Warning Kit	✓			5.9. Fuel-Burning Auxiliary Heater	✓			
5.3. Horn	✓			5.10. Chain/"Headache" Rack	✓			
5.5. Speedometer	✓			5.11. Auxiliary Controls and Devices	✓			
5.6. Odometer	✓			5.12. Auxiliary Drive Controls	✓			
5.7. Windshield Wiper/Washer	✓							

**NOTES:**  
NA

Section 6 - Lamps								
Component	P	F	NA	Component	P	F	NA	
6.1. Required Lamps	✓			6.4. Instrument Panel Lamps	✓			
6.2. Reflex Reflector	✓			6.5. Headlamp Aim	✓			
6.3. Retro-Reflective Marking	✓							

**NOTES:**  
NA

Section 7 - Electrical System								
Component	P	F	NA	Component	P	F	NA	
7.1. Wiring	✓			7.3. Trailer Cord (output to towed vehicle)	✓			
7.2. Battery	✓							

**NOTES:**  
NA

Section 8 - Body								
Component	P	F	NA	Component	P	F	NA	
8.1. Hood or Engine Enclosure	✓			8.12. Bumper	✓			
8.2. Tilt Cab			✓	8.13. Windshield	✓			
8.3. Air-Suspended Cab	✓			8.14. Side Windows	✓			
8.4. Cab and Passenger-Vehicle Body	✓			8.15. Rear Window	✓			
8.5. Cargo Body	✓			8.16. Interior Sun Visor	✓			
8.6. Frame, Rails & Mounts	✓			8.17. Exterior Windshield Sun Visor	✓			
8.7. Unitized Body Elements			✓	8.18. Rear-View Mirror	✓			
8.8. Cab or Cargo Door	✓			8.19. Seat	✓			
8.9. Cargo Tank or Vessel			✓	8.20. Seat Belt/Occupant Restraint	✓			
8.10. Body, Device or Equipment Attached or Mounted to the	✓			8.21. Fender/Mud Flap	✓			

## COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

Section 1 - Power Train								
Component	P	F	NA	Component	P	F	NA	
1.1. Accelerator Pedal/Throttle Actuator	✓			1.8. Engine Start Safety Feature	✓			
1.2. Exhaust System	✓			1.9. Gear Position Indicator	✓			
1.3. Emission Control Systems and Devices			✓	1.10. Engine or Accessory Drive Belt	✓			
1.4. Drive Shaft	✓			1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System			✓	
1.5. Clutch and Clutch Pedal	✓			1.12. Gasoline or Diesel Fuel System	✓			
1.6. Engine/Transmission Mount	✓			1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*			✓	
1.7. Engine/Shut Down	✓							

**NOTES:**  
NA

APPENDIX "A"								
Component	P	F	NA	Component	P	F	NA	
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System			✓	A.3. Liquefied Natural Gas (LNG) Fuel System			✓	
A.2. Compressed Natural Gas (CNG) Fuel System			✓					

**NOTES:**  
NA

Section 2 - Suspension								
Component	P	F	NA	Component	P	F	NA	
2.1. Suspension & Frame Attachments	✓			2.5. Air Suspension	✓			
2.2. Axle Attaching & Tracking Components	✓			2.6. Self-Steer and Controlled-Steer Axle			✓	
2.3. Axle & Axle Assembly	✓			2.7. Shock Absorber/Strut Assembly	✓			
2.4. Spring & Spring Attachment	✓							

**NOTES:**  
NA

Section 3H - Hydraulic Brakes								
Component	P	F	NA	Component	P	F	NA	
3H.1. Hydraulic System Components			✓	3H.13. Disc Brake System Components			✓	
3H.2. Brake Pedal/Actuator			✓	3H.14. Mechanical Parking Brake			✓	
3H.3. Vacuum Assist (Boost) System			✓	3H.15. Spring-Applied Air-Released Parking Brake			✓	
3H.4. Hydraulic Assist (Boost) System			✓	3H.16. Spring-Applied Hydraulic-Released Parking Brake			✓	
3H.5. Air Assist (Boost) System			✓	3H.17. Anti-Lock Brake System (ABS)			✓	
3H.6. Air-Over-Hydraulic Brake System			✓	3H.18. Stability Control System			✓	
3H.11. Brake System Indicator Lamps			✓	3H.19. Brake Performance			✓	
3H.12. Drum Brake System Components			✓					

**NOTES:**  
NA

Section 3A - Air Brakes								
Component	P	F	NA	Component	P	F	NA	
3A.1. Air Compressor	✓			3A.13. Air System Components	✓			
3A.2. Air Supply System	✓			3A.14. Brake Chamber	✓			
3A.4. Air Tank	✓			3A.15. Drum Brake System Components	✓			
3A.5. Air Tank Check Valves	✓			3A.16. S-Cam Drum Brake System	✓			
3A.6. Brake Pedal/Actuator	✓			3A.17. Brake Shoe Travel (Wedge Brakes)			✓	
3A.7. Treadle Valve and Trailer Hand Valve	✓			3A.18. Disc Brake System Components			✓	
3A.8. Brake Valves & Controls	✓			3A.19. Anti-Lock Brake System (ABS)	✓			
3A.9. Proportioning, Inversion or Modulation Valve	✓			3A.21. Stability Control System			✓	
3A.10. Towing Vehicle (Tractor) Protection System	✓			3A.23. Brake Performance	✓			



## COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

<b>Type of Vehicle</b> Truck										<b>Gross Vehicle Weight registered</b> 48300 kg									
<b>Vehicle Information</b>																			
VIN	1	N	K	C	L	B	0	X	7	4	R	9	7	3	6	6	4		
<b>Unit Number</b> B18				<b>Year</b> 2004				<b>Make</b> Kenworth				<b>Model</b> Construct				<b>Odometer</b> 162,628			
<b>Registered Owner's Name</b> R.P.T.L.															<b>Plate Number</b> E22162				
<b>Address</b> P.O. Box 122 Stn Main Whitecourt, AB T7S 1N3												<b>Postal Code</b> T7S 1N3				<b>Phone Number</b> (780) 648-3950			

Drum Brakes: **A-Full Inspection with Drum Removed**      Disc Brakes:

		LEFT		FRONT		RIGHT					
<div style="border: 1px solid black; border-radius: 15px; padding: 5px; width: 40px; margin: 5px;">120 psi</div> <div style="border: 1px solid black; border-radius: 15px; padding: 5px; width: 40px; margin: 5px;">28 mm</div>	---	---	419.94	mm	Drums/Rotors	---	419.72	mm	<div style="border: 1px solid black; border-radius: 15px; padding: 5px; width: 40px; margin: 5px;">120 psi</div> <div style="border: 1px solid black; border-radius: 15px; padding: 5px; width: 40px; margin: 5px;">28 mm</div>		
	---	---	18	mm	Linings/Pads	---	18	mm		---	
	---	---	25	mm	Push Rod Travel	---	25	mm		---	
<div style="border: 1px solid black; border-radius: 15px; padding: 5px; width: 40px; margin: 5px;">100 psi</div> <div style="border: 1px solid black; border-radius: 15px; padding: 5px; width: 40px; margin: 5px;">24 mm</div>	<div style="border: 1px solid black; border-radius: 15px; padding: 5px; width: 40px; margin: 5px;">100 psi</div> <div style="border: 1px solid black; border-radius: 15px; padding: 5px; width: 40px; margin: 5px;">24 mm</div>	---	419.57	mm	Drums/Rotors	---	419.69	mm	<div style="border: 1px solid black; border-radius: 15px; padding: 5px; width: 40px; margin: 5px;">100 psi</div> <div style="border: 1px solid black; border-radius: 15px; padding: 5px; width: 40px; margin: 5px;">24 mm</div>		
		---	---	18	mm	Linings/Pads	---	18		mm	---
		---	---	32	mm	Push Rod Travel	---	32		mm	---
<div style="border: 1px solid black; border-radius: 15px; padding: 5px; width: 40px; margin: 5px;">100 psi</div> <div style="border: 1px solid black; border-radius: 15px; padding: 5px; width: 40px; margin: 5px;">24 mm</div>	<div style="border: 1px solid black; border-radius: 15px; padding: 5px; width: 40px; margin: 5px;">100 psi</div> <div style="border: 1px solid black; border-radius: 15px; padding: 5px; width: 40px; margin: 5px;">24 mm</div>	---	420.43	mm	Drums/Rotors	---	420.34	mm	<div style="border: 1px solid black; border-radius: 15px; padding: 5px; width: 40px; margin: 5px;">100 psi</div> <div style="border: 1px solid black; border-radius: 15px; padding: 5px; width: 40px; margin: 5px;">24 mm</div>		
		---	---	16	mm	Linings/Pads	---	16		mm	---
		---	---	32	mm	Push Rod Travel	---	32		mm	---
<div style="border: 1px solid black; border-radius: 15px; padding: 5px; width: 40px; margin: 5px;">psi</div> <div style="border: 1px solid black; border-radius: 15px; padding: 5px; width: 40px; margin: 5px;">mm</div>	<div style="border: 1px solid black; border-radius: 15px; padding: 5px; width: 40px; margin: 5px;">psi</div> <div style="border: 1px solid black; border-radius: 15px; padding: 5px; width: 40px; margin: 5px;">mm</div>	---	---	mm	Drums/Rotors	---	---	mm	<div style="border: 1px solid black; border-radius: 15px; padding: 5px; width: 40px; margin: 5px;">psi</div> <div style="border: 1px solid black; border-radius: 15px; padding: 5px; width: 40px; margin: 5px;">mm</div>		
		---	---	---	mm	Linings/Pads	---	---		mm	---
		---	---	---	mm	Push Rod Travel	---	---		mm	---
<div style="border: 1px solid black; border-radius: 15px; padding: 5px; width: 40px; margin: 5px;">psi</div> <div style="border: 1px solid black; border-radius: 15px; padding: 5px; width: 40px; margin: 5px;">mm</div>	<div style="border: 1px solid black; border-radius: 15px; padding: 5px; width: 40px; margin: 5px;">psi</div> <div style="border: 1px solid black; border-radius: 15px; padding: 5px; width: 40px; margin: 5px;">mm</div>	---	---	mm	Drums/Rotors	---	---	mm	<div style="border: 1px solid black; border-radius: 15px; padding: 5px; width: 40px; margin: 5px;">psi</div> <div style="border: 1px solid black; border-radius: 15px; padding: 5px; width: 40px; margin: 5px;">mm</div>		
		---	---	---	mm	Linings/Pads	---	---		mm	---
		---	---	---	mm	Push Rod Travel	---	---		mm	---
<div style="border: 1px solid black; border-radius: 15px; padding: 5px; width: 40px; margin: 5px;">psi</div> <div style="border: 1px solid black; border-radius: 15px; padding: 5px; width: 40px; margin: 5px;">mm</div>	<div style="border: 1px solid black; border-radius: 15px; padding: 5px; width: 40px; margin: 5px;">psi</div> <div style="border: 1px solid black; border-radius: 15px; padding: 5px; width: 40px; margin: 5px;">mm</div>	---	---	mm	Drums/Rotors	---	---	mm	<div style="border: 1px solid black; border-radius: 15px; padding: 5px; width: 40px; margin: 5px;">psi</div> <div style="border: 1px solid black; border-radius: 15px; padding: 5px; width: 40px; margin: 5px;">mm</div>		
		---	---	---	mm	Linings/Pads	---	---		mm	---
		---	---	---	mm	Push Rod Travel	---	---		mm	---

Park Brake Lining    Left    NA    mm    Right    NA    mm    Trans    NA    mm

Wheel Torque Checked     Inner    NA    ft lbs    Outer    500    ft lbs



CERTIFICATE NUMBER

Commercial Vehicle Inspection Certificate  
Traffic Safety Act

W06-1

PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

Vehicle Type:	Truck	Seating Capacity:	
GVW:	48300 kg	Brake Type:	Air
Owner Name:	R.P.T.L.		
Address:	P.O. Box 122 Stn Main Whitecourt, AB T7S 1N3		
City:	Whitecourt	Province:	AB
		Postal Code:	T7S 1N3
Telephone Number:	(780) 648-3950		
Vehicle Identification Number:	1NKCLB0X74R973664		
Make:	Kenworth	Model:	Construct
Year:	2004	Unit Number:	B18
Odometer:	162628 KM	Licence Plate Number:	E22162
		Province:	AB

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	Facility Number:
Ron Prokipchuk Trucking Ltd.	12074
Inspection Technician Name:	Technician Number:
Shawn Prokipchuk	C1268
Inspection Technician Signature:	
Inspection Date:	2025/04/28