

**COMMERCIAL VEHICLE RECORD OF INSPECTION
TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY**

Section 5 - Instruments and Auxiliary Equipment						
Component	P	F	NA	Component	P	F NA
5.1. Fire Extinguisher			✓			

NOTES:

Section 6 - Lamps						
Component	P	F	NA	Component	P	F NA
6.1. Required Lamps	✓			6.3. Retro-Reflective Marking	✓	
6.2. Reflex Reflector	✓					

NOTES:

Section 7 - Electrical System						
Component	P	F	NA	Component	P	F NA
7.1. Wiring	✓			7.3. Trailer Cord (output to towed vehicle)	✓	
7.2. Battery			✓			

NOTES:

Section 8 - Body						
Component	P	F	NA	Component	P	F NA
8.5. Cargo Body	✓			8.11. Refrigeration/Heater Unit Fuel System		✓
8.6. Frame Rails & Mounts	✓			8.21. Fender/Mud Flap	✓	
8.7. Utilized Body Elements	✓			8.22. Landing Gear on Trailer	✓	
8.8. Cab or Cargo Door			✓	8.23. Sliding Axle Assembly (Sliding Bogle)		✓
8.9. Cargo Tank or Vessel			✓	8.24. Aerodynamic Device & Attachment		✓
8.10. Body, Device or Equipment Attached or Mounted to the Vehicle	✓			8.25. Rear Impact Guard (RIG)	✓	

NOTES:

Section 9 - Tires and Wheels						
Component	P	F	NA	Component	P	F NA
9.1. Tire Tread Depth	✓			9.7. Wheel/Rim	✓	
9.2. Tire Tread Condition	✓			9.8. Multi-Piece Wheel/Rim		✓
9.3. Tire Sidewall & Manufacturer Markings	✓			9.9. Spoke Wheel/Demountable Rim System		✓
9.4. Tire Inflation Pressure	✓			9.10. Disc Wheel System		✓
9.5. Wheel Hub	✓			9.11. Wheel Fasteners (Nuts, Bolts, & Studs)	✓	
9.6. Wheel Bearing	✓					

NOTES:

Section 10 - Couplers and Hitches						
Component	P	F	NA	Component	P	F NA
10.1. Hitch Assembly, Structure & Attaching Components	✓			10.6. Automated Coupling Device		✓
10.2. Secondary Attachment (Safety Chain or Cable)			✓	10.7. Fifth Wheel Coupler		✓
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch			✓	10.8. Oscillating Fifth Wheel Coupler		✓
10.4. Ball Type Hitch			✓	10.9. Ball-Bearing Type Turntable on Trailer		✓
10.5. Roll-Coupling Hitch			✓			

**COMMERCIAL VEHICLE RECORD OF INSPECTION
TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY**

NOTES:

Certification

The Vehicle for which this Record of Inspection is issued has PASSED (Certificate #8303606) the inspection and I certify it has been inspected in accordance with the Vehicle Inspection Regulation, Alberta Regulation 211/2006 and the applicable Inspection Manual.

Date of Inspection	Technician Number	Facility Number	Signature
2025/04/03	B2253	16216	<i>D. Cam</i>

Customer Acknowledgment

I understand if a vehicle inspection identifies defects and repairs are required, once repaired, the vehicle and this Record of Inspection (ROI) may be presented to any Vehicle Inspection Facility within 10 days of the initial inspection and only the failed items noted on this ROI are required to be re-inspected. If the vehicle is not returned for re-inspection within 10 days of the initial date of inspection, a new inspection must be conducted.

Date (Year/Month/Day)

2025/04/03

Customer Signature



COMMERCIAL VEHICLE RECORD OF INSPECTION
TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

Type of Vehicle		Gross Vehicle Weight registered																																																																																																																																																																					
Trailer		kg																																																																																																																																																																					
Vehicle Information																																																																																																																																																																							
VIN	2	E	9	F	4	5	E	3	0	V	3	0	0	3	7	0	6																																																																																																																																																						
Unit Number	209		Year	1997		Make	scona		Model	48 ft		Odometer																																																																																																																																																											
Registered Owner's Name										Plate Number																																																																																																																																																													
Subline Enterprises										6UV350																																																																																																																																																													
Address						Postal Code		Phone Number																																																																																																																																																															
Box 9102						T8V 4N2		(250) 644-6860																																																																																																																																																															
Drum Brakes: A-Full Inspection with Drum Removed												Disc Brakes:																																																																																																																																																											
<table border="1"><thead><tr><th colspan="2">LEFT</th><th colspan="2">FRONT</th><th colspan="2">RIGHT</th></tr></thead><tbody><tr><td>100 psi</td><td>100 psi</td><td>16.533 in</td><td>Drums/Rotors</td><td>16.534 in</td><td></td><td>100 psi</td><td>100 psi</td></tr><tr><td>11/32 in</td><td>11/32 in</td><td>3/4 in</td><td>Linings/Pads</td><td>3/4 in</td><td></td><td>10/32 in</td><td>12/32 in</td></tr><tr><td></td><td></td><td>1 1/2 in</td><td>Push Rod Travel</td><td>1 1/2 in</td><td></td><td></td><td></td></tr><tr><td>100 psi</td><td>100 psi</td><td>16.530 in</td><td>Drums/Rotors</td><td>16.534 in</td><td></td><td>100 psi</td><td>100 psi</td></tr><tr><td>26/32 in</td><td>20/32 in</td><td>3/4 in</td><td>Linings/Pads</td><td>3/4 in</td><td></td><td>9/32 in</td><td>12/32 in</td></tr><tr><td></td><td></td><td>1 1/2 in</td><td>Push Rod Travel</td><td>1 1/2 in</td><td></td><td></td><td></td></tr><tr><td>100 psi</td><td>100 psi</td><td>16.530 in</td><td>Drums/Rotors</td><td>16.532 in</td><td></td><td>100 psi</td><td>100 psi</td></tr><tr><td>10/32 in</td><td>14/32 in</td><td>3/4 in</td><td>Linings/Pads</td><td>3/4 in</td><td></td><td>10/32 in</td><td>13/32 in</td></tr><tr><td></td><td></td><td>1 1/2 in</td><td>Push Rod Travel</td><td>1 1/2 in</td><td></td><td></td><td></td></tr><tr><td>psi</td><td>psi</td><td>in</td><td>Drums/Rotors</td><td>in</td><td></td><td>psi</td><td>psi</td></tr><tr><td>in</td><td>in</td><td>in</td><td>Linings/Pads</td><td>in</td><td></td><td>in</td><td>in</td></tr><tr><td></td><td></td><td>in</td><td>Push Rod Travel</td><td>in</td><td></td><td></td><td></td></tr><tr><td>psi</td><td>psi</td><td>in</td><td>Drums/Rotors</td><td>in</td><td></td><td>psi</td><td>psi</td></tr><tr><td>in</td><td>in</td><td>in</td><td>Linings/Pads</td><td>in</td><td></td><td>in</td><td>in</td></tr><tr><td></td><td></td><td>in</td><td>Push Rod Travel</td><td>in</td><td></td><td></td><td></td></tr><tr><td>psi</td><td>psi</td><td>in</td><td>Drums/Rotors</td><td>in</td><td></td><td>psi</td><td>psi</td></tr><tr><td>in</td><td>in</td><td>in</td><td>Linings/Pads</td><td>in</td><td></td><td>in</td><td>in</td></tr><tr><td></td><td></td><td>in</td><td>Push Rod Travel</td><td>in</td><td></td><td></td><td></td></tr></tbody></table>														LEFT		FRONT		RIGHT		100 psi	100 psi	16.533 in	Drums/Rotors	16.534 in		100 psi	100 psi	11/32 in	11/32 in	3/4 in	Linings/Pads	3/4 in		10/32 in	12/32 in			1 1/2 in	Push Rod Travel	1 1/2 in				100 psi	100 psi	16.530 in	Drums/Rotors	16.534 in		100 psi	100 psi	26/32 in	20/32 in	3/4 in	Linings/Pads	3/4 in		9/32 in	12/32 in			1 1/2 in	Push Rod Travel	1 1/2 in				100 psi	100 psi	16.530 in	Drums/Rotors	16.532 in		100 psi	100 psi	10/32 in	14/32 in	3/4 in	Linings/Pads	3/4 in		10/32 in	13/32 in			1 1/2 in	Push Rod Travel	1 1/2 in				psi	psi	in	Drums/Rotors	in		psi	psi	in	in	in	Linings/Pads	in		in	in			in	Push Rod Travel	in				psi	psi	in	Drums/Rotors	in		psi	psi	in	in	in	Linings/Pads	in		in	in			in	Push Rod Travel	in				psi	psi	in	Drums/Rotors	in		psi	psi	in	in	in	Linings/Pads	in		in	in			in	Push Rod Travel	in							
LEFT		FRONT		RIGHT																																																																																																																																																																			
100 psi	100 psi	16.533 in	Drums/Rotors	16.534 in		100 psi	100 psi																																																																																																																																																																
11/32 in	11/32 in	3/4 in	Linings/Pads	3/4 in		10/32 in	12/32 in																																																																																																																																																																
		1 1/2 in	Push Rod Travel	1 1/2 in																																																																																																																																																																			
100 psi	100 psi	16.530 in	Drums/Rotors	16.534 in		100 psi	100 psi																																																																																																																																																																
26/32 in	20/32 in	3/4 in	Linings/Pads	3/4 in		9/32 in	12/32 in																																																																																																																																																																
		1 1/2 in	Push Rod Travel	1 1/2 in																																																																																																																																																																			
100 psi	100 psi	16.530 in	Drums/Rotors	16.532 in		100 psi	100 psi																																																																																																																																																																
10/32 in	14/32 in	3/4 in	Linings/Pads	3/4 in		10/32 in	13/32 in																																																																																																																																																																
		1 1/2 in	Push Rod Travel	1 1/2 in																																																																																																																																																																			
psi	psi	in	Drums/Rotors	in		psi	psi																																																																																																																																																																
in	in	in	Linings/Pads	in		in	in																																																																																																																																																																
		in	Push Rod Travel	in																																																																																																																																																																			
psi	psi	in	Drums/Rotors	in		psi	psi																																																																																																																																																																
in	in	in	Linings/Pads	in		in	in																																																																																																																																																																
		in	Push Rod Travel	in																																																																																																																																																																			
psi	psi	in	Drums/Rotors	in		psi	psi																																																																																																																																																																
in	in	in	Linings/Pads	in		in	in																																																																																																																																																																
		in	Push Rod Travel	in																																																																																																																																																																			
Park Brake Lining Left 0 in Right 0 in Trans 0 in																																																																																																																																																																							
Wheel Torque Checked ☒ Inner 0 ft lbs Outer 500 ft lbs																																																																																																																																																																							

COMMERCIAL VEHICLE RECORD OF INSPECTION
TRAILER, SEMI-TRAILER, C-DOLLY, CONVERTER DOLLY

Section 1 - Power Train									
Component		P	F	NA	Component		P	F	NA
1.2. Exhaust System				☒	1.12. Gasoline or Diesel Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*				☒
NOTES:									
APPENDIX "A"									
Component		P	F	NA	Component		P	F	NA
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System				☒	A.3. Liquefied Natural Gas (LNG) Fuel System				☒
A.2. Compressed Natural Gas (CNG) Fuel System				☒					
NOTES:									
Section 2 - Suspension									
Component		P	F	NA	Component		P	F	NA
2.1. Suspension & Frame Attachments				☒	2.5. Air Suspension				☒
2.2. Axle Attaching & Tracking Components				☒	2.6. Self-Steer & Controlled-Steer Axle				☒
2.3. Axle & Axle Assembly				☒	2.7. Shock Absorber/Strut Assembly				☒
2.4. Spring & Spring Attachment				☒					
NOTES:									
Section 3H - Hydraulic Brakes									
Component		P	F	NA	Component		P	F	NA
3H.1. Hydraulic System Components				☒	3H.10. Electric Brake System				☒
3H.6. Air-Over-Hydraulic Brake System				☒	3H.12. Drum Brake System Components				☒
3H.7. Surge Brake Controller				☒	3H.13. Disc Brake System Components				☒
3H.8. Vacuum System				☒	3H.19. Brake Performance				☒
3H.9. Air-Boosted Trailer Brake System				☒					
NOTES:									
Section 3A - Air Brakes									
Component		P	F	NA	Component		P	F	NA
3A.3. Air System Leakage				☒	3A.16. S-Cam Drum Brake System				☒
3A.4. Air Tank				☒	3A.17. Brake Shoe Travel (Wedge Brakes)				☒
3A.8. Brake Valves & Controls				☒	3A.18. Disc Brake System Components				☒
3A.12. Parking Brake & Emergency Application				☒	3A.20. Anti-Lock Brake System (ABS)				☒
3A.13. Air System Components				☒	3A.22. Stability Control System (ESC) or (RSS)				☒
3A.14. Brake Chamber				☒	3A.23. Brake Performance				☒
3A.15. Drum Brake System Components				☒					
NOTES:									
Section 4 - Steering									
Component		P	F	NA	Component		P	F	NA
4.1. Steering Control & Linkage				☒	4.5. Self-Steer & Controlled-Steer Axle				☒
4.4. Kingpin				☒					
NOTES:									

W08-2 oct


Alberta Government

CV8704958



80087900008704958

CERTIFICATE NUMBER

Commercial Vehicle Inspection Certificate Traffic Safety Act


PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

Vehicle Type:	Trailer	Seating Capacity:	
GVW:	kg	Brake Type:	Air
Owner Name:	Subline Enterprises Ltd.		
Address:	Box 9102		
City:	Grande Prairie	Province:	AB
		Postal Code:	T8V4N2
Telephone Number:	(250) 644-6860		
Vehicle Identification Number:	2E9F45E30V3003706		
Make:	scona	Model:	48 ft
Year:	1997	Unit Number:	209
Odometer:	KM	Licence Plate Number:	6UV350
		Province:	AB

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:	Facility Number:
MVR Mechanical Ltd.	16216
Inspection Technician Name:	Technician Number:
Jean Lepage	B6024
Inspection Technician Signature:	
Inspection Date:	2026/05/08

Version No:1