



McCOY Bros. (Red Deer) Ltd.

W08-2

4841 - 78th STREET RED DEER, ALBERTA T4P 1N5

PHONE (403) 343-8771 FAX (403) 340-0888



CUSTOMER NO. 046000		SALESMAN NO. TWO		CUSTOMER NO. 046000		SALESMAN NO. TWO	
BILL TO: FOOTHILLS TANK RENTALS BOX 1421 ROCKY MTN HOUSE, AB T0M 1T0				SHIP TO: FOOTHILLS TANK RENTALS BOX 1421 ROCKY MTN HOUSE, AB T0M 1T0 (403)845-2525			

Pg 1 OF 1

CHARGE INVOICE

REFERENCE NUMBER

000-136179

A & B TRUCK & TRAILER

GST Number

R104420955

MO.	DAY	YR.	WRT'N BY	YOUR ORDER NUMBER	TERMS	SHIP VIA
12/07/98			GFM	12/07/98 136179	NET 30 DAYS	GFM

QTY. ORDERED	QTY. SHIPPED	BACK ORDERED	PART NUMBER AND DESCRIPTION		CODE	LIST PRICE	PRICE	UNIT	AMOUNT
6	6		BRA SBE-CM20	R/W & EXCH. SHOE PR	TG	43.950	42.950	PR	257.70
6	6		EUC E-2769SHD	D-BRAKE HROWR KIT	TG	30.860	7.500	EA	45.00
3	3		EUC E-2287	TRAILER CAM KIT	TG	42.210	10.220	EA	30.66
12	12		EUC E-2365	BACKET	TG	6.570	2.500	EA	30.00
6	6		STE 372-7098	1/2 SEAL SET	TG	49.500	25.130	EA	150.78
6	6		STE 330-3009	GASKET	TG	1.500	1.780	EA	4.68
12	12		BRA SBE-C	CORE	TG		13.000	EA	156.00
			UNIT # 209						
			GOODS & SERVICES TAX (CODE 6)			447.24			

GOODS RECEIVED BY: X <i>Ken Sewell</i>	PRINT NAME <i>[Signature]</i>	SUBTOTAL TAX	674.82 47.24
POSITIVELY NO GOODS ACCEPTED FOR CREDIT WITHOUT OUR AUTHORIZATION AND INVOICE NUMBER. A RESTOCKING CHARGE MAY BE ASSESSED ON ANY GOODS RETURNED.	ERRORS AND OMISSIONS EXCEPTED	TIME PREPARED 14:37	TOTAL 722.06

PACKING SLIP

NEW VEHICLE INFORMATION STATEMENT

Vehicle Identification Number				Make	Model	Model Year	Body Type
2E9F45E30V3003706				Scona	TOF	1997	Oilfield Float
Colour	No. of Cylinders	Motive Power	Shipping Wt. (kg)	G.V.W.R. (kg)	Wheelbase (mm)	Plate Number	
White				40,909			
Manufacturer's/ Importer's Name & Location: SCONA SPRING AND TRAILER-EDMONTON, ALBERTA							

I, the undersigned authorized representative of the company, firm or corporation named below, hereby certify that the new vehicle herein described is assigned on this date for registration to:

Name of Purchaser(s) (Surname, First) Initial
 Foothills Tank Rentals Ltd.

Address (Street No. or Lot, Conc. and Township) Apt. No. Telephone
 Box 1421 845-2525

Post Office (City, Town or Village and R.R. No.) Postal Code
 Rocky Mountain House, Alberta TOM 1T0 km
 Odometer Reading

and certify that the vehicle is new and has not been registered previously:

Dealer's Name SCONA SPRING AND TRAILER

Dealer's No. 500946

FORM #291

Harvey D. Dickey
 Authorized Signature

Day	Mo.	Yr.
01	10	96

MVB-1407(2:81) DK



SPRING and TRAILER

"THE REAL McCOY"™

3904 - 78 AVENUE
EDMONTON, ALBERTA T6B 2W4

PHONE (403) 468-1471
FAX (403) 440-1394
TOLL FREE 1-800-232-7306

G.S.T. REGISTRATION # R121500045

ORDER TAKER: KINAL

INVOICE

FINAL

533335

INVOICE DATE

12:53:16

10/03/96

PAGE NO.

1

S
O
L
D

T
O

5873 / 01
FOOTHILLS TANK RENTALS LTD.
BOX 1421,
ROCKY MTN. HOUSE, AB.
TOM 1TO

S
H
I
P

T
O

5873 / 01
FOOTHILLS TANK RENTALS LTD.
BOX 1421,
ROCKY MTN. HOUSE, AB.
TOM 1TO

CUSTOMER P.O. NO.

GARY

ORDERED BY:

PROVINCIAL LICENSE NO.

SALESMAN

DAVID SISLEY

ORDER DATE

10/03/96

SHIPPING DATE

10/03/96

F.O.B.

SHIP VIA

LN	PRODUCT NO.	DESCRIPTION	ORDERED	SHIPPED	UOM	UNIT PRICE	AMOUNT
		ONE ONLY 1997 SCONA 48 FT. TRIAXLE AIR RIDE OILFIELD FLOAT S/N 2E9F45E30V3003706 HT-300-15, F22H-77", 24.5 X 8.25 STEEL UNI- MOUNT, 11R24.5 M843, REBOUND CHAINS, 7" C.R., 8 5/8 L.R. TOTAL COST \$45,954.36 LESS DEPOSIT 1,000.00 AMOUNT DUE.....\$44,954.36 W.O.#33-95095					
1	TRLRN	TRAILER	0	0		42900.0000	42900.00
2	TIRET	TIRE SURCHARGE	0	0		48.0000	48.00

Al Bychyg 8955

GOODS SUPPLIED ACCORDING TO ORDER WILL BE DISCOUNTED 15% IF RETURNED.

TERMS: 10TH OF THE MONTH FOLLOWING. 2% SERVICE CHARGE PER MONTH (24% PER ANNUM) CHARGED ON OVERDUE ACCOUNTS.

I HEREBY ACKNOWLEDGE MY INDEBTEDNESS IN THE AMOUNT OF \$ _____ BEING THE TOTAL AMOUNT OWING OR BALANCE
OWING AS SHOWN HEREON.

SUBTOTAL 42948.00

GST 3006.36

TOTAL DUE ► 45954.36

CUSTOMER

DATE

SIGNATURE

**Scona Spring and Trailer**

3904 - 78 AVENUE

EDMONTON, ALBERTA T6B 2W4

TELEPHONE (403) 440-1394 FAX (403) 440-1394 TOLL FREE 1-800-232-7306

*7" Centre Lift Air Ride Bearing
number 22212
858 Luckell 22312*



September 18, 1996

FOOTHILL'S TANK RENTALS LTD.

Box 1421

Rocky Mountain House, Alberta

TOM ITO

Telephone 845-2525

Facsimile 845-7140

ATTENTION: GARY GARRETT

We are pleased to confirm your order for a 1997
SCONA Triaxle Air Ride Oilfield Float as follows:

DIMENSIONS:

40,909 kg. G.V.W.R. (45 ton frame rated capacity)

8 ft. 6 in. X 48 ft. deck

MAINFRAME:

CHT100 steel top and bottom flanges

CHT100 steel web material

W.F. 1 beam crossmembers on 20 in. centres

SUSPENSION:HT-300-15 Turner heavy duty air ride suspensions with
60 in. spread and rebound chainsF22H Ingersoll axles with 77 in. track width, 10 stud
unimount hubs, drums, S cam brakes, automatic slack
adjusters and Stenoco seals

24.5 X 8.25 steel unimount rims

11.00 X 24.5 Bridgestone radial tires

MISCELLANEOUS:

Full width pick up throat with cable savers

2 in. solid king pin on 18 in. setting

54 in. coupler height

7 standard pin pockets per side

2 fixed pin pockets at 8 in. and 2 fixed pin pockets at
7 ft. 6 in. across rear

Lightening holes where possible

Tie loops at all crossmember locations

.....PG. 2



SCONA SPRING & TRAILER
3904 - 78 Avenue
Edmonton, Alberta
T6B 2W4



Fax (403) 440-1394
Toll Free 1-800-232-7306
Ph. (403) 468-1471

DATE Sept 17/96 REFERENCE NO. _____

TO FOOTBALL'S TANK

ATTENTION GARY FAX # 845-7140

FROM DAVID SISLEY DEPT _____

WE ARE TRANSMITTING 2 PAGE(S) INCLUDING THIS PAGE, PLEASE PHONE IF YOU DIDN'T RECEIVE ALL PAGES

COMMENTS

8" WF CROSSMEMBERS ON 20" CENTRAL
MAY Release Value 135⁰⁰
DISTANCE CR. & TR L.R. & 26' 8"

Regards

SIGNED _____

David






Regional Co-ordination
Transport Engineering

Room 401, Provincial Building
4920 - 51 Street
Red Deer, Alberta
Canada T4N 6K8

Telephone 403/340-5189
Fax 403/340-5092

June 3, 1996

Scona Spring & Trailer
3904-78 Ave.
Edmonton, AB T6B 2W4



Attention: Laurier Fontaine, Engineering Supervisor

Dear Mr. Fontaine:

Re: Manufacture of Trailers Equipped With Pin-up Axles

There has been some conflicting information distributed in the past regarding the manufacture and use of pin-up axles and I would like to take this opportunity to clarify our position.

The definition of a lift axle, "means an axle of a vehicle that is constructed so that the operator of the vehicle may lift or otherwise remove the wheels located on that axle from contact with the highway without removing the wheels from the axle or the axle from the vehicle."

The pin-up units meet the above definition for a lift axle.

Because of safety and infrastructure concerns, Provincial regulations state that all vehicles (trucks and trailers) must not have an axle combination that includes a lift axle.

Existing units that were built with pin-up axles must have the mechanism disabled so that the axle is down and equalized at all times, including empty. No permits are available to allow the continued operation of these units. New units are not to be built with pin-up axles.

Although this may not apply directly to your operation, your cooperation in distributing this information would be appreciated.

Thank you for your assistance and if you have any questions or comments, please call the Central Permit Office at 1-800-662-7138 if you are calling within Alberta, or (403) 342-7138 outside Alberta.

Yours truly,

BRUNO ZUTAUGAS, P. Eng.
Director,
Transport Engineering

cc: B. Reid, M. Tenhove
B. Olson, S. Callahan, A. Moroz

j:\bruno\manuf2.wpd\bo\on

845-7140



Scona Spring and Trailer

3904 - 78 AVENUE
EDMONTON ALBERTA T6B 2W4
TELEPHONE (403) 468-1471 FAX (403) 440-1394 TOLL FREE 1-800-232-7306

1-800-

232-7306



08-17/96

DAVID SISLEY

September 16, 1996

FOOTHILL'S TANK RENTALS LTD.
Box 1421
Rocky Mountain House, Alberta
TOM 1T0

Telephone 845-2525
Facsimile 845-7140

ATTENTION: GARY GARRETT

We are pleased to quote on a 1997 SCONA Triaxle Air
Ride Oilfield Float as follows:

DIMENSIONS:

40,909 kg. G.V.W.R. (45 ton frame rated capacity)

8 ft. 6 in. X 48 ft. deck *what is 48' ? not including*
47'9" DECK LENGTH ONLY 49'7" front roll + throat

MAINFRAME:

CHT100 steel top and bottom flanges

CHT100 steel web material

W.F. 1 beam crossmembers on 20 in. centres - *8 1/2" long throat*
→ 8" wide 3. large throughout

SUSPENSION:

c/a to bottom of frame
HT-300-15 Turner heavy duty air ride suspensions with
60 in. spread and rebound straps

F22H Ingersoll axles with 77 in. track width, 10 stud
unimount hubs, drums, S cam brakes, automatic slack
adjusters and Stemco seals

24.5 X 8.25 steel unimount rims

11.00 X 24.5 Bridgestone radial tires

MISCELLANEOUS:

Full width pick up throat with cable savers

2 in. solid king pin on 18 in. setting

54 in. coupler height

7 standard pin pockets per side

2 fixed pin pockets at 8 in. and

7 ft. 6 in. across rear

Lightening holes where possible

Tie loops at all crossmember locations

capable of lifting front axle
1/2" restraint chains on axle
16 1/2" Brakes
enclosed cups
wt hubs
weight 31,950 lbs
crossmembers 20 in
size
NO - full width rail
pockets at

NOT ENCLOSED
weight 31,950 lbs
crossmembers 20 in
size
NO - full width rail
pockets at

weight 31,950 lbs
crossmembers 20 in
size
NO - full width rail
pockets at

weight 31,950 lbs
crossmembers 20 in
size
NO - full width rail
pockets at

weight 31,950 lbs
crossmembers 20 in
size
NO - full width rail
pockets at

weight 31,950 lbs
crossmembers 20 in
size
NO - full width rail
pockets at

weight 31,950 lbs
crossmembers 20 in
size
NO - full width rail
pockets at

weight 31,950 lbs
crossmembers 20 in
size
NO - full width rail
pockets at

weight 31,950 lbs
crossmembers 20 in
size
NO - full width rail
pockets at

weight 31,950 lbs
crossmembers 20 in
size
NO - full width rail
pockets at

weight 31,950 lbs
crossmembers 20 in
size
NO - full width rail
pockets at

Centrole 19,700#



Lafront of suspension 15' long
is the carrier

3.20 pm

Lybal has some one behind one ahead

Page 2

Norm 1st crossmember back of centre 26'8" centre one roll to other

280"

23'4"

Can flip around and come back another 40'

7 in. SCONA style air lift centre roll system 21' 280"

8 5/8 in. live roll with two sets (4) support rollers

H. D. oilfield bumper 4" square tubing 1/2" wall? + Jowdags.

Underslung tire carrier

Telescoping and fold up oilfield dolly legs

~~AOSITER VALVE? - NO estimate 135.00~~

AIR:

Regulation M.V.S.S. 121 air system

Scale gauge and dump valve - air pressure to maintain roll height

ELECTRICAL:

Regulation electrical with sealed beam rubber mounted lighting throughout

2 sets (4) swing out wide load light

all light boxes welded no wires

FINISH:

3 in. rough fir decking

Sandblasted, primed and painted one colour with one stripe in Endura plastic paint

Unit price as described above

\$42,500.00

Alberta tire recycle charge (\$4.00 X 12)

48.00

G.S.T. at 7%

2,978.36

Total cost F.O.B. Edmonton

\$45,526.36

OPTIONS:

Aluminum rims (6 polished/6 machined)

\$ 3,780.00

Rebound chains instead of straps

400.00

Extra inside pin pockets

each 70.00

(plus G.S.T.)

Dump valve installed to the chart

extra color 100.00

42,500 -

Rebound chains - 400.00 - 45

- Pinup axle - 42,900.00 - 48

700.00 Second

10' roll

are 2 support rollers enough

Centre roll @ 26'8" 1 behind centre 280"

Restraint chains on axles 1/2"

AIR Dump Valve

Lifting front axle

unmounted hubs - white

18" pin length and sled

Height for hubs + wheel tracks

pg. 3

Stripes 2" B - 1" white 1" B

Garnet red metallic color 95 - 89.9 per color

rebound straps vs chains
check for 54" wheel height

We are also pleased to quote on a 1997 SCONA Triaxle Air Ride Scissorneck Lowboy with live Roll as follows:

DIMENSIONS:

40,909 kg. G.V.W.R. (45 ton frame rated capacity)
9 ft. 6 in./10 ft. X 53 ft. 0 in. in lowboy position
Approximately 42 ft. from gooseneck to end of live roll

MAINFRAME:

CHT100 steel top and bottom flanges
CHT100 steel web material
W.F. 1 beam crossmembers on 20 in. centres
Full width tapered gooseneck to pin in lowboy and hi boy positions

SUSPENSIONS:

HT-300 V-9 Turner heavy duty air ride suspension on
60 in. spread with rebound straps
F22H Ingersoll axles with 89 in. track width, 10 stud
unmount hubs, drums, automatic slack adjusters,
5 cam brakes and Stenoco seals
22 x 8.25 steel unmount rims
275/70 X 22.5 Bridgestone radial tires

MISCELLANEOUS:

Full width pick up throat
2 in. solid king pin on 18 in. setting
54 in. coupler height or as required
Reinforced checkplate at scissor assembly
Wheel and suspension area open
The loops at all crossmember locations
Lightening holes where possible
7 standard pin pockets per side
7 in. SCONA style air lift centre roll system
8 5/8 in. live roll on rear with two sets (4) support
rollers
H. D. Oilfield bumper

AIR:

Regulation M.V.S.S. 121 air system
Scale gauge and dump valve

ELECTRICAL:

Regulation electrical with sealed beam rubber mounted
lighting throughout
2 sets (4) swing out wide load lights

533335

FINAL

INVOICE DATE

12:53:16

10/03/96
PAGE NO.

G.S.T. REGISTRATION # R121500045

ORDER TAKER: KINAL

S
H
I
P
T
O

5873 / 01
FOOTHILLS TANK RENTALS LTD.
BOX 1421,
ROCKY MTH. HOUSE, AB.
TOM 1TO



and TRAILER
E REAL McCoy™

AVENUE
TON, ALBERTA T6B 2W4

5873 / 01
FOOTHILLS TANK RENTALS LTD.
BOX 1421,
ROCKY MTH. HOUSE, AB.
TOM 1TO

CUSTOMER PO. NO.
ARY

ORDERED BY:

PROVINCIAL LICENSE NO.

SALESMAN
DAVID SISLEY

DATE
0/03/96

SHIPPING DATE
10/03/96

F.O.B.

SHIP VIA

PRODUCT NO.	DESCRIPTION	ORDERED	SHIPPED	UOM	UNIT PRICE	AMOUNT
	ONE ONLY 1997 SCORPION 48 FT. TRIAXLE AIR RIDE OILFIELD FLOAT S/N 2E9F45E30V3003706 HT-300-15, F22H-77", 24.5 X 8.25 STEEL UNI- MOUNT, 11R24.5 M843, REBOUND CHAINS, 7" C.R., 8 5/8 L.R.					
	TOTAL COST				\$45,954.36	
	LESS DEPOSIT				1,000.00	
	AMOUNT DUE.....				\$44,954.36	
	V.O. #33-95085					
TRLR TIRE	TRAILER TIRE SURCHARGE				42900.0000 48.0000	42900.00 48.00

Inh. #209

Paid Bal cheque 4,960.00

SUPPLIED ACCORDING TO ORDER WILL BE DISCOUNTED 15% IF RETURNED.

10TH OF THE MONTH FOLLOWING. 2% SERVICE CHARGE PER MONTH (24% PER ANNUM) CHARGED ON OVERDUE ACCOUNTS.

BY ACKNOWLEDGE MY INDEBTEDNESS IN THE AMOUNT OF \$ _____ BEING THE TOTAL AMOUNT OWING OR BALANCE
AS SHOWN HEREON.

SUBTOTAL 42948.00

GST 3006.36

TOTAL DUE 45954.36

CUSTOMER

DATE

SIGNATURE

SCOMA SPRING & TRAILER
3904 - 78 Avenue NW
Edmonton Alberta
T6B 2W4



Fax (403) 440-1394
Toll Free 1-800-232-7306
Ph. (403) 468-1471

DATE Sept 25/94

REFERENCE NO

TO Technics Tank Service

ATTENTION Garage

FAX #

845-3140

FROM David Sisco

DEPT

WE ARE TRANSMITTING
DIDNT RECEIVE ALL PAGES

PAGE 5 INCLUDING THIS PAGE PLEASE PHONE IF YOU

COMMENTS 20012 Boss 7" Air Lift Control Roll
20012 Boss 8 1/8" Air Roll

Regards
John G



Bob Forsyth.

September 16, 1996

Quotation No 96091601

FOOTHILLS TANK RENTALS

Rocky Mountain House, Alberta

ATTENTION: Mr. Gary Garrett

RE: 45 TON AIR RIDE TRI-AXLE OILFIELD FLOAT

Specifications

Design: Outside rail T-1 constructed fabricated 18" rail, lightening holes installed.

Structural Capacity: 90,000 lbs. distributed over 25 feet.

Dimensions:

- 48' overall length
- 46' working deck →
- 8'6" overall width
- 60" deck height at rear
- 63" deck height at front
- 54" kp height

Pick-up Throat: Full width heavy duty pick-up nose, winch line hole each side with solid bar center, 2" king pin, 20" setting, 96" swing clearance for T/A jeep, 3/4 wrappers for winch line clearance. Reinforce corners on pick up throat.

Crossmembers: 6" I-beam on 24" spacing, 8" I-beam in suspension area.

Live Roll: 8 5/8" Heavy full width roll set 1" above decking with 3 sets of support rollers

90,000 lbs
Turner
 Suspension
pin pockets, bear side
axle spread 60"
weight 19,760

Peerless Page Industries Ltd. 575 Page Avenue, Port Huron, MI 48130
 Telephone: (604) 492-0406 Fax: (604) 492-7353

be wks delivery

what distance for becker roll -
19-21

SEP 16 '96 01:57PM PEERLESS PENTICTON

P.2/3

- 2 -

96091601

Landing Gear

Heavy duty oilfield style fold up pin in extension.

Pin Pockets:

6 On each side in top flange at 8' inside, 2 each end of live roll c/w sling saver. Bolt on winch line guides on front and rear crossmembers, all pin pockets 2 5/8" I.D. heavy duty.Tie Downs *2-shaped*

Tie down brackets on each crossmember, one 12" from front.

Decking:

3" dressed fir 1/2" above main rails, rough side up.

Bumper:

Heavy duty oilfield style bumper of 4" square tube, 1/2" wall fully braced c/w H.D. tow hooks

Electrical:

CMVSS approved with Truck Lite sealed system, sealed beam tail and clearance lights, 4 swing out lights installed, must not protrude past 5'6". Tail lights to be in steel light boxes.

Air:

CMVSS approved

Suspension:

Turner HT3000, 90,000 lb. capacity bi-axle air ride suspension, 60" axle spacing c/w air scales, stainless oil filled *guage*

Axles: (3)

F22H, 25,000 lb. capacity Ingersoll axles with 77" tracks (full width), 16-1/2" brakes with bolt on spiders, enclosed cams, type 30 spring brake pots, oil seals, dust shields and cast drums c/w capabilities of lifting and pinning up front axle only, 1/2" restraint chains on axles. - *Can lift up front end.*

Hubs (6)

22" x 6 spoke, 4-1/4" channel spacers.

can be unmount

Rims (12)

8.25 x 24.5 tubeless white rims.

Tires (12)

11R24.5 Goodyear C286, 16 ply.

Live Roll

Air operated 6' live roll located approx. 30' from rear roll deck guards each side of roll. Customer preference.

Hostler Valve:

Installed

*Can move trailer
brake release.*

09/17/96

08:55

P.3/3

SEP 16 '96 01:57PM PEERLESS PENTICTON

3 -

96091601

Dump Valve

Dump valve installed

Paint:

Sandblasted, primed and painted customer colours (Indura)

Weight:

Estimated weight 19,670 lbs. (+/- 5%).

Delivery:

6 weeks
F.O.B. Calgary, Alberta

Price:

\$49,460.00
G.S.T. Extra

Yours truly

PEERLESS PAGE INDUSTRIES LTD.

BS Sength

Bob Forsyth
Sales

Additional Option

Add \$600.00 - Can be included -

*Pat Lynn Trucking on with Joey Line
2000 # lighter*

*Truck light board lights - in hangers to quarter boxes.
LED light systems - 1,000.00*

Pat Doyle 528-3940 Leo Joyline

FOOTHILLS TANK RENTALS LTD.

Phone (403) 845-4040 (24 Hour)

Fax (403) 845-7140

P.O. Box 1421

Rocky Mountain House, Alberta, T4T 1B1

- TANK RENTALS - RIG MATTING - WELLSITE UNITS - GENSET/LIGHT TOWERS -
- PRESSURE WASH/TEAM TRUCKS - OILFIELD HAULING - HOT SHOT -
- VACUUM TRUCKS - CULVERT, CATTLEGUARD & GEOTEXTILE SALES -

RELIABLE PEOPLE - QUALITY EQUIPMENT

FAXED

FAX COVER SHEET

DATE: Sept. 4, 2012 FAX #: 1-780-465-8987

TO: CORY ATTENTION: FLEET BRAKE

FROM: KEU # OF PAGES: 3

(including cover sheet)

MESSAGE:

AS PER OUR CONVERSATION HERE IS THE INFORMATION YOU REQUESTED. ANY PROBLEMS CALL ME (403) 846-1005

KEU SEWELL

MECHANIC FOR FOOTHILLS TANK RENTALS LTD.

1800. Deposit



Scona Spring and Trailer

3904 - 78 AVENUE

EDMONTON ALBERTA T6B 2W4

TELEPHONE (403) 468-1471 FAX (403) 440-1394 TOLL FREE 1-800-232-7306

1-800-

232-7306



08.17/96

DAVID SISLEY

September 16, 1996

FOOTHILL'S TANK RENTALS LTD.

Box 1421

Rocky Mountain House, Alberta

TOM ITO

Telephone 845-2525

Facsimile 845-7147

ATTENTION: GARY GARRETT

We are pleased to quote on a 1997 SCONA Triaxle A Oilfield Float as follows:

DIMENSIONS:

40,909 kg. G.V.W.R. (45 ton frame rated capacity)

8 ft. 6 in. X 48 ft. deck *what is 48' ? not including*

47'9" DECK LENGTH ONLY 49'7" live well + throat

MAINFRAME:

CH1100 steel top and bottom flanges

CH1100 steel web material

W.F. 1 beam crossmembers on 20 in. centres - *8" x 12" I-beam throat*
→ 8" wide throat throughout

SUSPENSION:

HT-300-15 Turner heavy duty air ride suspensions with 60 in. spread and rebound straps

F22H Ingersoll axles with 77 in. track width, 10 stud unimount hubs, drums, S cam brakes, automatic slack adjusters and Stemco seals

24.5 X 8.25 steel unimount tires

11.00 X 24.5 Bridgestone radial tires

Bridgestone tires 840-857

capable of lifting front axle

1/2" restaint chains on axle.

16" Brakes

enclosed crossmembers 20 in. x 20 in. weight 31950 lbs

ELLANEOUS:

Full width pick up throat with cable

2 in. solid king pin on 18 in. setting

14 in. coupler height

standard pin pockets per side

fixed pin pockets at 9 in. ar

7 ft. 6 in. across rear

lightening holes where possi.

The loops at all crossmember

20" crossmembers 20 in. x 20 in. size


NO - full side rail

pockets at

*10 90° 10 45°
2 inside @ 7'6"
10 20"*

pg. 2

Control 19700



NEW VEHICLE INFORMATION STATEMENT

Vehicle Identification Number				Make	Model	Model Year	Body Type
2E9F45E30V3003706				Scona	TOF	1997	Oilfield
							Float
Colour	No. of Cylinders	Motive Power	Shipping Wt. (kg)	G.V.W.R. (kg)	Wheelbase (mm)	Plate Number	
White				40,909			

Manufacturer's/

Importer's Name & Location: SCONA SPRING AND TRAILER-EDMONTON, ALBERTA

I, the undersigned authorized representative of the company, firm or corporation named below, hereby certify that the new vehicle herein described is assigned on this date for registration to:

Name of Purchaser(s) (Surname, First) Initial

Foothills Tank Rentals Ltd.

Address (Street No. or Lot, Conc, and Township) Apt. No. Telephone

Box 1421

845-2525

Post Office (City, Town or Village and R.R. No.) Postal Code

Rocky Mountain House, Alberta TOM LTO :

 km

Odometer Reading

and certify that the vehicle is new and has not been registered previously:

Dealer's Name SCONA SPRING AND TRAILER

Dealer's No. 500946

FORM #291

Authorized Signature

MVB-1407(2:81) DK

Day	Mo.	Yr.
01	10	96