


)X25-1 (Claims Enter ESN, RO, Control, CSS Claim Id, CSS Job Order#, Claim #, DSI

Home

Engine Coverage

Claims

You are here: Home > Engine Coverage



Coverage Details

		\$	Show me co	verage in : OM	iles	er		
	Min Months	Max Months	Hours	Kilometers	Megawatt Hours	Deductible	End Date	Status
Emissions	0	60	0	160934.4	0	\$0.00	9/11/2025	Active
CARB Emissions	0	60	3000	160934.4	0	\$0.00	9/11/2025	Active
Belts/hoses	0	12	6250	402336.0	0	\$0.00	9/11/2021	Expired
Base	0	24	6250	402336.0	0	\$0.00	9/11/2022	Expired

Certificate Details

Certificate No.	Program ID	Coverage ID	Status	Start Date	Expiry Date	Start	Expires	Units	Deductibles
HT1000001009226	HT1	HT1	Active	09/11/2020	09/11/2025	0.0	499998.0	MI	\$ 0.0
AT3000001132372	AT3	AT3	Active	09/11/2020	09/11/2025	0.0	499998.0	MI	\$ 0.0

About Cummins Cummins Products Investors and Media Corporate Responsibility

Claims Create a New Claim Create a New Claim Check Engine Coverage QuickServe Online Warranty Manual Policy Request

Helpful hints

Engine Coverage

<u>Hide</u>

Engine Serial No:

Enter a Cummins 8-digit (all numeric) serial number. (ex: 79235458) How do I find my Engine Serial

Number

Application:

The engine application designates the usage of the engine, (e.i. Industrial, Automotive, School Bus)

Campaigns:

Designed to locate a specific group of engines or service parts after they have been sold by Cummins. Once located, prescribed repairs or modifications are performed during a specified period of time or specified amount of operation. Reference section 508-006 of the Warranty Administration Manual

Coverage:

The extent to which a warranty or other program will pay for failures and repairs.

Temporary Repair Practice (TRP):

Identifies specific engines or service parts after they have been sold by Cummins and describes repairs to be performed to them during a specified period of time or a specified amount of operation. Reference section 508-006 of the Warranty Administration Manual.

Live Online Support Available For claim navigation assistance or other system related issues, click here for Live Support available 24 hours a day, 7 days a week. For Warranty Administration issues or questions, please go to the Contact Us page and submit your issue or question through the form provided.

> Help & FAQ Training FAQ

RAPIDSERVE™ is a registered trademark of Cummins Inc. All rights reserved.

Terms & Conditions | Privacy Policy | Cookies

We use cookies on this site to enhance your experience.

By clicking any link on this page, you give consent for us to set cookies. For more information, see our Privacy and Legal page

Summary

General Information						
Customer Name: <u>Update</u>	Mach Energy Services Ltd P.O. Box 352 Rimbey, AB TOC 2J0	Engine:	V Performance Series, EPA lb-ft Torque @ 1150 RPM, Peak HP (Max)			
Application:	General Freight Long Haul (Sleeper)	Model:	LT625 6x4			
		Engine Serial Number:	80151316			
Repair Management	✓ Create Estimate					
			Unit No:	<u>Edit</u>		
			Inspection Exp:			
			Notes:	No		
	IL.		OCC Authorization Form :	No form found		
Warranty Informatio	n					
Order Date:	10/25/2018	DTU Status:	DTU			
Build Date:	03/05/2019	DTU Miles:	4832 Kilometers			
Warranty Start Date:	09/11/2020	Standard Warranty:	CTC 2010 CNC ISH View			
Time In Service:	3 Years 5 Months	Diamond Spec:	No			
DTU Engine Hours:	0	DTU Fuel Used:	0.			
Extended Service Contract:	Active: R5803E EXTND VEHICLE COVRGE (48 Months / 500000 Miles / 800000 KM) End Date : 09/11/2024					
Managed Repair Info	rmation 😲					
Open Recalls:	No	Open AFCs:	No			
Open MRCs:	No	Open FSC:	No			
Calibration Status						
BCM Status:	Vehicle Calibration Scorecard					
Electronic Feature(s):	Vehicle Calibration Scorecard					

Details

retails			
Vehicle Information			
VIN:	3HSDZAPR9LN840928	Order Date :	10/25/2018
Model:	LT625 6x4	Build Date:	03/05/2019
Engine :		DTU Date :	08/28/2020
Application Family:	On Highway Tractors	Warranty Start Date :	09/11/2020
Application :	General Freight Long Haul (Sleeper)	DTU Status :	DTU
Wheel Base :	238.0	DTU Odometer:	4832 Kilometers
DTU Engine Hours:	0	DTU Fuel Used:	0.
GVWR:	54000	Original Gear Ratio:	391
GCWR:	0	Programmed Gear Ratio:	
PC Number :	N90308174	Order Number :	360136
Paint Color Code :	9219	After Frame :	55.1
Selling Dealer:	GLOVER INTL TRUCKS (233304-000)	Original Customer:	Mach Energy Services Ltd
Customer:	Mach Energy Services Ltd	Address:	P.O. Box 352
Address:	P.O. Box 352	City, State Zip:	Rimbey, AB T0C 2J0
City, State Zip:	Rimbey, AB T0C 2J0		
Toe (MM/M)	0.92		
Forward Rear / Scrub (MM/M)			
Rear Rear / Thrust (MM/M)	-0.45		

Components

Components

VII	N: 3HSDZAPR9LN8	340928		329 components found. Export			
S.No	Class Description	Parts Catalog Component	Component Line Drawing	Description			
1	FRAMES	0001CBW	0001CBW	FRAME RAILS Heat Treated Alloy Steel (120,000 PS. Yield); 10.250" x 3.610" x 0.375" (260.4mm x 91.7mm x 9.5mm); 466.5" (11850mm) Maximum OAL			
2	FRAMES	0001MBS	0001MBS	BUMPER, FRONT Contoured, Aluminum, Stainless Steel Clad, with Black Plastic Filler Panels, Less Valance Panel for Increased Ground Clearance			
3	FRAMES	0001VAD	0001VAD	DECK PLATE Bright Aluminum, (2) Sections, Flush Mounted			
4	FRAMES	0001WKL	0001WKL	WHEELBASE RANGE 221" (560cm) Through and Including 270" (685cm)			
5	FRAMES	0001570	0001570	TOW HOOK, FRONT (2) Frame Mounted			
6	FRAMES	0001820	0001820	RAMPS for 5th Wheel			
7	FRONT AXLES	0002AST	0002AST	AXLE, FRONT NON-DRIVING {Meritor MFS-14-122A} I-Beam Type, 14,000-lb Capacity			
8	FRONT SUSPENSIONS	0003ADD	0003ADD	SUSPENSION, FRONT, SPRING Parabolic Taper Leaf, Shackle Type, 14,000-lb Capacity, with Shock Absorbers			
9	BRAKES	0004AAU	0004AAU	PARK BRAKE CHAMBERS, ADDITIONAL (2) {Bendix} Spring Brake Type; 30/30 SqIn			
10	BRAKES	0004AZY	0004AZY	AIR BRAKE ABS {Bendix AntiLock Brake System} 6-Channel (6 Sensor/6 Modulator) Electronic Stability Program, with Automatic Traction Control			
11	BRAKES	0004ECC	0004ECC	AIR DRYER {Bendix AD-IS} with Heater, Includes Pressure Protection Circuits, Safety Valve, Integral Purge Tank			
12	BRAKES	0004EXU	0004EXU	BRAKE CHAMBERS, REAR AXLE {Bendix EverSure} 30/30 SqIn Spring Brake			
13	BRAKES	0004EXV	0004EXV	BRAKE CHAMBERS, FRONT AXLE {Bendix} 24 SqIn			
14	BRAKES	0004NDB	0004NDB	BRAKES, REAR, AIR CAM S-Cam; 16.5" x 7.0"; Includes 30/30 Sq.In. Long Stroke Brake Chamber and Spring Actuated Parking Brake			
15	BRAKES	0004SPA	<u>0004SPA</u>	AIR COMPRESSOR {Cummins} 18.7 CFM			
16	BRAKES	<u>0004SUM</u>	0004SUM	TRAILER CONNECTIONS Center Pin Of Trailer Socket To Be Hot (Battery Feed) At All Times, ILO Of Ignition Controlled with A.B.S.			
17	BRAKES	0004VHW	0004VHW	AIR TANK LOCATION (2) Mounted Under Battery Box, Outside Left Rail, Under Cab; Perpendicular to Rail			
18	BRAKES	0004WBX	0004WBX	DUST SHIELDS, FRONT BRAKE for Air Cam Brakes			
19	BRAKES	0004WCR	0004WCR	BRAKE PACKAGE, REAR {Meritor Q-Plus LX500} Air Cam Type, Lube Free, Includes Lube-Free Rear Cam Tubes and Slack Adjusters			
20	BRAKES	0004WCS	0004WCS	BRAKE PACKAGE, FRONT {Meritor Q-Plus LX500} Air Cam Type, Lube Free, Includes Lube-Free Cam Tubes and Slack Adjusters			
21	BRAKES	0004WDM	0004WDM	DUST SHIELDS, REAR BRAKE for Air Cam Brakes			
22	BRAKES	0004WRJ	0004WRJ	AIR COMPRESSOR DISCHARGE LINE 1/2" ID to 5/8" ID Teflon Hose, with Stainless Steel Braid; to Air			

,				Dryer
23	BRAKES	0004WXR	0004WXR	DRAIN VALVE (2) {Berg} with Pull Chains, for Air Tanks
24	BRAKES	0004XBJ	0004XBJ	TRAILER HOSES AND CABLES {Phillips} Straight, 3 IN 1, Rubber Hose, 15' Working Length, Aluminum Glad Hands with Rubber Seals and Hand Holds, Lighting Cable with Quick Change Plug
25	BRAKES	0004092	0004092	BRAKE SYSTEM, AIR Dual System for Tractor Applications
26	BRAKES	0004196	0004196	BRAKES, FRONT, AIR CAM 16.5" x 5", Includes 24 SqIn Long Stroke Brake Chambers
27	BRAKES	0004809	0004809	HOSE TENDER Slide Bar with Double Spring Bracket, Bar Extended 4" from Cab
28	STEERING	0005CBE	0005CBE	STEERING WHEEL 4-Spoke; 18" Dia., Black Leather Wrapped
29	STEERING	0005PRV	0005PRV	STEERING GEAR {TRW (Ross) THP60} Power
30	STEERING	0005WAJ	0005WAJ	POWER STEERING OIL COOLER Remote Mounted
31	STEERING	0005710	0005710	STEERING COLUMN Tilting and Telescoping
32	EXHAUST SYSTEMS	0007BES	0007BES	AFTERTREATMENT COVER Polished Aluminum
33	EXHAUST SYSTEMS	0007DXT	0007DXT	EXHAUST SYSTEM Single, Horizontal Aftertreatment Device, Frame Mounted Right Side Under Sleeper, for Dual Vertical Tail Pipes, Cab B- Pillar Mounted
34	EXHAUST SYSTEMS	0007MBD	0007MBD	TAIL PIPE (2) Turnback Type, Bright, 7" Diameter
35	EXHAUST SYSTEMS	0007SAP	0007SAP	ENGINE COMPRESSION BRAKE {Cummins} Interbrake For Cummins Signature/ISX/X15 Engines; Furnished with Engine
36	EXHAUST SYSTEMS	0007WCL	0007WCL	EXHAUST HEIGHT 13'
37	EXHAUST SYSTEMS	0007WDL	0007WDL	MUFFLER/TAIL PIPE GUARD (2) Bright Stainless Steel
38	EXHAUST SYSTEMS	0007WZX	0007WZX	SWITCH, FOR EXHAUST 3 Position, Momentary, Lighted Momentary, ON/CANCEL, Center Stable, INHIBIT REGEN, Mounted in IP Inhibits Diesel Particulate Filter Regeneration When Switch is Moved to ON While Engine is Running, Resets When Ignition is Turned OFF
39	ELECTRICAL SYSTEMS	0008GXB	0008GXB	ALTERNATOR {Leece-Neville AVI160P2003} Brush Type, 12 Volt, 240 Amp Capacity, Pad Mount, with Remote Sense
40	ELECTRICAL SYSTEMS	0008NBJ	0008NBJ	BATTERY SYSTEM {JCI} Maintenance-Free, (4) 12- Volt 2800CCA Total, Top Threaded Stud
41	ELECTRICAL SYSTEMS	0008RBZ	0008RBZ	SPEAKER, AUXILIARY, CB RADIO with Jack for CB; Mounted Left Side Above Driver's Door
42	ELECTRICAL SYSTEMS	0008RJG	0008RJG	RADIO, AUXILIARY CONTROLS Located in Sleeper Control Panel; Includes Display and Controls for Radio Power, Volume, Mode, Seek/Tune, Clock and Alarm
43	ELECTRICAL SYSTEMS	0008RMN	0008RMN	RADIO AM/FM/CD/WB/SiriusXM/Clock/Bluetooth/USB Input/Auxiliary Input, MP3, Apple Device Play & Control
44	ELECTRICAL SYSTEMS	0008RMU	<u>0008RMU</u>	SPEAKERS (2) 6.5" Dual Cone Mounted in Doors, and (2) 6.5" Dual Cone Mounted in Sleeper Cab
45	ELECTRICAL SYSTEMS	0008RNE	0008RNE	CB RADIO Accommodation Package, Header Mounted, Feeds from Accessory Side of Ignition Switch, Includes Power Source, Two Antennas and

2				Antenna Bases with Wiring on Both Sides, Back of Cab
46	ELECTRICAL SYSTEMS	0008THB	0008THB	BACK-UP ALARM Electric, 102 dBA
47	ELECTRICAL SYSTEMS	0008THH	0008THH	AUX. TRAILER SOCKET {Phillips} 7-Way, with Battery Fed Circuit to Center Pin, with 25 Amp Fuse and Relay Controlled by Switch (with Indicator Light) Controlled by Accessory Side of Key Switch, Switch Mounted on Instrument Panel
48	ELECTRICAL SYSTEMS	0008TKJ	0008TKJ	STOP, TURN, TAIL & B/U LIGHTS {Truck Lite} Super 44, with LED Lights for Stop, Turn, Tail and Backup Lights, with Power Module, "International" Termination and Less Junction Box, Includes License Plate Light
49	ELECTRICAL SYSTEMS	0008TSZ	0008TSZ	BEACON LIGHT WIRING Customer furnished Bracket & Beacon, with Pigtail at Back of Cab, with 5' of Extra Wire; Includes Wiring & Dash Mounted Switch
50	ELECTRICAL SYSTEMS	0008TUT	<u>0008TUT</u>	COLLISION MITIGATION SYSTEM Omit
51	ELECTRICAL SYSTEMS	0008VTV	0008VTV	STOP-LIGHT WIRING MODIFIED Stop-Lights Turned on When Engine Compression Brake, Exhaust Brake or Retarder is Activated
52	ELECTRICAL SYSTEMS	<u>0008VUS</u>	0008VUS	BATTERY BOX COVER Polished Aluminum, Universal Cover that Covers Both Battery Box & DEF Tank
53	ELECTRICAL SYSTEMS	0008WEZ	0008WEZ	TURN SIGNAL SWITCH Self-Canceling
54	ELECTRICAL SYSTEMS	0008WGL	0008WGL	WINDSHIELD WIPER SPD CONTROL Force Wipers to Slowest Intermittent Speed When Park Brake Set and Wipers Left on for a Predetermined Time
55	ELECTRICAL SYSTEMS	0008WJE	0008WJE	WORK LIGHT WIRING for (2) Customer Installed Work Lights, Mounted on Top Rear Corners of Cab, with Switch on Dash, Switch Will Also Activate Standard Work Light and Backup Lights when Vehicle is in Reverse or Park Brake Applied
56	ELECTRICAL SYSTEMS	0008WJV	0008WJV	BATTERY DISCONNECT SWITCH {Joseph Pollak} for Cab Power Disconnect Switch, Disconnects Power to Power Distribution Center (PDC), Does Not Disconnect Charging Circuits, Lever Operated, Cab Mounted
57	ELECTRICAL SYSTEMS	0008WLA	0008WLA	REFRIGERATOR 12/24 V DC, 1.6 cubic ft.(45L) Capacity, Thermo Protected Compressor, Adjustable Thermostat, Internal Light, Includes Shelf, Small Freezer - Capable of Making Ice
58	ELECTRICAL SYSTEMS	0008WNH	<u>0008WNH</u>	RUNNING LIGHT (2) Daytime
59	ELECTRICAL SYSTEMS	0008WPZ	0008WPZ	TEST EXTERIOR LIGHTS Pre-Trip Inspection will Cycle all Exterior Lamps Except Back-up Lights
60	ELECTRICAL SYSTEMS	0008WRB	0008WRB	HEADLIGHTS ON W/WIPERS Headlights Will Automatically Turn On if Windshield Wipers are Turned On
61	ELECTRICAL SYSTEMS	0008WRH	0008WRH	TURN SIGNAL/SIDE MARKER LIGHTS Amber Lens, Sleeper Valance Panel Mounted
62	ELECTRICAL SYSTEMS	0008WXB	0008WXB	HEADLIGHT WARNING BUZZER Sounds When Head Light Switch is on and Ignition Switch is in "Off Position
63	ELECTRICAL SYSTEMS	0008WXG	0008WXG	STARTING MOTOR {Mitsubishi Electric Automotive America 105P} 12-Volt, with Soft-Start
64	ELECTRICAL SYSTEMS	0008XAH	0008XAH	CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses

- 7				
65	ELECTRICAL SYSTEMS	0008XBN	0008XBN	TOGGLE SWITCH, AUXILIARY (2) with Two 30- Amp Circuit Breakers
66	ELECTRICAL SYSTEMS	0008XCZ	0008XCZ	HEADLIGHTS LED, with Park Lights and Daytime Running Lights
67	ELECTRICAL SYSTEMS	0008XDM	0008XDM	POWER INVERTER 1800 Watt; Includes Battery Cables and Remote Display with On/Off Switch in Sleeper Control Panel
68	ELECTRICAL SYSTEMS	0008XDN	0008XDN	SHORE POWER SOCKET Includes 120 Volt 20 Amp AC Connection on Modesty Panel, with AC Wiring and 2 AC Receptacles, for use with Inverter
69	ELECTRICAL SYSTEMS	0008XHK	0008XHK	BATTERY BOX Aluminum, 30" Wide, 2-4 Battery Capacity, Mounted Left Side Under Cab
70	ELECTRICAL SYSTEMS	0008XHN	0008XHN	HORN, AIR Single Trumpet, Black, with Lanyard Pull Cord
71	ELECTRICAL SYSTEMS	0008XHR	0008XHR	POWER SOURCE, ADDITIONAL Auxiliary Power Outlet (APO) with USB Port, Located in the Instrument Panel
72	ELECTRICAL SYSTEMS	0008XHX	0008XHX	SWITCH, MARKER INTERRUPT for Marker Lights and Headlights, Located in Steering Wheel
73	ELECTRICAL SYSTEMS	0008XJC	0008XJC	BATTERY WIRING MODIFICATION Battery Discharge Protection System; Control thru Body Controller
74	ELECTRICAL SYSTEMS	0008XJH	0008XJH	FOG LIGHTS (2) Clear Lens, LED, Rectangular, with White Light Source
75	ELECTRICAL SYSTEMS	0008000	0008000	ELECTRICAL SYSTEM 12-Volt, Standard Equipmen
76	ELECTRICAL SYSTEMS	0008518	0008518	CIGAR LIGHTER Includes Ash Cup
77	ELECTRICAL SYSTEMS	0008541	0008541	HORN, ELECTRIC (2) Disc Style
78	FRONT END	0009AAB	0009AAB	LOGOS EXTERIOR Model Badges
79	FRONT END	0009AAE	0009AAE	LOGOS EXTERIOR, ENGINE Badges
80	FRONT END	0009AAG	0009AAG	HOOD, FRONT FILLER SEAL Mounted Between Bumper and Hood
81	FRONT END	0009HAD	0009HAD	GRILLE Chrome
82	FRONT END	0009WAY	0009WAY	FRONT END Tilting, Fiberglass, with Three Piece Construction
83	FRONT END	0009WBN	0009WBN	FENDER EXTENSIONS Painted
84	SPEEDOMETER, TOOLS, MISC	0010ADR	0010ADR	COMMUNICATIONS MODULE OnCommand Connection Communications Module
85	SPEEDOMETER, TOOLS, MISC	<u>0010GYK</u>	<u>0010GYK</u>	FIFTH WHEEL, AIR SLIDE {Holland FW35A924XL00} 24" Slide, 8.7" Above Top of Frame, Left Hand Release
86	SPEEDOMETER, TOOLS, MISC	<u>0010NCA</u>	0010NCA	COUNTRY IDENTITY for Canada
87	SPEEDOMETER, TOOLS, MISC	0010WAD	0010WAD	AIR CONDITIONER IDENTITY for CANADA
88	SPEEDOMETER, TOOLS, MISC	<u>0010WPU</u>	<u>0010WPU</u>	MUD FLAP HOLDER Spring Loaded, Bright Finish, 45-Degree End, with Red and White Reflective Tape, Less Flaps
89	SPEEDOMETER, TOOLS, MISC	<u>0010WSX</u>	<u>0010WSX</u>	MUD FLAPS, REAR Black Poly, with International Logo, Less Holders
90	SPEEDOMETER, TOOLS, MISC	0010133	0010133	PAINT SCHEMATIC, PT-1 Single Color, Design 133 for 72" or 73" Hi-Rise Sleeper Cab/Chassis
91	SPEEDOMETER, TOOLS, MISC	0010761	0010761	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone
92	CLUTCH	0011MRW	<u>0011MRW</u>	CLUTCH {Eaton Fuller Advantage} Self-Adjusting, 15.5" Dia Two-Plate, Cast Angle Spring, Ceramic, 7- Spring Coaxial VCT Plus Damper, 2"-10 Tooth Spline

,				Mechanical Pull Type Control, 6-Button Disc, 1860 lb-ft Torque Capacity
93	CLUTCH	0011WAK	0011WAK	CLUTCH EFFECTS Hydraulic Clutch Actuation System, with Air Assist
94	CLUTCH	0011WAL	0011WAL	GREASE FITTINGS Remote; for Clutch Release Bearing, Routed through Hand-hole Cover & Grommet on Bottom of Clutch Housing, with Eaton Advantage Series Clutches
95	ENGINE	0012EGV	0012EGV	ENGINE, DIESEL {Cummins X15 565} Performance Series, EPA 2017, 565HP @ 1950 RPM, 1850 lb-ft Torque @ 1150 RPM, 2000 RPM Governed Speed, 580 Peak HP (Max)
96	ENGINE	<u>0012THJ</u>	<u>0012THJ</u>	FAN DRIVE {Horton Drivemaster} Automatic On/Off Type, with Normally Closed Temperature Control
97	ENGINE	0012VBZ	0012VBZ	AIR CLEANER Dual Element, Engine Mounted
98	ENGINE	0012VHA	<u>0012VHA</u>	EMISSION, CALENDAR YEAR {Cummins X15} EPA, OBD and GHG Certified for Calendar Year 2019
99	ENGINE	0012WBR	<u>0012WBR</u>	FAN OVERRIDE Manual; with Electric Switch on Instrument Panel, (Fan On with Switch On)
100	ENGINE	0012WGA	<u>0012WGA</u>	HOSE CLAMPS, RADIATOR HOSES, Mechanical Type; with Constant-Tension Functionality
101	ENGINE	0012WYW	<u>0012WYW</u>	BLOCK HEATER, ENGINE {Phillips} 120V/1500W, with "Y" Cord for 120V/300W Oil Pan Heater
102	ENGINE	<u>0012WYZ</u>	<u>0012WYZ</u>	RADIATOR DRAIN & FILL FITTING SPECIAL; To Vacuum Out or Fill the Cooling System from the Bottom of Radiator, for Use with Quick-Connect Radiator Drain Tool or Shop Coolant Evacuation-Fill System
103	ENGINE	0012WZJ	0012WZJ	CARB IDLE COMPLIANCE Low NOx Idle Engine, Complies with California Clean Air Regulations; Includes "Certified Clean Idle" Decal located on Driver Door
104	ENGINE	0012XBC	0012XBC	RADIATOR Aluminum, Welded, Down Flow, Front to Back System, 1325 SqIn, with 806 SqIn Charge Air Cooler
105	ENGINE	0012703	0012703	ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection
106	ENGINE	0012991	0012991	COLD STARTING EQUIPMENT Automatic Ether; with Engine ECM Control, Ether Bottle Not Included
107	TRANSMISSION	<u>0013GKM</u>	<u>0013GKM</u>	TRANSMISSION, MANUAL {Fuller RTLO(F)-18918B} 18-Speed Manual, Double Overdrive, Double-Lo, Air Shift, Internal Lube Oil Pump
108	TRANSMISSION	0013WAS	<u>0013WAS</u>	CLUTCH HOUSING Aluminum; Available with 1350 to 2050 lb-ft Capacity Fuller Transmissions
109	TRANSMISSION	0013WGJ	0013WGJ	OIL COOLER, TRANSMISSION Water to Oil Type Included in Radiator End Tank (REQUIRES TRANSMISSION LUBE PUMP)
110	TRANSMISSION	<u>0013WGP</u>	<u>0013WGP</u>	INPUT SHAFT Heavy Duty Roller Bearing; Spline Size 2.00" with 1.18" Pilot, Use with Eaton 13/18 Speed Manual Transmissions, with Transmission Mounted, 6 or 8 bolt PTO's with Up to the Total PTO Output of 500 lb. ft.
111	TRANSMISSION	0013WLX	0013WLX	TRANSMISSION OIL {EmGard 40W} Synthetic; 22 thru 33.99 Pints
112	TRANSMISSION	0013XAA	0013XAA	PTO CONTROL, DASH MOUNTED For Customer Provided PTO; Includes Switch, Electric/Air Solenoid, Piping and Wiring

113	TRANSMISSION	0013XAV	0013XAV	PTO LOCATION Dual, Customer Intends to Install PTO at Right Side and/or Bottom of Transmission
114	REAR AXLES, SUSPENSIONS	<u>0014HRM</u>	<u>0014HRM</u>	AXLE, REAR, TANDEM {Meritor RT-46-160} Single Reduction, 46,000-lb Capacity, Driver Controlled Locking Differential in Forward-Rear and Rear-Rear Axle, 200 Wheel Ends
115	REAR AXLES, SUSPENSIONS	0014URA	<u>0014URA</u>	SUSPENSION, REAR, AIR, TANDEM {International} Ride Optimized Suspension (IROS), 40,000-lb Capacity, 55" Axle Spacing, 9.25" Ride Height, with Shock Absorbers
116	REAR AXLES, SUSPENSIONS	<u>0014WBN</u>	<u>0014WBN</u>	DIFF. SWITCH CONTROLS Two Independent Switches for Control Traction Differentials on Tandem Rear Axles, Mounted on Dash
117	REAR AXLES, SUSPENSIONS	0014WMK	0014WMK	AXLE, REAR, LUBE {EmGard FE-75W-90} Synthetic Oil; 65 thru 89.99 Pints
118	REAR AXLES, SUSPENSIONS	0014899	0014899	SUSPENSION AIR CONTROL VALVE Pressure Release Control In Cab
119	FUEL TANKS	0015EAJ	0015EAJ	FUEL TANK (2) Top Draw, Polished Aluminum, 26" Dia, 140 US Gal (530L); Total Capacity 280 US Gal (1060L), with Dual Supply and Return Lines, Less Equalizer Line, Mounted Left and Right Side, Back of Cab/Under Sleeper
120	FUEL TANKS	0015LKU	0015LKU	FUEL/WATER SEPARATOR {Racor} Fuel Pre-Filter and Filter Base, Includes Water-In-Fuel Sensor
121	FUEL TANKS	<u>0015LNA</u>	0015LNA	FUEL HEATER {Cummins} Plumbing for Thermal Recirculation Valve (TRV) Mounted to Cummins X15 Engines, Thermostatically Controlled
122	FUEL TANKS	0015WEB	0015WEB	DEF TANK 25.2 US Gal (95L) Capacity, Frame Mounted Outside Left Rail, Under Cab
123	CABS, COWLS, BODIES	0016ATC	0016ATC	AUTOMATIC CLIMATE CONTROL Automatically Maintains Cabin Comfort Based on Selected Temperature
124	CABS, COWLS, BODIES	0016AUN	0016AUN	CAB Conventional, Hi-Rise Sleeper Cab; 73" Seat to Inside Back of Cab, with 42" Wide Lower Bunk
125	CABS, COWLS, BODIES	0016BAM	0016BAM	AIR CONDITIONER with Integral Heater and Defroster
126	CABS, COWLS, BODIES	0016CEL	0016CEL	FLOOR COVERING IN SLEEPER Carpet Insert
127	CABS, COWLS, BODIES	0016DAN	0016DAN	CAB INTERIOR TRIM ACCENT Black Cherry Color Padded Door Insert, Padded Door Topper, Seat Insert
128	CABS, COWLS, BODIES	<u>0016GDH</u>	<u>0016GDH</u>	GAUGE CLUSTER Premium Level; English with Metric Speedometer and Tachometer, for Air Brake Chassis, Includes Engine Coolant Temperature, Primary and Secondary Air Pressure, Fuel and DEF Gauges, Oil Pressure Gauge, Includes 5 Inch LCD Color Display
129	CABS, COWLS, BODIES	0016HCS	0016HCS	GAUGE, TEMPERATURE, AMBIENT Sensor Wiring with Display Unit Mounted in Cluster
130	CABS, COWLS, BODIES	0016HGJ	<u>0016HGJ</u>	GAUGE, OIL TEMP, MANUAL TRAN for Manual Transmission
131	CABS, COWLS, BODIES	0016HGL	0016HGL	GAUGE, OIL TEMP, REAR AXLE
132	CABS, COWLS, BODIES	0016HGN	0016HGN	GAUGE, AIR APPLICATION
133	CABS, COWLS, BODIES	0016HKB	0016HKB	GAUGE, MANIFOLD PRESSURE Data Link Driven; Mounted in Instrument Panel, Includes Controller Module
134	CABS, COWLS, BODIES	<u>0016HKC</u>	<u>0016HKC</u>	GAUGE, AIR CLEANER RESTRICTION {Filter- Minder} Under Hood Cleaner Mounted with Internal Switch, with Text Message in Cluster

				The free free free free free free free fr
135	CABS, COWLS, BODIES	<u>0016HKE</u>	<u>0016HKE</u>	GAUGE, LOAD INDICATING REAR Text Message in Cluster Display, for use with Rear Air Suspension
136	CABS, COWLS, BODIES	<u>0016HLW</u>	<u>0016HLW</u>	VIRTUAL GAUGE, OIL TEMP, ENG Requires Premium Cluster
137	CABS, COWLS, BODIES	0016HLX	0016HLX	GAUGE, VOLTMETER Auxiliary Gauge, Located in Center Panel. Standard Cluster Also Includes Digital Voltage Readout
138	CABS, COWLS, BODIES	<u>0016JYS</u>	<u>0016JYS</u>	SEAT, DRIVER {National Model HP} Air Suspension, High Back, Vinyl Boxing with Leather Facing, 2 Arm Rest, Isolator, 8.5" Adjuster, 3 Chamber Air Lumbar 6 Way Front Cushion Adjust, 3 Way Rear Cushion Adjust, 6-23 Degree Back Angle Adjust, Adjust Side Bolsters, Bellows, Back Cycler, Swivel, Map Pocket
139	CABS, COWLS, BODIES	0016RAK	<u>0016RAK</u>	SEAT, PASSENGER {National Model HP} Air Suspension, High Back, Vinyl Boxing with Leather Facing, 2 Arm Rests, Isolator, 8.5" Adjust, 3 Chamber Lumbar, 6 Way Front & 3 Way Rear Cushion Adjust, 6-23 Degree Back Angle Adjustment, Bellows, Back Cycler, Swivel, Map Pocket
140	CABS, COWLS, BODIES	0016SBU	<u>0016SBU</u>	BUNK, LOWER Flip Up Type; 42" Wide
141	CABS, COWLS, BODIES	0016SNV	0016SNV	MIRRORS (2) Aero Pedestal, Power Adjust, Heated, Turn Signals, Bright Heads, Black Arms, 6.5" x 14" Flat Glass, Includes 6.5" x 6" Convex Mirrors, for 102' Load Width
142	CABS, COWLS, BODIES	0016SNX	0016SNX	MIRROR, CONVEX, LOOK DOWN Right Side, Bright, 6" x 10.5"
143	CABS, COWLS, BODIES	0016VCK	0016VCK	CABINET, REFRIGERATOR for Refrigerator Storage; Includes Power Source, Pull-Out Work Table, Storage Drawer, Side Magazine Rack, Located Behind Passenger Seat, for Conventional Sleeper Cab
144	CABS, COWLS, BODIES	0016VEN	0016VEN	DOOR, CABINET REFRIGERATOR (1)
145	CABS, COWLS, BODIES	<u>0016VJM</u>	0016VJM	CABINET TOWER WARDROBE LWR LT Includes Clothes Hanging Storage, with Door, Mounted Behind Driver Seat, 73" Sleeper Cab
146	CABS, COWLS, BODIES	<u>0016VKR</u>	0016VKR	CAB INTERIOR TRIM Diamond, for 73" Hi-Rise Sleeper Cab
147	CABS, COWLS, BODIES	0016VRX	0016VRX	SLEEPER COMPARTMENT CURTAIN Insulated Curtain, Improved Sleeper Curtains That will Provide Improved Thermal Value and Noise Level Reduction in Sleeper Compartment
148	CABS, COWLS, BODIES	0016VRY	0016VRY	INSULATION PACKAGE Provides Improved Noise Level and Thermal Value for Sleeper Compartment
149	CABS, COWLS, BODIES	<u>0016VTW</u>	<u>0016VTW</u>	HEATER, AUXILIARY {Webasto Airtop 2000 S T D} Diesel Fueled for Maintaining Sleeper Temperature for No Idle Heating, Wired for Operation in Dealer Selectable Parameter, Defaulted to Key Off Mode
150	CABS, COWLS, BODIES	0016VTZ	0016VTZ	AUXILIARY HEATER EXHAUST for Exhaust Routing, Behind Sleeper Cab
151	CABS, COWLS, BODIES	0016VUG	0016VUG	STORAGE, SLEEPER INTERIOR Mounted on Rear Panel
152	CABS, COWLS, BODIES	<u>0016VZT</u>	<u>0016VZT</u>	CURTAIN, WINDSHIELD for Privacy
153	CABS, COWLS, BODIES	<u>0016WDE</u>	<u>0016WDE</u>	ANTENNA, TELEVISION with Lead-In
154	CABS, COWLS, BODIES	<u>0016WJU</u>	<u>0016WJU</u>	WINDOW, POWER (2) and Power Door Locks, Left and Right Doors, Includes Express Down Feature
155	CABS, COWLS, BODIES	0016WKZ	<u>0016WKZ</u>	KEYLESS ENTRY SYSTEM REMOTE with Panic and Auxiliary Buttons, Includes One Key Fob (Transmitter)

4		5000000000		
156	CABS, COWLS, BODIES	<u>0016WLM</u>	<u>0016WLM</u>	HOURMETER, PTO for Customer Provided PTO; with Indicator Light and Hourmeter in Gauge Cluster Includes Return Wire for PTO Feedback Switch
157	CABS, COWLS, BODIES	0016WSE	<u>0016WSE</u>	LOW WASHER FLUID INDICATOR
158	CABS, COWLS, BODIES	0016WYV	0016WYV	CAB SIDE EXTENDERS (FAIRINGS) for Use with Sleeper Cab
159	CABS, COWLS, BODIES	<u>0016XBH</u>	<u>0016XBH</u>	NETTING, OVERHEAD CONSOLE Includes Net Restraints Left and Right for Overhead Console in Cab
160	CABS, COWLS, BODIES	0016XCG	<u>0016XCG</u>	MATTRESS Inner Spring, One Sided; For 42" Lower Bunk of Sleeper Cab
161	CABS, COWLS, BODIES	0016XJP	0016XJP	INSTRUMENT PANEL Wing Panel
162	CABS, COWLS, BODIES	<u>0016XXB</u>	0016XXB	SUNSHADE, EXTERIOR Aerodynamic, Bright Stainless Steel, with Integral LED Amber Lens Clearance/Marker Lights
163	CABS, COWLS, BODIES	0016XXN	0016XXN	CABINET, OVERHEAD, SLEEPER (4) 1 Small and Large Right Side, 1 Small and 1 Large Left Side, with Doors
164	CABS, COWLS, BODIES	<u>0016ZGR</u>	<u>0016ZGR</u>	ACCESS, CAB AND FRAME Bright Aluminum, Driver & Passenger Sides, Two Steps per Door; Left Side Frame Access Step, Includes One Flush Mounted Deck Plate and Black Grab Handle, for use with Day Cab or Sleeper Cab
165	CABS, COWLS, BODIES	0016000	0016000	FLOOR COVERING Transmission Cover, Floor Mats and Seal DO NOT ORDER-FOR FACTORY USE ONLY
166	CABS, COWLS, BODIES	0016564	0016564	HEATER SHUT-OFF VALVES (1) Ball Valve Type, Supply Line
167	WHEELS, TIRES - FRONT	0027DMN	<u>0027DMN</u>	WHEELS, FRONT DISC; 24.5x8.25 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Aluminum Hubs
168	WHEELS, TIRES - REAR	0028DMN	0028DMN	WHEELS, REAR DUAL DISC; 24.5x8.25 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub- Piloted, Flanged Nut, with Aluminum Hubs
169	WHEELS MISC OPTIONS	0029PBS	0029PBS	COATING IDENTITY, REAR WHEELS {Accuride Accu-Shield} Disc Rear Wheels, Aluminum, with Vendor Applied Clear Coat, Not for Super Single/Wide Base
170	WHEELS MISC OPTIONS	0029PBT	<u>0029PBT</u>	COATING IDENTITY, FRONT WHEELS {Accuride Accu-Shield} Disc Front Wheels, Aluminum, with Vendor Applied Clear Coat, Not for Wide Base
171	WHEELS MISC OPTIONS	0029TAG	0029TAG	TIRES, UNI-DIRECTIONAL Mount Tires So That Arrows, on Tire, Point Toward Forward Direction When Arrow is at Top
172	WHEELS MISC OPTIONS	0029WAP	0029WAP	WHEEL GUARDS, FRONT {Accuride} for Metric Hub Piloted Wheels with Flanged Mounting Nuts Mounted Between Hub and Wheel
173	WHEELS MISC OPTIONS	0029WLK	0029WLK	WHEEL BEARING, FRONT, LUBE {EmGard FE-75W-90} Synthetic Oil
174	BODY & CHASSIS PAINT	0035864	0035864	PAINT FENDER EXTENSIONS Single Color; Same as Number One Cab Schematic Color
175	WARRANTY	0040125	0040125	WARRANTY Standard for LT/RH Series, Effective with Vehicles Built January 2, 2016 or Later, CTS-2010A
176		<u>0417LTR</u>	<u>0417LTR</u>	*** ERROR GETTING DECSRIPTION: SQLCODE = +00100
177		<u>0425LTB</u>	<u>0425LTB</u>	*** ERROR GETTING DECSRIPTION: SQLCODE = +00100

178		<u>0425LTH</u>	<u>0425LTH</u>	*** ERROR GETTING DECSRIPTION: SQLCODE = +00100
179	FRAMES	0501007	0501007	FRAME PIERCING By Outside Vendor
180	FRAMES	0501013	0501013	LADDER, LEFT (2) Back of Cab
181	MISC	0504058	0504058	AIR TANK VOLUME IDENTITY Nominal 6054 CuIn System Capacity
182	BRAKES	0504122	0504122	PROG, ABS-6/8 YAW RATE SENSOR Orientation #2
183	BRAKES	0504149	0504149	PROG, ABS-6/8 SAS CONFIG Steer Angle Sensor INV
184	BRAKES	0504175	0504175	PROG, ABS-6/8 AXLE for 6x4 Tractor
185	BRAKES	0504306	0504306	SLACK ADJUSTERS, FRONT {Meritor} Automatic
186	BRAKES	0504355	0504355	SLACK ADJUSTERS, REAR {Meritor} Automatic
187	BRAKES	0504360	0504360	AIR TANK Steel, with Straight Thread O-Ring Ports
188	BRAKES	0504396	0504396	AIR DRYER LOCATION Mounted Inside Left Rail, Back of Cab
189	BRAKES	0504441	0504441	BRAKE IDENTITY, FRONT {Meritor Q-Plus}
190	BRAKES	0504442	0504442	BRAKE IDENTITY, REAR {Meritor Q-Plus}
191	BRAKES	0504504	0504504	BRAKE LININGS, FRONT {Meritor MA1502}
192	BRAKES	0504507	0504507	BRAKE LININGS, REAR {Meritor MA2001} for S-Cam Brake
193	DRIVELINES	0506001	0506001	YOKE, TRANSMISSION OUTPUT
194	DRIVELINES	0506007	0506007	YOKE, FORWARD REAR AXLE INPUT
195	DRIVELINES	0506008	0506008	YOKE, FWD-RR AXLE, REAR OUTPUT
196	DRIVELINES	0506010	0506010	YOKE, REAR-REAR AXLE, INPUT or Single Rear Axle Input
197	DRIVELINES	0506100	<u>0506100</u>	DRIVELINE LABOR IDENTITY for Driveline Labor
198	DRIVELINES	0506101	<u>0506101</u>	CENTER BEARING, FIRST XMBR Mounted to Front of Crossmember
199	DRIVELINES	0506110	0506110	CENTER BEARING MTG. PARTS
200	ELECTRICAL SYSTEMS	0508025	0508025	SOLENOID, AIR ACCESSORY 8-Pak, Electric Operated, Does Not Include an ECU or J1939 Communications, Includes Two 4-Pak Units
201	MISC	0508097	0508097	ELECTRICAL SYSTEM MUX for Electrical Common Architecture System
202	MISC	0508099	0508099	SWITCH, ROCKER MUX in Lighting Control Module C1
203	MISC	0508100	0508100	SWITCH, ROCKER MUX in Lighting Control Module C2
204	SPEEDOMETER, TOOLS, MISC	0510AAB	0510AAB	LANGUAGE IDENTITY For English
205	SPEEDOMETER, TOOLS, MISC	0510000	<u>0510000</u>	BULK MATERIAL
206	MISC	0510002	0510002	SERVICE PARTS ASSEMBLIES
207	SPEEDOMETER, TOOLS, MISC	0510014	0510014	VEPS IDENTITY for Switch Pack Modules
208	SPEEDOMETER, TOOLS, MISC	0510015	<u>0510015</u>	VEPS IDENTITY for Lighting Control Module
209	SPEEDOMETER, TOOLS, MISC	0510016	<u>0510016</u>	VEPS IDENTITY for Door Pod Modules
210	SPEEDOMETER, TOOLS, MISC	0510017	0510017	VEPS IDENTITY for HVAC Controller
211	SPEEDOMETER, TOOLS, MISC	0510019	0510019	UNIT OF MEASURE IDENTITY for English Units, Except with Metric Distances and Speeds

- 6	1960390-009.6109			
212	SPEEDOMETER, TOOLS, MISC	0510104	<u>0510104</u>	SPECIAL ROUTING CONTROL for Pre Delivery Inspection Completed at TSC
213	SPEEDOMETER, TOOLS, MISC	0510856	<u>0510856</u>	VEPS IDENTITY for Powertrain Datalink, 500K
214	SPEEDOMETER, TOOLS, MISC	0510993	0510993	VEPS IDENTITY Electronic Diagnostics
215	REAR AXLES, SUSPENSIONS	0514007	<u>0514007</u>	SEATS AND PLATES, FORWARD REAR
216	REAR AXLES, SUSPENSIONS	0514008	<u>0514008</u>	SEATS AND PLATES, REAR REAR
217	FUEL TANKS	0515011	0515011	FUEL TANK CAP (2) Chrome, Non-Locking Type
218	FUEL TANKS	0515018	0515018	FUEL TANK STRAPS Bright Finish Stainless Steel
219	CABS, COWLS, BODIES	<u>0516AAC</u>	0516AAC	CAB REAR SUSPENSION Air Bag Type, for Sleeper Cab
220	CABS, COWLS, BODIES	0516010	0516010	CAB, DRILLING for Battery Disconnect
221	CABS, COWLS, BODIES	0516058	0516058	CAB, DRILLING for Lighted Airshield Wiring
222	CABS, COWLS, BODIES	0516064	0516064	CAB, DRILLING Sleeper Floor Power Source
223	CABS, COWLS, BODIES	0516065	0516065	CAB, DRILLING Wiring, Upper Work Light
224	CABS, COWLS, BODIES	0516078	0516078	CAB, DRILLING for B-Pillar Exhaust
225	CABS, COWLS, BODIES	<u>0516101</u>	0516101	MIRROR HEATED EFFECTS All Heads, Both Sides, Thermostatically Controlled, with Switch Mounted in Wing Panel
226	CABS, COWLS, BODIES	0516102	<u>0516102</u>	MIRROR, POWERED EFFECTS Both Sides, Flat Glass Only
227	CABS, COWLS, BODIES	0516106	<u>0516106</u>	MIRROR, STYLE Aerodynamic
228	CABS, COWLS, BODIES	0516208	0516208	CAB, DRILLING for GPS Enhanced Cruise Control Antenna
229	WHEELS MISC OPTIONS	0529001	0529001	WHEEL BEARING, FRONT, LUBE
230	WHEELS MISC OPTIONS	0529002	0529002	WHEEL BEARING, REAR, LUBE
231	MISC	0530100	0530100	TIRES
232	BODY & CHASSIS PAINT	0535008	0535008	PAINT CHASSIS COLOR GROUP No. 08
233	BODY & CHASSIS PAINT	0535011	0535011	IDENTITY STANDARD PAINT COLOR for Internal Order Coding
234	BODY & CHASSIS PAINT	0535911	0535911	PAINT COLOR GROUP PT-11 No. 1; Identifies Material and Labor Cost for the 1st Paint Color of a 1- Tone, 2-Tone, 3-Tone or 4-Tone Paint Schematic Design
235	MISC	0597002	0597002	BCM PROG, COMMON CONFIG DATA
236	MISC	0597003	0597003	BCM PROG, IP CONFIGURATION for LT, RH & LoneStar
237	MISC	0597005	0597005	BCM PROG, PARK/MARKER LIGHTS 20 AMP
238	MISC	0597006	0597006	BCM PROG, HEATED MIRRORS DOOR POD
239	MISC	0597008	0597008	BCM PROG, WORK LIGHT Rocker Switch
240	MISC	0597009	0597009	BCM PROG, EXTERIOR LIGHT CHECK
241	MISC	0597010	0597010	BCM PROG, AIR SUSP DUMP CONT
242	MISC	0597011	0597011	BCM PROG, FOG LIGHTS , Lighted Control Module (LCM)
243	MISC	0597013	0597013	BCM PROG, ENG COMPRESSION BK , Rocker Switch
244	MISC	0597016	0597016	BCM PROG, FIFTH WHEEL SLIDE
245	MISC	0597018	0597018	BCM PROG, INTERIOR DOME LIGHTS in Cab, with Switch Control
246	MISC	0597019	0597019	BCM PROG, INTERIOR DOME LIGHTS in Sleeper