



232 PROTECTED

Load Trail is proud to be home to the best warranty on the market. Our 232 Protection plan is included on every load trail trailer and includes coverage above & beyond that of most other trailer warranties.

BENEFITS OF 232 PROTECTION INCLUDE:

- ▶ **TOWING / ROAD REIMBURSEMENT FOR BOTH TOW VEHICLE AND TRAILER**
 - Reimbursement up to \$1,000 USD per incident on towing the trailer and tow vehicle.
- ▶ **FLAT TIRE CHANGES**
 - Reimbursement of the cost of a flat tire change.
(It does not cover a repair or the tire itself)
- ▶ **VEHICLE FLUID DELIVERY**
 - Reimbursement up to 5 gallons of fluid delivery. Fluids include fuel, DEF fluid, oils and coolant.
- ▶ **JUMP STARTS (DEAD BATTERY SERVICE)**
 - Reimbursement the cost of Jump-Starting a vehicle.
- ▶ **LOCK-OUT SERVICES**
 - Reimbursement the cost of a Lock-Out-Service.
- ▶ **ON AND OFF-ROAD COVERAGE**
 - Not limited to highway use. Coverage even if you decide to venture off the beaten path.
- ▶ **BOTH COMMERCIAL & CONSUMER USE**

We are confident in our product and have the warranty to prove it. For full coverage and warranty details, please see your Load Trail Owner's Manual or visit us at www.loadtrail.com

2-YEAR

COMPREHENSIVE COVERAGE

This comprehensive coverage will protect you from manufacturing defects on every single component on the trailer.

3-YEAR

STRUCTURAL WARRANTY

When used according to guidelines, we guarantee our trailer to be structurally free from defects for three years.

2-YEAR

ROADSIDE REIMBURSEMENT

This protection will give you the peace-of-mind to hit the road any time with your trailer and your tow vehicle anywhere in the US & Canada, for personal or business use. Our roadside service program will make sure you are never stranded due to unforeseen circumstances when on business or personal trips. All benefits for the trailer are automatically extended to the tow vehicle, and are both covered for two years from the purchase date of your Load Trail trailer. Best of all, our roadside service program is included on every new Load Trail trailer - free of charge.

Email all claims to: warranty@loadtrail.com



Date: _____

Trailer VIN: _____

By signing below, I acknowledge that I have been made aware of procedures pertaining to warranty claims on the above described trailer. I agree to follow all procedures as set out by the manufacturer. I acknowledge it is my responsibility to find out what those procedures are and to first gain approval from the manufacturer before having any work done that I expect to be reimbursed for under the manufacturer's warranty.

I acknowledge and agree that Tractorland Trailers is only responsible for warranty work and/or parts as approved by the manufacturer of this trailer and that the decision as to what is covered under warranty lies solely with the manufacturer of this trailer.

I also understand that the trailer I have just purchased needs to have the tires retorqued as per the manufacturer's specifications.

The tires should be set at _____ PSI

Then wheel nuts are torqued to _____ FT PSI

These have been checked during our pre-delivery inspection and as such Tractorland Trailers has no liability once the trailer has left our yard. These requirements have been clearly explained to me and I fully understand all implications.


Signature: _____

Print Name: _____

Tractorland Trailers Signature: _____

SMOOTH OUT THE TOUGHEST ROADS

At Load Trail, we are committed to providing only the best, premium quality components on the market for our trailers. That's why the Dexter Heavy Duty Suspension System is standard on every Load Trail with 10,000 - 16,000 lb axle configurations. Just like a Load Trail, this suspension system is built tough to work as hard as you do. It is built to be balanced, easily adjusted, and withstand heavy loads.



HDSSTM
SUSPENSION SYSTEM

▶ Provides the ability for axle alignment through the adjustable trailing rods reducing dog tracking and increasing tire life.

▶ Double slipper springs for better tracking and less maintenance.

▶ 5-year limited warranty on suspension system combined with original Dexter axles.

▶ Heavy duty mechanical suspension designed for axles from 10,000 to 25,000 lbs. in tandem sets.

▶ Heavy duty hangers and equalizers are made from high yield fabricated light weight steel resulting in a lighter more durable trailer suspension.

▶ Industry standard 49.00" axle spacing provides better load balance and trailer stability.

▶ Extended life equalizer bushing leads to lower maintenance time and cost.

