

FIELD WORKSHEET

DATE <i>May 31 / 2017</i>	UNIT # <i>1</i>
HOURS <i>223008</i>	NAME <i>David Guenter</i>

JOB DESCRIPTION *Service engine oil + filter
change air filter*

PARTS USED	
<i>1- 57202</i>	
<i>10.5 - Extreme 15W40</i>	
<i>1 - 49314</i>	

FIELD WORKSHEET

DATE	Sept 13/2017	UNIT #	1
HOURS	226753	NAME	David Cuenter

JOB DESCRIPTION

Replace right side high beam head light

PARTS USED

[illegible]



Field Worksheet / Hazard Assessment

Date: May 19/2018	Unit # 1
Hours 227379	Name David Gentes

Job Description Replace front brake pads Replace caliper guide bolts Replace caliper bushings Rotate Tires

Parts Used	
1- Brake pad set SX1411 H-16199	106.33
1- Bushing kit H-15298	7.64
2- caliper guide bolts	15.15 each



Field Worksheet / Hazard Assessment

Date: July 3, 18	Unit # 1
Hours 239555	Name Dave + Colby

Job Description

Service engine oil and filter
add windshield washer fluid
Change engine air filter

Parts Used

1- 57202	
1- 49314	
10 liters 15-40	



Field Worksheet / Hazard Assessment

Date: <i>July 6/18</i>	Unit # <i>1</i>
Hours <i>241 074</i>	Name <i>Colby + Dave</i>

Job Description

*Replace windshield washer fluid Tank
and level sensor*

Parts Used	
<i>1- Tanks</i> <i>22880826</i>	
<i>103.42</i>	
<i>1- Sensor</i> <i>22845370</i>	
<i>47.77</i>	
<i>Tax 16.64</i>	
<i>4l washer fluid</i>	



Field Worksheet / Hazard Assessment

Date: <i>August 22/2018</i>	Unit # <i>1</i>
Hours <i>242907</i>	Name <i>David Geenter</i>

Job Description

Rotate tires
Replace Brake pads front and Rear
Replace Brake Calipers front and Rear

Parts Used	
<i>19286421</i>	
<i>2- Brake pads</i> <i>158⁴² each</i>	
<i>Tax</i> <i>34⁸⁵</i>	
<i>19286421</i>	
<i>2- Core Return</i> <i>159⁰²</i>	
<i>FRC12466 FRC12465</i>	
<i>2 Rear calipers</i> <i>405⁴¹</i>	
<i>SE5854A SE5853A</i>	
<i>2 Front calipers</i> <i>503⁷⁶</i>	
<i>2- Core Return</i> <i>131³⁹</i>	



Date: Oct 26/2018	Unit # 1
Hours 244557	Name David Geertz

Job Description
change front and Rear brake rotors

[illegible]



Field Worksheet / Hazard Assessment

Date: Oct 30 / 2018	Unit # 1
Hours 244594	Name David Genter

Job Description

Service engine oil & filter
Checks air filter
add washer fluid

ENTERED
He

Parts Used	
1- LF16102	
10 l 15 W 40	
4 l washer fluid	



Field Worksheet / Hazard Assessment

Date: Feb 19/2019	Unit # 1
Hours 247738	Name Doug

Job Description change engine oil + filter change transfer case oil change tranny oil + filter chg oil in both Axles check air filter
--

ENTERED 

Parts Used	
LF16 102 Engine oil filter	
1 - 33960 XE	
10L 15W 40	
10L Trans fluid	
6L 75-90 Gear oil	



Job Description

Service engine oil + filter
check air filter
add washer fluid

ENTERED *12/1*

	2.5L washer fluid
	1-7A16102
	10C15~40
Parts Used	



Field Worksheet / Hazard Assessment

Date: Jan 6/20	Unit # 1
Hours 260511 kms	Name Doug J.

Job Description Wash, chg Engine oil + filter
chg air filter. chg fuel filter.

ENTERED
1/6

Parts Used	
49314 - Air Filter	
LF-16102 - oil Filter	
10L 15W40 Engine Oil	
FS20002 Fuel Filter	
12639277 Filter Sensor	



Field Worksheet / Hazard Assessment

Date: June 4, 2020	Unit # 1
Hours 264770	Name Colby Fehr

Job Description

Change engine oil + filter
check air filter
add washer fluid

ENTERED 

Parts Used	
10L-15W40	
1-LF16102	
add oil	
4 l washer fluid	



ENTERED

[illegible]



Field Worksheet / Hazard Assessment

Date: Oct 13, 2020	Unit # 1
Hours 273105	Name Colby Fehr

Job Description

Change engine oil & filter
Add washer fluid
Check air filter

ENTERED 

Parts Used	
10L-15W40	
1-LF16102	
1L-washer fluid	



Job Description
Replace Both Batteries

[illegible]



Replace all bar tires

ENTERED

[illegible]



Field Worksheet / Hazard Assessment

Date: Dec 7, 2021	Unit # 1
Hours 295362	Name Colby Fehr

Job Description

replace front + rear thermostat
replace #7 glow plug

ENTERED
Dec

Parts Used	
97241129 1 Thermostat	11421
97241130 1 Thermostat	9983
2 Glow plugs	3616





Field Worksheet / Hazard Assessment

Date: <i>July 28/2021</i>	Unit # <i>1</i>
Hours <i>287917</i>	Name <i>Dave + Colby</i>

Job Description

*Service engine oil + filter
Replace engine Radiator
Flush cooling system
Replace #1 glow plug
Replace engine air filter*

ENTERED
Me

Parts Used	
<i>ACD-96</i>	
<i>1-Glow plug</i>	<i>2593</i>
<i>TR 44231-WS</i>	
<i>1- Radiator</i>	<i>419"</i>
<i>1- 6E16102</i>	
<i>10 Dexon 15W40</i>	
<i>20 L Engine Coolant</i>	
<i>1 AF 4166</i>	



Field Worksheet

Date: <u>January 18/2023</u>	Unit # <u>1</u>
Hours <u>298080</u>	Name <u>Colby Ehr</u>

Job Description replace both left and right head gasket, replace turbo, change head studs, change gaskets on turbo, change gaskets on exhaust manifolds (2), re-seal top end, delete egr + coolers, replace idler pulley, replace injector return line harness + seals, change starter, add coolant, change fuel filter, service engine oil + filter

ENTERED

Parts Used			
26401 PT		5755587N	
1- left headgasket	115. ⁰⁰	1- Starter	340. ⁷²
26402 PT			
1- Right headgasket	115. ⁰⁰	1- EGR Delete Kit	214. ²⁴
848212-50027		4 Bongo Seals	
1- Turbo	2615. ⁰⁰	3- 12627897	6. ⁶⁷
DT660023		Idler Pulley	
1- Fuel Return line	61. ⁸⁰	1- 980572841	47. ⁴⁷
HSK66		97373522	
1- Head studs	753. ⁶⁷	2- Bongo Seal	12. ⁵⁴
HSU262693		19256465	
1- Top end Gasket set	776. ⁵²	1- Seal Kit	52. ¹¹
11610965		F00VPO1003	
6- Flywheel Bolt	5. ⁰⁹	8- Return line Seals	6. ⁷⁴
8445130020			
1 injector Return line	151. ⁵³	2.0L - Coolant	
1- LF16102		1- FS2002	
10L-15W40			





SUBJECT: 6.6 L Duramax Head Gasket Identification

January 31, 2012

The 6.6 L Duramax engine families utilize three different grades (thicknesses) of head gaskets that are also specific to which side of the engine they are being installed on. The table and images below will aid in identifying the proper head gaskets required for your specific application. Some head gaskets may not have the grade designation shown in figure 2. In these instances, use the grade designation shown in figure 1. The head gaskets listed below work in conjunction with the **AP0045** and **AP0046** Head Installation Kits.

AP PART	LOCATION (FIGURE 3 & 4)	GRADE (FIGURE 1 & 2)	COMPRESSED THICKNESS	OEM PART
AP0047	Left (Driver Side)	A	0.90–1.00 mm	98045058
AP0048		B	0.95–1.05 mm	98045059
AP0049		C	1.00–1.10 mm	98045060
AP0050	Right (Passenger Side)	A	0.90–1.00 mm	98045055
AP0051		B	0.95–1.05 mm	98045056
AP0052		C	1.00–1.10 mm	98045057

Note: These gaskets should be replaced “like for like.” It is not recommended to install gaskets of a different thickness than what was originally equipped.





Job Description
Replace #4 Glow plug
clocks steering angle sensor to 0°

ENTERED *He*

[illegible]



Job Description

ENTERED

[illegible]



Field Worksheet

Date: Aug 25/2023	Unit # 1
Hours 305789	Name Colby Fehr

Job Description

Service engine oil + filter
Replace glow plug #1
Replace engine air filter

ENTERED
EC

Parts Used	
1-12639701	
1-LF16102	
1-AF4166	
10L-15w90	

Field Worksheet

Date: Dec 7/2023	Unit # 1
Hours 310 000	Name Colby Fehr

Job Description
Service engine oil + filter

[illegible]

Field Worksheet

Date: Dec 8 / 2023	Unit # 1
Hours 309845	Name Colby Fehr

Job Description
~~15092~~
Replace exhaust hanger

ENTERED *the*

[illegible]



Job Description

ENTERED

[illegible]

