



CERTIFICATE NUMBER

Commercial Vehicle Inspection Certificate Traffic Safety Act

PART 1 - VEHICLE OWNER AND VEHICLE IDENTIFICATION

Vehicle Typ	oe:	Truck			Seating	Capa	city:						
GVW:		63500 k	g		Brake Type:			Air					
Owner Nan	Name: RELIANCE VENTURES												
Address:	Address: PO BOX 138												
City:			Prov	Province: AB			Postal C			de: TOH3C0			
Telephone	elephone Number: (250) 793-1009												
Vehicle Ide	ntific	ation Nu	mber:	1.	XPTD40>	K9GD2	84137	,					
Make:	T	Peterbilt					Mode	el: Conve	ntional				
Year:	1	2016					Unit	Number:		60			
Odometer:	T	727554 K	M L	Licence Plate Num			r: 0AH943			Provinc	e:	AB	

IT IS AN OFFENCE TO FALSIFY AN INSPECTION CERTIFICATE

PART 2 - CERTIFICATION

I certify the vehicle described in Part 1 has passed the inspections and tests established under the Traffic Safety Act for a Commercial Vehicle.

Inspection Facility Name:		Facility Number:			
Fleet Brake Parts & Service	Limited	17184			
Inspection Technician Name):	Technician Number:			
Shawn Oake		B5564			
Inspection Technician Signa	ature:	De OC			
Inspection Date:	2025/04/16				



COMMERCIAL; VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

The original Record of Inspection must be given to the customer regardless of whether the vehicle passes or not.

uck	t ven	icle						760			Gro	ss ven		ight re 3500 l		Userse	
hicle	Info	rmatic	on		A COLUMN	0.25 M.A.	instanti	26534600	L. Arghan	(8245)	A August			10.7			
IN	1	X	P	T	D	4	0	X	9	G	D	2	8	4	1	3	7
	Numb 60	er	1	Year 2016		-	Mak Peteri				Mod Conver		TO PROTECTION			meter 7,554	An inches
					Reg	gistered	Owner	s Name							Plate	Number	•
					R	ELIANC	E VENT	URES							0AI	H943	
					Address D BOX							Postal TOH3				one Nur 0) 793-1	
C	Orum B	rakes:	C-Lir	mited Ins	pection				Disc B	rakes:							
					OFFICE	LEFT		FR	ONT		RIGH	I					
			96 psi			NA	in		s/Rotors			NA in		9	6 psi		
		-	/32 in			22/32	in		gs/Pads			/32 in		18/3	2 in		
		(=		<u>_</u>		1.5	in	Push F	Rod Trave			1.5 in					
		_		_		NA	in	Drum	s/Rotors			NA in					_
-	94 ps	i	96 psi	-		20/32	in	West of	gs/Pads	-	19/32 in		_	B psi	98 p		
24	/32 in	24	1/32 in	_		1.5	in	Push F	Rod Travel			1.5 in		24/3	2 in	24/32 i	n)
				_													
(98 ps	si	96 psi			21/32	in in		s/Rotors			/32 in		9	B psi	98 p	isc
24	4/32 in	-	4/32 in			21/32 1.5	in		igs/Pads Rod Travel			1.5 in		24/3	2 in	24/32 i	n
-		·V					in	Drum	ns/Rotors			in		-	psi		si
-	p:	-	psi				in	Linir	ngs/Pads			in			in	F	
_	in	人	in	1 L			in	Push F	Rod Trave			in					7
_		~					in	Drum	ns/Rotors			in		-			
1.	р	si	psi	-			in	Linir	ngs/Pads			in	-		psi		osi
(ir		in				in	Push f	Rod Trave			in			_ in \	'	n)
-		~		I			in	Drum	ns/Rotors			in		-			
		si	psi				in	Linir	ngs/Pads			in	-		psi		si
	ir	1	in				in	Push	Rod Trave	1		in		-	in \		r

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

S	ecti	on	1 - P	ower Train			
Component	Р	F	ŇA	Component	P	F	NA
1.1. Accelerator Pedal/Throttle Actuator	1	2000	LABOR	1.8. Engine Start Safety Feature	_		1
1.2. Exhaust System	1			1.9. Gear Position Indicator	1		-
1.3. Emission Control Systems and Devices			1	1.10. Engine or Accessory Drive Belt	1		-
1.4. Drive Shaft	1			1.11. Hybrid Electric Vehicle & Electric Vehicle Power Train System			1
1.5. Clutch and Clutch Pedal	1			1.12. Gasoline or Diesel Fuel System	1		-
1.6. Engine/Transmission Mount	1			1.13. Pressurized or Liquefied Fuel System (LPG, CNG, & LNG) * SEE APPENDIX A*	_		1
1.7. Engine/Shut Down	1						1

NOTES:

	APP	END	DIX "A"				55.0°F
Component F	? F	NA	Component	Р	F	N/	
A.1. Liquefied Petroleum Gas (LPG or Propane) Fuel System		1	A.3. Liquefied Natural Gas (LNG) Fuel System		-	1	_
A.2. Compressed Natural Gas (CNG) Fuel System		1					-

NOTES:

	Section 2	- Suspension		
Component	PF	NA Component	P	F N
2.1. Suspension & Frame Attachments	1	2.5. Air Suspension	1	
2.2. Axle Attaching & Tracking Components	1	2.6. Self-Steer and Controlled-Steer Axle		~
2.3. Axle & Axle Assembly	1	2.7. Shock Absorber/Strut Assembly	1	-
2.4. Spring & Spring Attachment	1			

NOTES:

Sec	tion 3	H - Hy	draulic Brakes	12.4	
Component	P	F NA	Component	PF	= NA
3H.1. Hydraulic System Components	- brisky	1	3H.13. Disc Brake System Components		1
3H.2. Brake Pedal/Actuator		1	3H.14. Mechanical Parking Brake		1
3H,3, Vacuum Assist (Boost) System		1	3H.15. Spring-Applied Air-Released Parking Brake		1
3H.4. Hydraulic Assist (Boost) System		1	3H.16. Spring-Applied Hydraulic-Released Parking Brake		1
3H.5. Air Assist (Boost) System		1	3H,17. Anti-Lock Brake System (ABS)	-	1
3H.6. Air-Over-Hydraulic Brake System		1	3H.18. Stability Control System		_ <
3H.11. Brake System Indicator Lamps		1	3H.19. Brake Performance		1
3H.12. Drum Brake System Components		1			

NOTES:

	Sect	ion	3A -	Air Brakes		
Component	P	F	NA	Component	P	F NA
3A.1. Air Compressor	1			3A.13. Air System Components	1	
3A.2. Air Supply System		1		3A.14. Brake Chamber	1	
3A.4. Air Tank	1			3A.15. Drum Brake System Components	1	
3A.5. Air Tank Check Valves	1			3A.16. S-Cam Drum Brake System	1	
3A.6. Brake Pedal/Actuator	1			3A.17. Brake Shoe Travel (Wedge Brakes)		/
3A.7. Treadle Valve and Trailer Hand Valve	1			3A.18. Disc Brake System Components		1
3A.8. Brake Valves & Controls	1			3A.19. Anti-Lock Brake System (ABS)	1	
3A.9. Proportioning, Inversion or Modulation Valve	1			3A.21, Stability Control System		1
3A.10. Towing Vehicle (Tractor) Protection System	1			3A,23. Brake Performance		1

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

	Secti	on	3A - /	Air Brakes		THE STR
Component	P	F	NA	Component	P	F NA
3A.11. Parking Brake & Emergency Application	1	1992	0040400			
NOTES: L2 BRAKE HOSE LEAKING-						
TORE STORY	Sec	21/64	HILL NOW	Steering		
Component	P	F	NA	Component	P	F NA
4.1. Steering Control and Linkage	1			4.4. Kingpin	~	-
4.2. Power Steering System (Hydraulic and Electric)		_	-	4.5. Self-Steer and Controlled-Steer Axle		
4.3. Steering Operation (Active Steer Axle)	1		1			
NOTES:						
Section	5 - Instrui	mei	nts aı	nd Auxiliary Equipment		
Component	P	F	NA	Component	P	F NA
5.1. Fire Extinguisher	1		-	5.8. Heater & Windshield Defroster	1	
5.2. Hazard Warning Kit	1			5.9. Fuel-Burning Auxiliary Heater	1	
5.3. Hom	1			5.10. Chain/"Headache" Rack	1	
5.5. Speedometer	1	_		5.11. Auxiliary Controls and Devices	1	
5,6, Odometer				5.12. Auxiliary Drive Controls	✓	
5.7. Windshield Wiper/Washer	1					
NOTES:	Se	ecti	on 6	- Lamps		
Component 6.1. Required Lamps 6.2. Reflex Reflector	Se P	F	on 6 NA	- Lamps Component 6.4. Instrument Panel Lamps 6.5. Headlamp Aim	P	F NA
Component 6.1. Required Lamps 6.2. Reflex Reflector 6.3. Retro-Reflective Marking	P	F	11000	Component 6.4. Instrument Panel Lamps	P	F NA
Component 6.1. Required Lamps 6.2. Reflex Reflector	P	F	NA	Component 6.4. Instrument Panel Lamps 6.5. Headlamp Aim	P	F NA
Component 6.1. Required Lamps 6.2. Reflex Reflector 6.3. Retro-Reflective Marking	P Y Y	7.	NA	Component 6.4. Instrument Panel Lamps 6.5. Headlamp Aim trical System	Y	
Component 6.1. Required Lamps 6.2. Reflex Reflector 6.3. Retro-Reflective Marking NOTES: Component	P	7.	NA	Component 6.4. Instrument Panel Lamps 6.5. Headlamp Aim trical System Component	P	
Component 6.1. Required Lamps 6.2. Reflex Reflector 6.3. Retro-Reflective Marking NOTES: Component 7.1. Wiring	P / / /	7.	NA	Component 6.4. Instrument Panel Lamps 6.5. Headlamp Aim trical System	Y	
Component 6.1. Required Lamps 6.2. Reflex Reflector 6.3. Retro-Reflective Marking NOTES: Component	P / / /	7.	NA	Component 6.4. Instrument Panel Lamps 6.5. Headlamp Aim trical System Component	Y	
Component 6.1. Required Lamps 6.2. Reflex Reflector 6.3. Retro-Reflective Marking NOTES: Component 7.1. Wiring 7.2. Battery	Section P	17 F	- Elec	Component 6.4. Instrument Panel Lamps 6.5. Headlamp Aim trical System Component	Y	
Component 6.1. Required Lamps 6.2. Reflex Reflector 6.3. Retro-Reflective Marking NOTES: Component 7.1. Wiring 7.2. Battery	Section P	7 F	- Elec	Component 6.4. Instrument Panel Lamps 6.5. Headlamp Aim trical System Component 7.3. Trailer Cord (output to towed vehicle)	Y	F NA
Component 6.1. Required Lamps 6.2. Reflex Reflector 6.3. Retro-Reflective Marking NOTES: Component 7.1. Wiring 7.2. Battery NOTES:	Section P	F F F F F F F F F F F F F F F F F F F	NA Elec	Component 6.4. Instrument Panel Lamps 6.5. Headlamp Aim trical System Component 7.3. Trailer Cord (output to towed vehicle) - Body Component	P	FINA
Component 6.1. Required Lamps 6.2. Reflex Reflector 6.3. Retro-Reflective Marking NOTES: Component 7.1. Wiring 7.2. Battery NOTES:	Section P	F F F F F F F F F F F F F F F F F F F	NA Elec	Component 6.4. Instrument Panel Lamps 6.5. Headlamp Aim trical System Component 7.3. Trailer Cord (output to towed vehicle)	P P	FINA
Component 6.1. Required Lamps 6.2. Reflex Reflector 6.3. Retro-Reflective Marking NOTES: Component 7.1. Wiring 7.2. Battery NOTES: Component 8.1. Hood or Engine Enclosure	Section P	F F F F F F F F F F F F F F F F F F F	NA Elec	Component 6.4. Instrument Panel Lamps 6.5. Headlamp Aim trical System Component 7.3. Trailer Cord (output to towed vehicle) - Body Component 8.12. Bumper	P P	FINA
Component 6.1. Required Lamps 6.2. Reflex Reflector 6.3. Retro-Reflective Marking NOTES: Component 7.1. Wiring 7.2. Battery NOTES: Component 8.1. Hood or Engine Enclosure 8.2. Tilt Cab	Section P	F F F F F F F F F F F F F F F F F F F	NA Elec	Component 6.4. Instrument Panel Lamps 6.5. Headlamp Aim trical System Component 7.3. Trailer Cord (output to towed vehicle) - Body Component 8.12. Bumper 8.13. Windshield	P P	FINA
Component 6.1. Required Lamps 6.2. Reflex Reflector 6.3. Retro-Reflective Marking NOTES: Component 7.1. Wiring 7.2. Battery NOTES: Component 8.1. Hood or Engine Enclosure 8.2. Tilt Cab 8.3. Air-Suspended Cab	Section P	Feet F	NA Elec	Component 6.4. Instrument Panel Lamps 6.5. Headlamp Aim trical System Component 7.3. Trailer Cord (output to towed vehicle) - Body Component 8.12. Bumper 8.13. Windshield 8.14. Side Windows 8.15. Rear Window 8.16. Interior Sun Visor	P P	F NA
Component 6.1. Required Lamps 6.2. Reflex Reflector 6.3. Retro-Reflective Marking NOTES: Component 7.1. Wiring 7.2. Battery NOTES: Component 8.1. Hood or Engine Enclosure 8.2. Tilt Cab 8.3. Air-Suspended Cab 8.4. Cab and Passenger-Vehicle Body 8.5. Cargo Body 8.6. Frame, Rails & Mounts	Section P	Feet F	NA - Election 8	Component 6.4. Instrument Panel Lamps 6.5. Headlamp Aim trical System Component 7.3. Trailer Cord (output to towed vehicle) - Body Component 8.12. Bumper 8.13. Windshield 8.14. Side Windows 8.15. Rear Window	P P	F NA
Component 6.1. Required Lamps 6.2. Reflex Reflector 6.3. Retro-Reflective Marking NOTES: Component 7.1. Wiring 7.2. Battery NOTES: Component 8.1. Hood or Engine Enclosure 8.2. Tilt Cab 8.3. Air-Suspended Cab 8.4. Cab and Passenger-Vehicle Body 8.5. Cargo Body 8.6. Frame, Rails & Mounts 8.7. Unitized Body Elements	Section P	F F F	NA - Election 8	Component 6.4. Instrument Panel Lamps 6.5. Headlamp Aim trical System Component 7.3. Trailer Cord (output to towed vehicle) - Body Component 8.12. Bumper 8.13. Windshield 8.14. Side Windows 8.15. Rear Window 8.16. Interior Sun Visor 8.17. Exterior Windshield Sun Visor 8.18. Rear-View Mirror	P P	F NA
Component 6.1. Required Lamps 6.2. Reflex Reflector 6.3. Retro-Reflective Marking NOTES: Component 7.1. Wiring 7.2. Battery NOTES: Component 8.1. Hood or Engine Enclosure 8.2. Tilt Cab 8.3. Air-Suspended Cab 8.4. Cab and Passenger-Vehicle Body 8.5. Cargo Body 8.6. Frame, Rails & Mounts	Section P	F F F	NA - Election 8	Component 6.4. Instrument Panel Lamps 6.5. Headlamp Aim trical System Component 7.3. Trailer Cord (output to towed vehicle) - Body Component 8.12. Bumper 8.13. Windshield 8.14. Side Windows 8.15. Rear Window 8.16. Interior Sun Visor 8.17. Exterior Windshield Sun Visor	P	F NA

COMMERCIAL VEHICLE RECORD OF INSPECTION TRUCK AND TRUCK-TRACTOR

	S	ection	8 - Body		
Component	Р	F N	A Component	P.	F
Vehicle	53 19 16	-107650			
8.11. Refrigeration/Heater Unit Fuel System (Reefer or Auxiliary Power Unit (APU))		~	8.24. Aerodynamic Device & Attachment		
NOTES:					
Se	ction	9 - Tir	res and Wheels		
Component	P	FN	A Component	P	F
9.1. Tire Tread Depth	1		9.7. Wheel/Rim (Applies to all wheel types)	1	
9.2. Tire Tread Condition	1		9.8. Multi-Piece Wheel/Rim		
9.3. Tire Sidewall & Manufacturer Markings	1		9,9, Spoke Wheel/Demountable Rim System		
9.4. Tire Inflation Pressure	1		9.10, Disc Wheel System	1	
9.5. Wheel Hub	1		9.11. Wheel Fasteners (Nuts, Bolts and Studs)	1	-
9.6. Wheel Bearing	1				
Component	Р	F N	The state of the s	P	F
10.1. Hitch Assembly, Structure & Attaching Components	1	2007	10.5, Roll-Coupling Hitch	-	
10.2. Secondary Attachment (Safety Chain or Cable)		7	/ 10.6. Automated Coupling Device		
10.3. Pintle Hook, Pin Hitch, or Coupler Hitch		1	/ 10.7. Fifth Wheel Coupler	1	
10.4. Ball Type Hitch			/ 10.8, Oscillating Fifth Wheel Coupler	1_	
NOTES:					
Certification					
	AILE	D the	inspection and I certify it has been inspected in accordance wi ble Inspection Manual.	th the	
The Vehicle for which this Record of Inspection is issued has F Vehicle Inspection Regulation, Alberta Regulation 211/2006 and	I the a	•			
The Vehicle for which this Record of Inspection is issued has F Vehicle Inspection Regulation, Alberta Regulation 211/2006 and Date of Inspection Technician Number		Ť	Facility Number Signature		
/ehicle Inspection Regulation, Alberta Regulation 211/2006 and			Facility Number Signature		
Date of inspection					